

CNAWELD

ADDRESS: Room 28A, Liandong U Valley, No. 158, Jinchuang Road, Yaoguan Town, Changzhou Economic Development Zone, Jiangsu, China

Post code: 213100

TEL: 86-0519-89691819

URL: <https://www.cnaweld.com>

E-MAIL: Official@cnaweld.com

» PROFESSIONAL/COLLABORATIVE/INNOVATIVE/DILIGENCE

CNAWELD



MIG

CHANGZHOU CHINA WELDING EQUIPMENT CO., LTD.

COMPANY PROFILE

Changzhou City ChiNa Welding Equipment Co., Ltd. was founded in 2011. Strategically located within the core area of the Shanghai Economic Zone and Nanjing Metropolitan Area, we enjoy convenient transportation. We are a modern enterprise specializing in the integrated R&D, production, and sales of welding and cutting tools. The company possesses robust technical capabilities, strong production capacity, and comprehensive testing facilities.

Our flagship products include welding torches, torch accessories, and wear parts. Our customer base spans the globe, with loyal clients in over 200 cities across Europe, the Americas, Australia, the Middle East, and beyond. Keeping pace with the times and leading the industry, we have established a modern factory that combines information systems with automated equipment. Our products meet international standards and hold comprehensive certifications, including CE, RoHS, REACH, and ISO 9001. Furthermore, we are recognized as a High-Tech Enterprise. Our company has earned high acclaim in both domestic and international markets for our sound quality assurance system and excellent after-sales service.

公司简介

常州驰纳焊割设备有限公司公司成立于2011年,地处大上海经济圈和南京都市圈核心地带,交通方便。我们是一家专注于焊割工具集研发、生产、销售于一体的现代化企业。我司技术力量雄厚,生产能力强,检测设备完善。我们公司的主打产品是焊枪、焊枪配件及易损件。我们客户遍布全球,像欧洲、美洲、澳洲、中东等200多个城市都有忠实客户。

我们公司一直与时俱进,走在行业前端,已建立信息化系统和自动化设备相结合的现代化工厂。与国际接轨,产品认证证书较为全面,像CE、ROHS、REACH、ISO等等。同时我们也是高新技术企业。本公司以完善的质量保证体系和优良的售后服务在国内外市场享有盛誉。



TABLE OF CONTENTS

MIG TORCHES

CN TWC1 100A	01	CN BND 400A.....	24
CN TWC2 200A.....	02	CN BND Q20 200A.....	25
Wearing Parts Suitable For Tweco	03	CN BND Q30 300A.....	26
CN TWC3 300A.....	04	CN BND Q40 400A.....	27
Wearing Parts Suitable For Tweco	05	CN BND Q50 500A.....	28
CN TWC4 400A.....	06	CN BND Q60 600A.....	29
Wearing Parts Suitable For Tweco	07	CN BND-Consumables	30
Wearing Parts Suitable For Tweco	08	CN BND-Quik Tip consumable.....	31
Wearing Parts Suitable For Tweco	09	CN TR 300A	32
CN TWC5 500A	10	CN TR 400A	33
CN TWC6 600A	11	CN TR 500A	34
CN LINC 100L	12	CN M10 100A.....	35
CN LINC 100L Pro.....	13	CN M15 150A.....	36
CN LINC 200	14	CN M25 250A.....	37
CN LINC 200 Pro	15	CN M25 New Air Cooled.....	38
CN LINC 300.....	16	CN M40 400A.....	39
CN LINC 300 Pro	17	CN MDX 100	40
CN LINC 400.....	18	CN MDX 250	41
CN LINC 400 Pro	19	CN Roughneck C- Series 300A/400A	42
CN LINC 500	20	CN 14AK	43
CN LINC 500 Pro	21	CN 15AK	44
CN BND 200A	22		
CN BND 300/350A	23		

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names and trademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都无关联。

TABLE OF CONTENTS

MIG TORCHES


CN 24KD	45	CN AT 455.....	68
CN 25AK	46	CN RF 15	69
CN 26KD	47	CN RF 25	70
CN 36KD	48	CN RF 26	71
CN 40KD	49	CN RF 36	72
CN 240D	50	CN RF 45	73
CN 401D/501D/HD511.....	51	CN MAXI 350.....	74
CN 601D	52	CN MAXI 450.....	75
CN AUT501D	53	CN MAXI 4000.....	76
CN Machine Swan Necks...	54	CN OTC 200A	77
CN EVO 15	55	CN OTC 350A	78
CN EVO 24	56	CN OTC 500A	79
CN EVO 25	57	CN P200A.....	80
CN EVO 26	58	CN P350A.....	81
CN EVO 36	59	CN P500A.....	82
CN EVO 240D	60	CN 36KD(Fume Extraction)	83
CN EVO 401D	61	CN 501D(Fume Extraction)	84
CN EVO 501D	62	CN P350A(Fume Extraction)	85
CN AT 155	63	CN P500A(Fume Extraction)	86
CN AT 255	64	CN Torch Handle.....	87
CN AT 305	65	CN Liner.....	88
CN AT 355	66	CN Liner.....	89
CN AT 405	67	CN Central Adaptor	90
		CN Central Adaptor	91

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names and trademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都无关联。

CN TWC1 100A

Rating: 160A CO₂
100A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
CN-TW1 160A MIG Torch Tweco Connector	CN-35-10	CN-35-12	CN-35-15	
1 Swan Neck 45°	弯管	CN-61-60		
2 Gas Diffuser	导电嘴座	CN-51		
Cas Diffuser	导电嘴座	CN-51-23		
3 Contact Tip .023" 0.6mm	导电嘴	CN-11-23		
Contact Tip .030" 0.8mm	导电嘴	CN-11-30		
Contact Tip .035" 0.9mm	导电嘴	CN-11-35		
Contact Tip .040" 1.0mm	导电嘴	CN-11-40		
Contact Tip .045" 1.2mm	导电嘴	CN-11-45		
Contact Tip Heavy Duty .030" 0.8mm	导电嘴	CN-11H-30		
Contact Tip Heavy Duty .035" 0.9mm	导电嘴	CN-11H-35		
Contact Tip Heavy Duty .040" 1.0mm	导电嘴	CN-11H-40		
Contact Tip Heavy Duty .045" 1.2mm	导电嘴	CN-11H-45		
Contact Tip Tapered .023" 0.6mm	导电嘴	CN-11T-23		
Contact Tip Tapered .030" 0.8mm	导电嘴	CN-11T-30		
Contact Tip Tapered .035" 0.9mm	导电嘴	CN-11T-35		
Contact Tip Tapered .040" 1.0mm	导电嘴	CN-11T-40		
Contact Tip Tapered .045" 1.2mm	导电嘴	CN-11T-45		
4 Nozzle 3/8" 9.5mm	喷嘴	CN-21-37		
Nozzle 1/2" 12.7mm	喷嘴	CN-21-50		
Nozzle 5/8" 15.9mm	喷嘴	CN-21-62		
5 Front Handle	前把壳	CN-95G2209		
6 Switch	开关	CN-95185.00315		
7-2 Rear Strain Relief Spring	欧式弹簧	CN-9S285507		
7-3 Euro Rear Handle	欧式后把壳	CN-P001075		
7-4 Euro Nut	后锁母	CN-174X-2		
7-5 Euro Connector Tweco Style	后主体	CN-174EX-1		
7-6 Liner for .030"-0.35"(0.8-0.9mm) 10FT(3.0m)	送丝管3米	CN-42-3035-10		
Liner for .030"-0.35"(0.8-0.9mm) 12FT(3.5m)	送丝管3.5米	CN-42-3045-12		
Liner for .030"-0.35"(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-42-3045-15		
7-6 Euro Conduit Cap	螺母	CN-174EX-1C		
8-1 Rear Strain Relief Spring	美式弹簧	CN-9S285507		
8-2 Rear Handle American Style	美式把壳	CN-9S285509		
8-3 Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ		
8-4 Control Wire 2-Spaded Lug 6.3mm	控制线端子	CN-35K350-1		
We can supply any cable connector according to customer request				
我们可以根据客户需要制作任何形式的接口				



CN TWC2 200A

Rating: 200A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.2mm



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
CN-TW2 MIG Torch Euro Connector	TW2-10T	TW2-12T	TW2-15T	
CN-TW2 MIG Torch Miller Connector	TW2-10M	TW2-12M	TW2-15M	
CN-TW2 MIG Torch Tweco Connector	TW2-10L	TW2-12L	TW2-15L	
CN-TW2 MIG Torch Lincoln Connector	TW2-10E	TW2-12E	TW2-15E	
1 Jacketed Swan Neck 45°	弯管	CN-62J45		
Jacketed Swan Neck 60°	弯管	CN-62J60		
2 Gas Diffuser(used with 32 insulator)	导电嘴座	CN-52		
3 Contact Tip .023" 0.6mm Standard	导电嘴	CN-14-23		
Contact Tip .030" 0.8mm Standard	导电嘴	CN-14-30		
Contact Tip .035" 0.9mm Standard	导电嘴	CN-14-35		
Contact Tip .040" 1.0mm Standard	导电嘴	CN-14-40		
Contact Tip .045" 1.2mm Standard	导电嘴	CN-14-45		
Contact Tip .052" 1.3mm Standard	导电嘴	CN-14-52		
Contact Tip 1/16" 1.6mm Standard	导电嘴	CN-14-116		
Contact Tip 5/64" 2.0 mm Standard	导电嘴	CN-14-564		
Contact Tip 3/64"AL 1.2 mm Standard	导电嘴	CN-14A364		
Contact Tips Heavy Duty	导电嘴	CN-14H-XX		
Contact Tips Tapered	导电嘴	CN-14T-XX		
4 Insulator (used with adjustable nozzles)	绝缘座	CN-32		
5 Front Handle	前把壳	CN-83RC		
6 Hook	挂钩	CN-179002		
7 Switch	开关	CN-92RR		
8 Nipple	电缆接头	CN-62N		
9 Front Cable Assembly	前电缆组件	CN-102		
10 Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010S		
11-1 Rear Strain Relief Spring	欧式弹簧	CN-P002213		
11-2 Euro Rear Handle	欧式后把壳	CN-P001075		
11-3 Euro Nut	后锁母	CN-174X-2		
11-4 Euro Connector Tweco Style	后主体	CN-174EX-1		
11-5 Liner for .040"-0.45"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10		
Liner for .040"-0.45"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12		
Liner for .040"-0.45"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15		
11-6 Euro Conduit Cap	螺母	CN-174EX-1C		
12-1 Rear Strain Relief Spring	美式弹簧	CN-P102213A		
12-2 Rear Handle American Style	美式把壳	CN-P001075A		
12-3 Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ		
12-4 Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM		
We can supply any cable connector according to customer request				
我们可以根据客户需要制作任何形式的接口				



Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.	
19-1	Nozzle 3/8"	(adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22-37
19-2	Nozzle 3/8"	(adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22-50
19-3	Nozzle 5/8"	(adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	15.9mm	CN22-62
19-4	Tapered Nozzle 3/8"	(short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22T-37SS
19-5	Nozzle 3/8"	(short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22-37SS
19-6	Nozzle 1/2"	(short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	12.7mm	CN22-50SS
19-7	Nozzle 5/8"	(short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	15.9mm	CN22-62SS


CN TWC3 300A

Rating: 300A CO₂

250A Mixed Gases

Duty Cycle: 60%

Wire Size: 0.6~1.2mm



CNAWELED is not may affiliated with Tweco and its registered trademarks. The products listed here are not genuine ones, but are made for and by CNAWELED. References to machines, torches, spare parts and aumbers are for your convenience ONLY, CNAWELED reserve the right to substitute OEM parts in place of CNAWELED parts.

Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
18-1	Nozzle 3/8"	喷嘴	9.5mm	CN23-37
18-2	Nozzle 3/8"	喷嘴	9.5mm	CN23-37F
18-3	Nozzle 1/2"	喷嘴	12.7mm	CN23-50
18-4	Nozzle 1/2"	喷嘴	12.7mm	CN23-50F
18-5	Nozzle 5/8"	喷嘴	15.8mm	CN23-62
18-6	Nozzle 5/8"	喷嘴	15.8mm	CN23-62F
18-7	Nozzle 3/4"	喷嘴	19mm	CN23-75
18-8	Nozzle 3/4"	喷嘴	19mm	CN23-75F
18-9	Heavy duty nozzle 1/2"	喷嘴	12.7mm	CN23H-50
18-10	Heavy duty nozzle 5/8"	喷嘴	15.8mm	CN23H-62

CNAWELD is not affiliated with Tweco and its registered trademarks. The products listed here are not genuine ones, but are made for and by CNAWELD. References to machines, torches, spare parts and numbers are for your convenience ONLY. CNAWELD reserves the right to substitute OEM parts in place of CNAWELD parts.


CN TWC4 400A

Rating: 400A CO₂

350A Mixed Gases

Duty Cycle: 60%

Wire Size: 0.6~1.6mm



Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
19-1	Nozzle 5/8" (Self insulated nozzles)	喷嘴	15.8mm	CN24A-50
19-2	Nozzle 3/4" (Self insulated nozzles)	喷嘴	19mm	CN24A-50SS
19-3	Nozzle 5/8" (adjustable-used with 34A insulator)	喷嘴	15.8mm	CN24A-62
19-4	Nozzle 5/8" (short stop-adjustable used with 34A insulator)	喷嘴	15.8mm	CN24A-62SS
19-5	Nozzle 3/4" (adjustable-used with 34A insulator)	喷嘴	19mm	CN24A-75
19-6	Nozzle 3/4" (short stop-adjustable used with 34A insulator)	喷嘴	19mm	CN24A-75SS
19-7	Heavy duty nozzle 1/2" (heavy duty-adjustable-used with 34A insulator)	喷嘴	12.7mm	CN24AH-50
19-8	Heavy duty nozzle 5/8" (heavy duty-adjustable-used with 34A insulator)	喷嘴	15.8mm	CN24AH-62
19-9	Heavy duty nozzle 1/2" (Self insulated nozzles)	喷嘴	12.7mm	CN23H-50
19-10	Heavy duty nozzle 5/8" (heavy duty-adjustable-used with 34A insulator)	喷嘴	15.8mm	CN24AH-62

CNAWELD is not affiliated with Tweco and its registered trademarks. The products listed here are not genuine ones, but are made for and by CNAWELD. References to machines, torches, spare parts and numbers are for your convenience ONLY. CNAWELD reserves the right to substitute OEM parts in place of CNAWELD parts.

Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
19-11	Heavy duty nozzle 5/8" (short stop-heavy duty-adjustable used with 34A insulator)	喷嘴	15.8mm	CN24AH-62SS
19-12	Heavy duty nozzle 3/4" (short stop-heavy duty-adjustable used with 34A insulator)	喷嘴	19mm	CN24AH-75SS
19-13	Heavy duty nozzle 3/4" (short stop-heavy duty-adjustable used with 34A insulator)	喷嘴	19mm	CN24AH-75
19-14	Tapered nozzle 3/8" (adjustable used with 34A insulator)	喷嘴	9.5mm	CN24AT-37SS
19-15	Nozzle 3/8" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	9.5mm	CN24CT-37S
19-16	Nozzle 1/2" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	12.7mm	CN24CT-50F
19-17	Nozzle 1/2" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	12.7mm	CN24CT-50S
19-18	Nozzle 5/8" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	15.8mm	CN24CT-62F
19-19	Nozzle 5/8" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	15.8mm	CN24CT-62R
19-20	Nozzle 5/8" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	15.8mm	CN24CT-62S

CNAWELD is not affiliated with Tweco and its registered trademarks. The products listed here are not genuine ones, but are made for and by CNAWELD. References to machines, torches, spare parts and numbers are for your convenience ONLY. CNAWELD reserves the right to substitute OEM parts in place of CNAWELD parts.

Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
19-21	Nozzle 3/4"	(coarse thread fixed nozzle-used with 34CT insulator)	喷嘴 19mm	CN24CT-75F
19-22	Nozzle 3/4"	(coarse thread fixed nozzle-used with 34CT insulator)	喷嘴 19mm	CN24CT-75R
19-23	Nozzle 3/4"	(coarse thread fixed nozzle-used with 34CT insulator)	喷嘴 19mm	CN24CT-75S
19-24	Nozzle 1/2"	(coarse thread fixed nozzle-used with 34FN insulator)	喷嘴 12.7mm	CN24FN-50S
19-25	Nozzle 5/8"	(coarse thread fixed nozzle-used with 34FN insulator)	喷嘴 15.8mm	CN24A-62F
19-26	Insulator	绝缘套		CN34CT

CNAWELD is not affiliated with Tweco and its registered trademarks. The products listed here are not genuine ones, but are made for and by CNAWELD. References to machines, torches, spare parts and numbers are for your convenience ONLY. CNAWELD reserves the right to substitute OEM parts in place of CNAWELD parts.


CN TWC5 500A

Rating: 500A CO₂

400A Mixed Gases


Duty Cycle: 60%

Wire Size: 0.9~2.4mm




CN TWC6 600A

Rating: 600A CO₂
550A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~2.4mm

**CN LINC 100L**

Rating: 100A CO₂
Duty Cycle: 40%
Wire Size: .025"-.045"(0.6-1.2mm)




CN LINC 100L PRO

Rating: 100A CO₂

Duty Cycle: 40%

Wire Size: .025"-.035"(0.6-0.9mm)



No.	Description	Order
1	Swan Neck	CN-KP3082-60*
2	Gas Diffuser	CN-KP3076-1*
3	Contact Tip .025" 0.6mm Tapered	CN-KP2744-025T
	Contact Tip .030" 0.8mm Tapered	CN-KP2744-030T
	Contact Tip .035" 0.9mm Tapered	CN-KP2744-035T*
	Contact Tip .040" 1.0mm Tapered	CN-KP2744-040T
	Contact Tip .045" 1.2mm Tapered	CN-KP2744-045T
4	Nozzle 3/8" 9.5mm Flush	CN-KP3075-1-38F
	Nozzle 1/2" 12.7mm Flush	CN-KP3075-1-50F*
	Nozzle 3/8" 9.5mm Stickout 1/8"	CN-KP3075-1-38S
	Nozzle 1/2" 12.7mm Stickout 1/8"	CN-KP3075-1-50S
4-1	Gasless Nozzle	CN-KP3084-1
5	Front Handle	CN-9SG2209
6	Switch	CN-9S185.0031S
7	Cable Ball Joint & Support Spring Big	CN-400.1010M
8-1	Rear Strain Relief Spring	CN-P001075
8-2	Euro Rear Handle	CN-95M15808
8-3	Euro Nut	CN-174X-2
8-4	Euro Connector Tweco Style	CN-174EX-1
8-5	Liner for .025"-.035"(0.6-0.9mm) 15FT(4.5m)	CN-KP35-40-15
	Liner for .035"-.045"(0.9-1.2mm) 15FT(4.5m)	CN-KP45-40-15
	Liner Aluminum for .035"(0.9mm) 15FT(4.5m)	CN-KP1959-1
8-6	Euro Conduit Cap	CN-174EX-1C
9-1	Rear Strain Relief Spring	CN-9S285507
9-2	Rear Handle American Style	CN-9S285509
9-3	Miller Control Wire & Plug	CN-MS354-TAJ
9-4	Control Wire 2-Spaded Lug 6.3mm	CN-35K350-1
10	Tweco Connector Plug	CN-174EX-2
10-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	CN-42-3035-15
11	Miller Connector Plug	CN-350-174MH
11-1	CNML Liner	CN-MLL

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN LINC 200

Rating: 200A CO₂


Duty Cycle: 60%

Wire Size: .025"-.045"(0.6-1.2mm)



No.	Description	Order
1	Swan Neck	CN-KP2028-1
2	Gas Diffuser Assembly (.035"-.045")	CN-KP52
3	Slip on Nozzle Insulator Assembly	CN-KP32
4	Contact Tip .023" 0.6mm	CN-KP14-23
	Contact Tip .030" 0.8mm	CN-KP14-30
	Contact Tip .035" 0.9mm	CN-KP14-35
	Contact Tip .040" 1.0mm	CN-KP14-40
	Contact Tip .045" 1.2mm	CN-KP14-45*
	Contact Tip .052" 1.3mm	CN-KP14-52
	Contact Tip 1/16" 1.6mm	CN-KP14-116
	Contact Tip 5/64" 2.0mm	CN-KP14-564
	Contact Tip AL 3/64" 1.2mm	CN-KP14A-364
5	Nozzle 3/8" 9.5mm	CN-KP22-37
	Nozzle 1/2" 12.7mm	CN-KP22-50
	Nozzle 5/8" 15.9mm	CN-KP22-62
6	Torch Handle (Left & Right)	CN-9SG1927
7	Trigger Assembly	CN-9SS21002
8	Hanger	CN-9SM15693
9	Spring Boot	CN-9SS24676
10-1	Rear Strain Relief Spring	CN-9SP102213
10-2	Euro Cable Handle	CN-95M15808
10-3	Euro Collar Nut	CN-9SS18929
10-4	Euro Central Adapter Assembly	CN-9SS18948-2
10-5	Liner for .025"-.030"(0.6-0.8mm) 15FT(4.5m)	CN-KP42-25-15
	Liner for .030"-.035"(0.8-0.9mm) 15FT(4.5m)	CN-KP42-3035-15
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	CN-KP42-4045-15*
	Liner Aluminum for .035"-.045"(0.9-1.2mm) 15FT(4.5m)	CN-KP44N-3545-15
10-6	Euro Conduit Cap	CN-9SS18991
11	Cable Handle	CN-9SL7725
12	Connector Cover	CN-9SL7723
13	Nut (Cable Handle)	CN-9SS18690
14	Tail Piece	CN-9SM15607
15-1	Lincoln Connector	CN-9SS18645
15-2	Tweco 1-4# Connector	CN-9SS18653
15-3	Miller Connector	CN-9SS19760-1
15-4	Miller & Tweco Control Wire Direct Plug	CN-9SM15608
15-5	Lincoln Control Wire Direct Plug	CN-9SM16325-1
15-6	Gas Tube Lincoln	CN-9SAK353

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN LINC 200PRO


Rating: 200A CO₂

Duty Cycle: 60%

Wire Size: .025"-.045"(0.6-1.2mm)



No.	Description	Order
	CN-LINCMIG PRO Curve 200 MIG Gun 10FT(3.0m) Fast-Mate	CN-K2950-1X
	CN-LINCMIG PRO Curve 200 MIG Gun 15FT(4.5m) Fast-Mate	CN-K2950-2X
	CN-LINCMIG PRO Curve 200 MIG Gun 10FT(3.0m)	CN-K2950-1
	CN-LINCMIG PRO Curve 200 MIG Gun 15FT(4.5m)	CN-K2950-2
1	Swan Neck 45°	弯管
	Swan Neck 60°	弯管
2	Torch Tube Insulator	绝缘座
3	Gas Diffuser for 350A Thread-on	导电嘴座
4	Contact Tips Tapered	导电嘴
4-1	Contact Tip .025" 0.6mm	导电嘴
	Contact Tip .030" 0.8mm	导电嘴
	Contact Tip .035" 0.9mm	导电嘴
	Contact Tip .040" 1.0mm	导电嘴
	Contact Tip .045" 1.2mm	导电嘴
	Contact Tip .052" 1.4mm	导电嘴
	Contact Tip 1/16" 1.6mm	导电嘴
	Contact Tip 5/64" 2.0 mm	导电嘴
5	Nozzle 3/8" 9.5mm Recess 1/8"	喷嘴
	Nozzle 1/2" 12.7mm Recess 1/8"	喷嘴
	Nozzle 5/8" 15.9mm Recess 1/8"	喷嘴
	Nozzle 3/8" 9.5mm Flush	喷嘴
	Nozzle 1/2" 12.7mm Flush	喷嘴
	Nozzle 5/8" 15.9mm Flush	喷嘴
	Nozzle 3/8" 9.5mm Stickout 1/8"	喷嘴
	Nozzle 1/2" 12.7mm Stickout 1/8"	喷嘴
	Nozzle 5/8" 15.9mm Stickout 1/8"	喷嘴
6	Torch Handle (Left & Right)	前把壳
7	Trigger Assembly	开关
8	Hanger	挂钩
9	Spring Boot	美式弹簧
10-1	Rear Strain Relief Spring	球节支撑体
10-2	Euro Cable Handle	欧式后把壳
10-3	Euro Collar Nut	后锁母
10-4	Euro CentralAdapter Assembly	欧式后主体
10-5	Liner for .025"-.030"(0.6-0.8mm) 15FT(4.5m)	送丝管
	Liner for .030"-.035"(0.8-0.9mm) 15FT(4.5m)	送丝管
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管
10-6	Euro Conduit Cap	螺母
		CN-K2950-1X
		CN-K2950-2X
		CN-K2950-1
		CN-K2950-2
		CN-KP2926-45
		CN-KP2926-60
		CN-KP2773-2
		CN-KP2746-1*
		CN-KP2744-XXXT
		CN-KP2744-025
		CN-KP2744-030
		CN-KP2744-035
		CN-KP2744-040
		CN-KP2744-045*
		CN-KP2744-052
		CN-KP2744-116
		CN-KP2744-564
		CN-KP2742-1-38R
		CN-KP2742-1-50R
		CN-KP2742-1-62R*
		CN-KP2742-1-38F
		CN-KP2742-1-50F
		CN-KP2742-1-62F
		CN-KP2742-1-38S
		CN-KP2742-1-50S
		CN-KP2742-1-62S
		CN-9SL7725
		CN-9SL7723
		CN-9SS18690
		CN-9SM15607
		CN-9SS18645
		CN-9SS19760-1
		CN-9SM15608
		CN-9SS18929
		CN-9SS18948-2
		CN-KP42-25-15
		CN-KP42-3035-15
		CN-KP42-4045-15*
		CN-9SAK353
		We can supply any cable connector according to customer request
		We can supply any cable connector according to customer request



CN LINC 300

Rating: 300A CC

Duty Cycle: 60%

Wire Size: .025"-5/64"(0.6-2.0mm)



No.	Description	Order
	CN-LINCMIG 300 MIG Torch 10FT(3.0m) Fast-Mate	CN-K470-1E
	CN-LINCMIG 300 MIG Torch 15FT(4.5m) Fast-Mate	CN-K470-2E
	CN-LINCMIG 300 MIG Torch 10FT(3.0m)	CN-K470-1
	CN-LINCMIG 300 MIG Torch 15FT(4.5m)	CN-K470-2
1	Swan Neck 45°	弯管
	Swan Neck 60°	弯管
2	Gas Diffuser	导电嘴座
3	Contact Tips Tapered	导电嘴
3-1	Contact Tips Standard	导电嘴
3-2	Contact Tips Heavy Duty	导电嘴
4	Slip on Nozzle Insulator Assembly	绝缘座
	Insulator	绝缘座
5	Nozzle Adjustable Slip-On 1/2" 12.7mm	喷嘴
	Nozzle Adjustable Slip-On 5/8" 15.9mm	喷嘴
	Nozzle Adjustable Slip-On 3/4" 19.5mm	喷嘴
	Nozzle Slip-On Recessed 3/8" 9.5mm	喷嘴
	Nozzle Slip-On Recessed 1/2" 12.7mm	喷嘴
	Nozzle Slip-On Recessed 5/8" 15.9mm	喷嘴
	Nozzle Fixed Recessed 3/8" 9.5mm	喷嘴
	Nozzle Fixed Recessed 1/2" 12.7mm	喷嘴
	Nozzle Fixed Recessed 5/8" 15.9mm	喷嘴
	Nozzle Fixed Recessed 3/4" 19.5mm	喷嘴
	Nozzle Fixed Flush 1/2" 12.7mm	喷嘴
	Nozzle Fixed Flush 5/8" 15.9mm	喷嘴
	Nozzle Fixed Heavy Duty 5/8" 15.9mm	喷嘴
	Nozzle Fixed Heavy Duty 5/8" 15.9mm	喷嘴
	Nozzle Fixed Heavy Duty 5/8" 19.5mm	喷嘴
	Nozzle Fixed Tapered 3/8" 9.5mm	喷嘴
	Nozzle 1/2" 12.7mm	喷嘴
	Nozzle 5/8" 15.9mm	喷嘴
	Nozzle 3/4" 19.5mm	喷嘴
6	Torch Handle (Left & Right)	前把壳
7	Trigger Assembly	开关
8	Hanger	挂钩
9	Spring Boot	美式弹簧
10-1	Rear Strain Relief Spring	球节支撑体
10-2	Euro Cable Handle	欧式后把壳
10-3	Euro Collar Nut	后锁母
10-4	Euro Central Adapter Assembly	欧式后主体
10-5	Liner for .035"- .045"(0.9-1.2mm) 15FT (4.5m)	送丝管4.5米
	Liner for .035"- .045"(0.9-1.2mm) 25FT(7.5m)	送丝管7.5米
10-6	Euro Conduit Cap	螺母
11	Cable Handle	美式后把壳
12	Connector Cover	连接开关
13	Nut (Cable Handle)	把壳螺母
14	Tail Piece	把壳尾部
15-1	Lincoln Connector	LC连接器
15-2	Tweco 1-4# Connector	TWC连接器
15-3	Miller Connector	ML连接器
15-4	Miller &Tweco Control Wire Direct Plug	美式插头
15-5	Lincoln Control Wire Direct Plug	LC插头
15-6	Gas Tube Lincoln	LC气管




CN LINC 300PRO

Rating: 300A CO₂

Duty Cycle: 60%


Wire Size: .025"-5/64"(0.6-2.0mm)



No.	Description	Order
	CN-LINCMIG PRO Curve 300 MIG Torch 10FT(3.0m) Fast-Mate	CN-K2951-1E
	CN-LINCMIG PRO Curve 300 MIG Torch 15FT(4.5m) Fast-Mate	CN-K2951-2E
	CN-LINCMIG PRO Curve 300 MIG Torch 10FT(3.0m)	CN-K2951-1
	CN-LINCMIG PRO Curve 300 MIG Torch 15FT(4.5m)	CN-K2951-2
	CN-LINCMIG PRO Curve 300 MIG Torch 20FT(6.0m)	CN-K2951-3
	CN-LINCMIG PRO Curve 300 MIG Torch 25FT(7.5m)	CN-K2951-4

1	Swan Neck 45°	弯管	CN-KP2925-45
1	Swan Neck 60°	弯管	CN-KP2925-60*
2	Torch Tube Insulator	绝缘座	CN-KP2773-2
3	Gas Diffuser for 350A Thread-on	导电嘴座	CN-KP2746-1*
4	Contact Tips Tapered	导电嘴	CN-KP2744-XXXT
4-1	Contact Tip .025" 0.6mm	导电嘴	CN-KP2744-025
	Contact Tip .030" 0.8mm	导电嘴	CN-KP2744-030
	Contact Tip .035" 0.9mm	导电嘴	CN-KP2744-035
	Contact Tip .040" 1.0mm	导电嘴	CN-KP2744-040
	Contact Tip .045" 1.2mm	导电嘴	CN-KP2744-045*
	Contact Tip .052" 1.4mm	导电嘴	CN-KP2744-052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-KP2744-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2744-564
5	Nozzle 3/8" 9.5mm Recess 1/8"	喷嘴	CN-KP2742-1-38R
	Nozzle 1/2" 12.7mm Recess 1/8"	喷嘴	CN-KP2742-1-50R
	Nozzle 5/8" 15.9mm Recess 1/8"	喷嘴	CN-KP2742-1-62R*
	Nozzle 3/8" 9.5mm Flush	喷嘴	CN-KP2742-1-38F
	Nozzle 1/2" 12.7mm Flush	喷嘴	CN-KP2742-1-50F
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-KP2742-1-62F
	Nozzle 3/8" 9.5mm Stickout 1/8"	喷嘴	CN-KP2742-1-38S
	Nozzle 1/2" 12.7mm Stickout 1/8"	喷嘴	CN-KP2742-1-50S
	Nozzle 5/8" 15.9mm Stickout 1/8"	喷嘴	CN-KP2742-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Hanger	挂钩	CN-9SM15693
9	Spring Boot	美式弹簧	CN-9SS24676
10-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
10-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
10-3	Euro Collar Nut	后锁母	CN-9SS18929
10-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SM18948-2
10-5	Liner for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-116-15*
	Liner for .052"-1/16"(1.3-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-KP44-116-25
	Liner for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-564-15
	Liner for 1/16"-5/64"(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-564-25
	Liner Aluminum for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44N-116-15
	Liner Aluminum for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44N-116-15
10-6	Euro Conduit Cap	螺母	CN-9SS18991

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN LINC 400

Rating: 400A CO₂

Duty Cycle: 60%


Wire Size: .025"-5/64"(0.6-2.0mm)



No.	Description	Order
	CN-LINCMIG 400 MIG Torch 10FT(3.0m)(0.9-1.2mm) Fast-Mate	CN-K479-1
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(0.9-1.2mm) Fast-Mate	CN-K479-2
	CN-LINCMIG 400 MIG Torch 10FT(3.0m)(0.9-1.2mm)	CN-K471-1
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(0.9-1.2mm)	CN-K471-2
	CN-LINCMIG 400 MIG Torch 20FT(6.0m)(0.9-1.2mm)	CN-K471-10
	CN-LINCMIG 400 MIG Torch 25FT(7.5m)(0.9-1.2mm)	CN-K471-13
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.3-1.6mm) Fast-Mate	CN-K479-4
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.3-1.6mm)	CN-K471-4
	CN-LINCMIG 400 MIG Torch 20FT(6.0m)(1.3-1.6mm)	CN-K471-11
	CN-LINCMIG 400 MIG Torch 25FT(7.5m)(1.3-1.6mm)	CN-K471-13
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.6-2.0mm) Fast-Mate	CN-K479-6
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.6-2.0mm)	CN-K471-6

1	Swan Neck 45°	弯管	CN-KP1929-1
1	Swan Neck 60°	弯管	CN-KP1928-1
2	Gas Diffuser	导电嘴座	CN-KP54A
3	Contact Tips Tapered	导电嘴	CN-KP14-XX*
3-1	Contact Tips Standard	导电嘴	CN-KP14-XX*
3-2	Contact Tips Heavy Duty	导电嘴	CN-KP14H-XX
4	Slip on Nozzle Insulator Assembly	绝缘座	CN-KP34CT
5	Nozzle Adjustable Slip-On 1/2" 12.7mm	喷嘴	CN-KP24A-50
	Nozzle Adjustable Slip-On 5/8" 15.9mm	喷嘴	CN-KP24A-62*
	Nozzle Adjustable Slip-On 3/4" 19.5mm	喷嘴	CN-KP24A-75
	Nozzle Slip-On Recessed 3/8" 9.5mm	喷嘴	CN-KP24A-37SS
	Nozzle Slip-On Recessed 1/2" 12.7mm	喷嘴	CN-KP24A-50SS
	Nozzle Slip-On Recessed 5/8" 15.9mm	喷嘴	CN-KP24A-62SS
	Nozzle Fixed Recessed 3/8" 9.5mm	喷嘴	CN-KP23-37
	Nozzle Fixed Recessed 1/2" 12.7mm	喷嘴	CN-KP23-50
	Nozzle Fixed Recessed 5/8" 15.9mm	喷嘴	CN-KP23-62
	Nozzle Fixed Recessed 3/4" 19.5mm	喷嘴	CN-KP23-75
	Nozzle Fixed Flush 1/2" 12.7mm	喷嘴	CN-KP23-50F
	Nozzle Fixed Flush 5/8" 15.9mm	喷嘴	CN-KP23-62F
	Nozzle Fixed Heavy Duty 5/8" 15.9mm	喷嘴	CN-KP23H-62
	Nozzle Fixed Heavy Duty 5/8" 19.5mm	喷嘴	CN-KP23H-62F
	Nozzle Fixed Heavy Duty 5/8" 19.5mm	喷嘴	CN-KP23H-75
	Nozzle Fixed Tapered 3/8" 9.5mm	喷嘴	CN-KP23T-37
	Nozzle 1/2" 12.7mm	喷嘴	CN-KP24CT-50S
	Nozzle 5/8" 15.9mm	喷嘴	CN-KP24CT-62S
	Nozzle 3/4" 19.5mm	喷嘴	CN-KP24CT-75S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Hanger	挂钩	CN-9SM15693
9	Spring Boot	美式弹簧	CN-9SS24676

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN LINC 400PRO

Rating: 400A CO₂

Duty Cycle: 60%

Wire Size: .025"-5/64"(0.6-2.0mm)




No.	Description	Order
CN-LINCMIG PRO Curve 400 MIG Torch 10FT(3.0m) Fast-Mate	CN-K2952-1X	
CN-LINCMIG PRO Curve 400 MIG Torch 15FT(4.5m) Fast-Mate	CN-K2952-2X	
CN-LINCMIG PRO Curve 400 MIG Torch 10FT(3.0m)	CN-K2952-1	
CN-LINCMIG PRO Curve 400 MIG Torch 15FT(4.5m)	CN-K2952-2	
CN-LINCMIG PRO Curve 400 MIG Torch 20FT(6.0m)	CN-K2952-3	
CN-LINCMIG PRO Curve 400 MIG Torch 25FT(7.5m)	CN-K2952-4	

1	Swan Neck 45°	弯管	CN-KP2926-45
1	Swan Neck 60°	弯管	CN-KP2926-60
2	Torch Tube Insulator	绝缘座	CN-KP2773-2
3	Gas Diffuser for 350A Thread-on	导电嘴座	CN-KP2746-1*
4	Contact Tips Tapered	导电嘴	CN-KP2744-XXXT
4-1	Contact Tip .025" 0.6mm	导电嘴	CN-KP2744-025
	Contact Tip .030" 0.8mm	导电嘴	CN-KP2744-030
	Contact Tip .035" 0.9mm	导电嘴	CN-KP2744-035
	Contact Tip .040" 1.0mm Standard	导电嘴	CN-KP165-35
	Contact Tip .045" 1.2mm Standard	导电嘴	CN-KP165-45
	Contact Tip .052" 1.3mm Standard	导电嘴	CN-KP165-52
	Contact Tip 1/16" 1.6mm Standard	导电嘴	CN-KP165-116
	Contact Tip 5/64" 2.0mm Standard	导电嘴	CN-KP165-564
	Contact Tip 3/32" 2.4mm Standard	导电嘴	CN-KP165-332*
	Contact Tip 7/64" 2.8mm Standard	导电嘴	CN-KP165-764
4	Insulator	绝缘座	CN-KP36CT*
5	Nozzle 1/2" 12.7mm	喷嘴	CN-KP26CT-50
	Nozzle 5/8" 9.5mm Recess 1/8"	喷嘴	CN-KP26CT-62*
	Nozzle 1/2" 12.7mm Recess 1/8"	喷嘴	CN-KP26CT-75
	Nozzle 5/8" 15.9mm Recess 1/8"	喷嘴	CN-KP26CT-75
	Nozzle 3/8" 9.5mm Flush	喷嘴	CN-KP2742-1-38F
	Nozzle 1/2" 12.7mm Flush	喷嘴	CN-KP2742-1-50F
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-KP2742-1-62F
	Nozzle 3/8" 9.5mm Stickout 1/8"	喷嘴	CN-KP2742-1-38S
	Nozzle 1/2" 12.7mm Stickout 1/8"	喷嘴	CN-KP2742-1-50S
	Nozzle 5/8" 15.9mm Stickout 1/8"	喷嘴	CN-KP2742-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Hanger	挂钩	CN-9SM15693
9	Spring Boot	美式弹簧	CN-9SS24676
10-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
10-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
10-3	Euro Collar Nut	后锁母	CN-9SS18929
10-4	Euro Central Adapter Assembly	欧式后主体	CN-9SS18948-2
10-5	Liner for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-116-15*
	Liner for .052"-1/16"(1.3-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-KP44-116-25
	Liner for 1/16"-5/64"(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-564-15
	Liner for 1/16"-5/64"(1.6-2.0mm) 25FT(7.5m)	送丝管7.5米	CN-KP44-564-25
	Liner Aluminum for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44N-116-15
	Liner Aluminum for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44N-116-15

10-6	Euro Conduit Cap	螺母	CN-9SS18991
11	Cable Handle	美式后把壳	CN-9SL7725
12	Connector Cover	连接开关	CN-9SL7723
13	Nut (Cable Handle)	把壳螺母	CN-9SS18690
14	Tail Piece	把壳尾部	CN-9SM15607
15-1	Lincoln Connector	LC连接器	CN-9SS18645
15-2	Tweco 1-4# Connector	TWC连接器	CN-9SS18653
15-3	Miller Connector	ML连接器	CN-9SS19760-1
15-4	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
15-5	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
15-6	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC 550

Rating: 600A CO₂

Duty Cycle: 60%

Wire Size: .035"-1/8"(0.9-3.2mm)



No.	Description	Order
	CN-LINCMIG 550 MIG Torch 15FT(4.5m)(2.0-2.4mm)	CN-K598-11

1	Swan Neck 60° (5 in. Radius Bend)	弯管	CN-KP1951-2*
2	Gas Diffuser 2.0-3.2mm	导电嘴座	CN-KP565-H*
3	Contact Tip .035" 0.9mm Standard	导电嘴	CN-KP165-35
	Contact Tip .040" 1.0mm Standard	导电嘴	CN-KP165-40
	Contact Tip .045" 1.2mm Standard	导电嘴	CN-KP165-45
	Contact Tip .052" 1.3mm Standard	导电嘴	CN-KP165-52
	Contact Tip 1/16" 1.6mm Standard	导电嘴	CN-KP165-116
	Contact Tip 5/64" 2.0mm Standard	导电嘴	CN-KP165-564
	Contact Tip 3/32" 2.4mm Standard	导电嘴	CN-KP165-332*
	Contact Tip 7/64" 2.8mm Standard	导电嘴	CN-KP165-764
4	Insulator	绝缘座	CN-KP36CT*
5	Nozzle 1/2" 12.7mm	喷嘴	CN-KP26CT-50
	Nozzle 5/8" 9.5mm	喷嘴	CN-KP26CT-62*
	Nozzle 3/4" 19mm	喷嘴	CN-KP26CT-75
6	Torch Handle (Left & Right)	前把壳	CN-9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Clamp	前固定器	CN-9SS15921-1
9	Spring Boot	美式弹簧	CN-9SS24676B
10-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
10-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
10-3	Euro Collar Nut	后锁母	CN-9SS18929
10-4	Euro Central Adapter Assembly	欧式后主体	CN-9SS18948-2
10-5	Liner for .052"-1/16"(1.3-1.6mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-116-15
	Liner for .052"-1/16"(1.3-1.6mm) 25FT (7.5m)	送丝管7.5米	CN-KP44-116-25
10-6	Euro Conduit Cap	螺母	CN-9SS18991
11	Cable Handle	美式后把壳	CN-9SL7725
12	Connector Cover	连接开关	CN-9SL7723
13	Nut (Cable Handle)	把壳螺母	CN-9SS18690
14	Tail Piece	把壳尾部	CN-9SM15607
15-1	Lincoln Connector	LC连接器	CN-9SS18645-3
15-2	Tweco 1-4# Connector	TWC连接器	CN-9SS18653-1
15-3	Miller Connector	ML连接器	CN-9SS19760-1
15-4	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
15-5	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
15-6	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口



CN LINC 550PRO


Rating: 600A CO₂

Duty Cycle: 60%

Wire Size: .025"-3/32"(0.6-2.4mm)



No.	Description	Order
	CN-LINCMIG PRO Curve 550 MIG Torch 15FT(4.5m)(2.0-2.4mm)	CN-K2953-2
1	Swan Neck 60°	CN-KP297-60*
2	Torch Tube Insulator	CN-KP2773-1*
3	Gas Diffuser for 550A Thread-on	CN-KP2747-1*
4	Contact Tip .035" 0.9mm	CN-KP2745-035
	Contact Tip .040" 1.0mm	CN-KP2745-040
	Contact Tip .045" 1.2mm	CN-KP2745-045
	Contact Tip .052" 1.4mm	CN-KP2745-052
	Contact Tip 1/16" 1.6mm	CN-KP2745-116*
	Contact Tip 5/64" 2.0 mm	CN-KP2745-564
	Contact Tip 3/32" 2.4mm	CN-KP2745-332
	Contact Tip 7/64" 2.8mm	CN-KP2745-764
	Contact Tip 1/8" 3.2mm	CN-KP2745-18
4-1	Contact Tips Tapered	CN-KP2745-XXXT
5	Nozzle 5/8" ø15.9mm Recess 1/8"	CN-KP2743-1-62R*
	Nozzle 3/4" ø19.5mm Recess 1/8"	CN-KP2743-1-75R
	Nozzle 5/8" ø15.9mm Flush	CN-KP2743-1-62F
	Nozzle 3/4" ø19.5mm Flush	CN-KP2743-1-75F
	Nozzle 5/8" ø15.9mm Stickout 1/8"	CN-KP2743-1-62S
	Nozzle 3/4" ø19.5mm Stickout 1/8"	CN-KP2743-1-75S
	Nozzle Bottleneck 5/8" ø15.9mm Recess 1/8"	CN-KP3161-1-62R
	Nozzle Bottleneck 5/8" ø15.9mm Flush	CN-KP3161-1-62F
	Nozzle Bottleneck 5/8" ø15.9mm Stickout 1/8"	CN-KP3161-1-62S
6	Torch Handle (Left & Right)	CN-95G2480
7	Trigger Assembly	CN-9SS21002
8	Clamp	CN-9SS15921-1
9	Spring Boot	CN-9SS24676B
10-1	Rear Strain Relief Spring	CN-9SP102213
10-2	Euro Cable Handle	CN-9SM15808
10-3	Euro Collar Nut	CN-9SS18929
10-4	Euro Central Adapter Assembly	CN-9SS18948-2
10-5	Liner for .052"-1/16"(1.3-1.6mm) 15FT (4.5m)	CN-KP44-116-15
	Liner for .052"-1/16"(1.3-1.6mm) 25FT(7.5m)	CN-KP44-116-25
10-6	Euro Conduit Cap	CN-9SS18991
11	Cable Handle	CN-9SL7725
12	Connector Cover	CN-9SL7723
13	Nut (Cable Handle)	CN-9SS18690
14	Tail Piece	CN-9SM15607
	We can supply any cable connector according to customer request	
	We can supply any cable connector according to customer request	




CN BND 200A

Rating: 200A CO₂


150A Mixed Gases

Duty Cycle: 60%

Wire Size: 0.6~1.2mm



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-BND200 MIG Torch Euro Connector	BND20010E	BND20012E	BND20015E
	CN-BND200 MIG Torch Miller Connector	BND20010M	BND20012M	BND20015M
	CN-BND200 MIG Torch Tweco Connector	BND20010T	BND20012T	BND20015T
	CN-BND200 MIG Torch Lincoln Connector	BND20010L	BND20012L	BND20015L
1	Swan Neck	弯管	CN-4786	
2	Insulator	绝缘座	CN-4323R	
3	Gas Diffuser	导电嘴座(深)	CN-4235	
4	Gas Diffuser	导电嘴座(浅)	CN-4335	
5	Contact Tip .023" 0.6mm Long 50.8mm	导电嘴	CN-1597	
	Contact Tip .030" 0.8mm Long 50.8mm	导电嘴	CN-1588	
	Contact Tip .035" 0.9mm Long 50.8mm	导电嘴	CN-1589	
	Contact Tip .039" 1.0mm Long 50.8mm	导电嘴	CN-1596	
	Contact Tip .045" 1.2mm Long 50.8mm	导电嘴	CN-1590	
	Contact Tip .052" 1.4mm Long 50.8mm	导电嘴	CN-1598	
	Contact Tip 1/16" 1.6mm Long 50.8mm	导电嘴	CN-1591	
6	Contact tip tapered .023" 0.6mm Long 50.8mm	导电嘴	CN-4284	
	Contact tip tapered .030" 0.8mm Long 50.8mm	导电嘴	CN-4285	
	Contact tip tapered .035" 0.9mm Long 50.8mm	导电嘴	CN-4281	
	Contact tip tapered .039" 1.0mm Long 50.8mm	导电嘴	CN-4299	
	Contact tip tapered .045" 1.2mm Long 50.8mm	导电嘴	CN-4282	
	Contact tip tapered .052" 1.4mm Long 50.8mm	导电嘴	CN-4283	
	Contact tip tapered 1/16" 1.6mm Long 50.8mm	导电嘴	CN-4280	
7	Contact Tip .023" 0.6mm Short 31.8mm	导电嘴	CN-7497	
	Contact Tip .030" 0.8mm Short 31.8mm	导电嘴	CN-7488	
	Contact Tip .035" 0.9mm Short 31.8mm	导电嘴	CN-7489	
	Contact Tip .039" 1.0mm Short 31.8mm	导电嘴	CN-7496*	
	Contact Tip .045" 1.2mm Short 31.8mm	导电嘴	CN-7490	
	Contact Tip .052" 1.4mm Short 31.8mm	导电嘴	CN-7498	
	Contact Tip 1/16" 1.6mm Short 31.8mm	导电嘴	CN-7491	
8	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4395A	
8-1	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4295	
8-2	Brass Nozzle 1/2" 12.7mm	黄铜喷嘴	CN-4392	
8-3	Copper Nozzle 5/8" 15.9mm	紫铜喷嘴	CN-4393	
8-4	Copper Nozzle 1/2" 12.7mm	紫铜喷嘴	CN-4394	
8-5	Brass Nozzle 5/8" 15.9mm	黄铜喷嘴	CN-4391	
9	Insulator	绝缘座	CN-4780	
10	Front Handle	前把手	CN-1880198	
11	Switch	开关	CN-5662	
12	Hook	挂钩	CN-1790002	
13	Spring	弹簧	CN-Spring	
14-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213	



We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口

CN BND 300/350A

Rating: 300/350A CO₂

250A Mixed Gases

Duty Cycle: 60%

Wire Size: 0.8~1.2mm


No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-BND300 MIG Torch Euro Connector	BND30010E	BND30012E	BND30015E
	CN-BND300 MIG Torch Miller Connector	BND30010M	BND30012M	BND30015M
	CN-BND300 MIG Torch Tweco Connector	BND30010T	BND30012T	BND30015T
	CN-BND300 MIG Torch Lincoln Connector	BND30010L	BND30012L	BND30015L



1	Swan Neck	弯管	CN-4790
2	Insulator	绝缘座	CN-4323R
3	Gas Diffusor	导电嘴座(深)	CN-4235
4	Gas Diffusor	导电嘴座(浅)	CN-4335
5	Contact Tip .023" 0.6mm Long 50.8mm	导电嘴	CN-1597
	Contact Tip .030" 0.8mm Long 50.8mm	导电嘴	CN-1588
	Contact Tip .035" 0.9mm Long 50.8mm	导电嘴	CN-1589
	Contact Tip .039" 1.0mm Long 50.8mm	导电嘴	CN-1596
	Contact Tip .045" 1.2mm Long 50.8mm	导电嘴	CN-1590
	Contact Tip .052" 1.4mm Long 50.8mm	导电嘴	CN-1598
	Contact Tip 1/16" 1.6mm Long 50.8mm	导电嘴	CN-1591
6	Contact tip tapered .023" 0.6mm Long 50.8mm	导电嘴	CN-4284
	Contact tip tapered .030" 0.8mm Long 50.8mm	导电嘴	CN-4285
	Contact tip tapered .035" 0.9mm Long 50.8mm	导电嘴	CN-4281
	Contact tip tapered .039" 1.0mm Long 50.8mm	导电嘴	CN-4299
	Contact tip tapered .045" 1.2mm Long 50.8mm	导电嘴	CN-4282
	Contact tip tapered .052" 1.4mm Long 50.8mm	导电嘴	CN-4283
	Contact tip tapered 1/16" 1.6mm Long 50.8mm	导电嘴	CN-4280
7	Contact Tip .023" 0.6mm Short 31.8mm	导电嘴	CN-7497
	Contact Tip .030" 0.8mm Short 31.8mm	导电嘴	CN-7488
	Contact Tip .035" 0.9mm Short 31.8mm	导电嘴	CN-7489
	Contact Tip .039" 1.0mm Short 31.8mm	导电嘴	CN-7496*
	Contact Tip .045" 1.2mm Short 31.8mm	导电嘴	CN-7490
	Contact Tip .052" 1.4mm Short 31.8mm	导电嘴	CN-7498
	Contact Tip 1/16" 1.6mm Short 31.8mm	导电嘴	CN-7491
8	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4395A
8-1	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4295
8-2	Brass Nozzle 1/2" 12.7mm	黄铜喷嘴	CN-4392
8-3	Copper Nozzle 5/8" 15.9mm	紫铜喷嘴	CN-4393
8-4	Copper Nozzle 1/2" 12.7mm	紫铜喷嘴	CN-4394
8-5	Brass Nozzle 5/8" 15.9mm	黄铜喷嘴	CN-4391
9	Insulator	绝缘座	CN-4780
10	Front Handle	前把壳	CN-1880198
11	Switch	开关	CN-5662
12	Hook	挂钩	CN-1790002
13	Spring	弹簧	CN-Spring

14-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
14-2	Euro Rear Handle	欧式后把壳	CN-P001075
14-3	Euro Nut	后锁母	CN-174X-2
14-4	Euro Connector Tweco Style	后主体	CN-174EX-1
14-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
14-6	Euro Conduit Cap	螺母	CN-174EX-1C
15-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
15-2	Rear Handle American Style	美式把壳	CN-P001075A
15-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
15-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
16	Tweco Connector Plug	TWC连接器	CN-350-174H
17	Miller Connector Plug	ML连接器	CN-350-174MH
17-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
18	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	CNML Liner	ML送丝管	CN-MLL
20-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
20-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
20-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
20-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
20-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
21	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND 400A

Rating: 400A CO₂

350A Mixed Gases


Duty Cycle: 60%

Wire Size: 0.9~1.6mm

No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-BND400 MIG Torch Euro Connector	BND40010E	BND40012E	BND40015E
	CN-BND400 MIG Torch Miller Connector	BND40010M	BND40012M	BND40015M
	CN-BND400 MIG Torch Tweco Connector	BND40010T	BND40012T	BND40015T
	CN-BND400 MIG Torch Lincoln Connector	BND40010L	BND40012L	BND40015L




1	Swan Neck	弯管	CN-4794
2	Insulator	绝缘座	CN-4423R
3	Gas Diffusor	导电嘴座(深)	CN-4635
4	Gas Diffusor	导电嘴座(浅)	CN-4435
5	Contact Tip .023" 0.6mm Long 50.8mm	导电嘴	CN-1597
	Contact Tip .030" 0.8mm Long 50.8mm	导电嘴	CN-1588
	Contact Tip .035" 0.9mm Long 50.8mm	导电嘴	CN-1589
	Contact Tip .039" 1.0mm Long 50.8mm	导电嘴	CN-1596
	Contact Tip .045" 1.2mm Long 50.8mm	导电嘴	CN-1590
	Contact Tip .052" 1.4mm Long 50.8mm	导电嘴	CN-1598
	Contact Tip 1/16" 1.6mm Long 50.8mm	导电嘴	CN-1591
6	Contact tip tapered .023" 0.6mm Long 50.8mm	导电嘴	CN-4284
	Contact tip tapered .030" 0.8mm Long 50.8mm	导电嘴	CN-4285
	Contact tip tapered .035" 0.9mm Long 50.8mm	导电嘴	CN-4281
	Contact tip tapered .039" 1.0mm Long 50.8mm	导电嘴	CN-4299
	Contact tip tapered .045" 1.2mm Long 50.8mm	导电嘴	CN-4282
	Contact tip tapered .052" 1.4mm Long 50.8mm	导电嘴	CN-4283
	Contact tip tapered 1/16" 1.6mm Long 50.8mm	导电嘴	CN-4280
7	Contact Tip .023" 0.6mm Short 31.8mm	导电嘴	CN-7497
	Contact Tip .030" 0.8mm Short 31.8mm	导电嘴	CN-7488
	Contact Tip .035" 0.9mm Short 31.8mm	导电嘴	CN-7489
	Contact Tip .039" 1.0mm Short 31.8mm	导电嘴	CN-7496*
	Contact Tip .045" 1.2mm Short 31.8mm	导电嘴	CN-7490
	Contact Tip .052" 1.4mm Short 31.8mm	导电嘴	CN-7498
	Contact Tip 1/16" 1.6mm Short 31.8mm	导电嘴	CN-7491
8	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4395A
8-1	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4295
8-2	Brass Nozzle 1/2" 12.7mm	黄铜喷嘴	CN-4392
8-3	Copper Nozzle 5/8" 15.9mm	紫铜喷嘴	CN-4393
8-4	Copper Nozzle 1/2" 12.7mm	紫铜喷嘴	CN-4394
8-5	Brass Nozzle 5/8" 15.9mm	黄铜喷嘴	CN-4391
9	Insulator	绝缘座	CN-4780
10	Front Handle	前把壳	CN-1880198
11	Switch	开关	CN-5662
12	Hook	挂钩	CN-1790002
13	Spring	弹簧	CN-Spring



We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN BND Q20 200A

Rating: 200A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description	Torch Euro Connector	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
CN-Q200 MIG	Torch Euro Connector	Q2010AB8DEC	Q2012AB8DEC	Q2015AB8DEC	
CN-Q200 MIG	Torch Miller Connector	Q2010AB8DMC	Q2012AB8DMC	Q2015AB8DMC	
CN-Q200 MIG	Torch Tweco Connector	Q2010AB8DTC	Q2012AB8DTC	Q2015AB8DTC	
CN-Q200 MIG	Torch Lincoln Connector	Q2010AB8DLC	Q2012AB8DLC	Q2015AB8DLC	

1	Swan Neck	弯管	CN-QT2-45
2	Insulator	绝缘座	CN-4523R
3	Gas Diffusor	导电嘴座	CN-DS-1
4	Contact Tip .023" 0.6mm	导电嘴	CN-TT023
Contact Tip .030" 0.8mm	导电嘴	CN-TT030	
Contact Tip .035" 0.9mm	导电嘴	CN-TT035	
Contact Tip .039" 1.0mm	导电嘴	CN-TT039	
Contact Tip .045" 1.2mm	导电嘴	CN-TT045	
Contact Tip .052" 1.4mm	导电嘴	CN-TT052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-TT062	
Contact Tip .023" 0.6mm	导电嘴	CN-T023	
Contact Tip .030" 0.8mm	导电嘴	CN-T030	
Contact Tip .035" 0.9mm	导电嘴	CN-T035	
Contact Tip .039" 1.0mm	导电嘴	CN-T039	
Contact Tip .045" 1.2mm	导电嘴	CN-T045	
Contact Tip .052" 1.4mm	导电嘴	CN-T052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-T062	
Contact Tip 1/16" 2.4mm	导电嘴	CN-T078	
Contact Tip 3/32" 2.4mm	导电嘴	CN-T094	
Contact Tip 7/64" 2.8mm	导电嘴	CN-T109	
Contact Tip 1/8" 3.2mm	导电嘴	CN-T125	
Nozzle,3/8" I.D.,flush brass	黄铜喷嘴	CN-NST-3800B	
Nozzle,3/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NST-3818B	
Nozzle,3/8" I.D.,1/8" extension brass	黄铜喷嘴	CN-NST-38XTB	
Nozzle,1/2" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-1218C	
Nozzle,1/2" I.D.,flush brass	黄铜喷嘴	CN-NS-1200B	
Nozzle,1/2" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-1218B	
Nozzle,5/8" I.D.,flush copper	紫铜喷嘴	CN-NS-5800C	
Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-5818C	
Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-5814C	
Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-NS-5800B	
Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-5818B	
Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-NS-5814B	
Front Handle	前把壳	CN-1880198	
Switch	开关	CN-5662	


9	Hook	挂钩	CN-1790002
10	Nut Cover	螺母盖	CN-1840057
11	Spring	前弹簧	CN-Spring
12-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
12-2	Euro Rear Handle	欧式后把壳	CN-P001075
12-3	Euro Nut	后锁母	CN-174X-2
12-4	Euro Connector Tweco Style	后主体	CN-174EX-1
12-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12	
Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15	
12-6	Euro Conduit Cap	螺母	CN-174EX-1C
13-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
13-2	Rear Handle American Style	美式把手	CN-P001075A
13-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
13-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
14	Tweco Connector Plug	TWC连接器	CN-350-174H
15	Miller Connector Plug	ML连接器	CN-350-174MH
15-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
16	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
17	CNML Liner	ML送丝管	CN-MLL
18-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
18-2	Rear Case Direct Plug Style	LN后把手	CN-M6RC
18-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
18-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
18-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
19	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q30 300A


Rating: 300A CO₂
250A Mixed Gases
Duty Cycle: 60%
Wire Size: .025"-.045"(0.6-1.2mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
CN-Q300A "B" Series Curved Handle MIG Torch Euro Connector	Q3010AE8EEC	Q3012AE8EEC	Q3015AE8EEC	
CN-Q300A "B" Series Curved Handle MIG Torch Miller Connector	Q3010AE8EMC	Q3012AE8EMC	Q3015AE8EMC	
CN-Q300A "B" Series Curved Handle MIG Torch Tweco Connector	Q3010AE8ETC	Q3012AE8ETC	Q3015AE8ETC	
CN-Q300A "B" Series Curved Handle MIG Torch Lincoln Connector	Q3010AE8ELC	Q3012AE8ELC	Q3015AE8ELC	


1	Swan Neck	弯管	CN-QT3-45
2	Insulator	柔性弯管	CN-QT-F6
3	Gas Diffusor	绝缘座	CN-4323R
4	Contact Tip .023" 0.6mm	导电嘴	CN-TT023
Contact Tip .030" 0.8mm	导电嘴	CN-TT030	
Contact Tip .035" 0.9mm	导电嘴	CN-TT035	
Contact Tip .039" 1.0mm	导电嘴	CN-TT039	
Contact Tip .045" 1.2mm	导电嘴	CN-TT045	
Contact Tip .052" 1.4mm	导电嘴	CN-TT052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-TT062	
Contact Tip .023" 0.6mm	导电嘴	CN-T023	
Contact Tip .030" 0.8mm	导电嘴	CN-T030	
Contact Tip .035" 0.9mm	导电嘴	CN-T035	
Contact Tip .039" 1.0mm	导电嘴	CN-T039	
Contact Tip .045" 1.2mm	导电嘴	CN-T045	
Contact Tip .052" 1.4mm	导电嘴	CN-T052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-T062	
Contact Tip 5/64" 2.4mm	导电嘴	CN-T078	
Contact Tip 7/64" 2.8mm	导电嘴	CN-T094	
Contact Tip 1/8" 3.2mm	导电嘴	CN-T109	
Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-NST-3800B	
Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NST-3818B	
Nozzle,5/8" I.D.,1/8" extension brass	黄铜喷嘴	CN-NST-38XTB	
Nozzle,1/2" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-1218C	
Nozzle,1/2" I.D.,flush brass	黄铜喷嘴	CN-NS-1200B	
Nozzle,1/2" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-1218B	
Nozzle,5/8" I.D.,flush copper	紫铜喷嘴	CN-NS-5800C	
Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-5818C	
Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-5814C	
Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-NS-5800B	
Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-5818B	
Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-NS-5814B	
Front Handle	前把手	CN-1880198	
Switch	开关	CN-5662	

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q40 400A

Rating: 400A CO₂
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .025"-1/16"(0.6-1.6mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
CN-Q400A "B" Series Curved Handle MIG Torch Euro Connector	Q4010AE8EEC	Q4012AE8EEC	Q4015AE8EEC	
CN-Q400A "B" Series Curved Handle MIG Torch Miller Connector	Q4010AE8EMC	Q4012AE8EMC	Q4015AE8EMC	
CN-Q400A "B" Series Curved Handle MIG Torch Tweco Connector	Q4010AE8ETC	Q4012AE8ETC	Q4015AE8ETC	
CN-Q400A "B" Series Curved Handle MIG Torch Lincoln Connector	Q4010AE8ELC	Q4012AE8ELC	Q4015AE8ELC	

1	Swan neck 45°	弯管	CN-QT3-45
Swan neck 60°	弯管	CN-QT3-60	
Swan Neck Flexible (166.8mm)	柔性弯管	CN-QT-F-6	
2	Insulator	绝缘座	CN-4423R
3	Gas Diffuser	导电嘴座	CN-D-1
4	Contact Tip .023" 0.6mm	导电嘴	CN-T-023
Contact Tip .030" 0.8mm	导电嘴	CN-T-030	
Contact Tip .035" 0.9mm	导电嘴	CN-T-035	
Contact Tip .039" 1.0mm	导电嘴	CN-T-039	
Contact Tip .045" 1.2mm	导电嘴	CN-T-045	
Contact Tip .052" 1.4mm	导电嘴	CN-T-052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-T-062	
Contact Tip 5/64" 2.0mm	导电嘴	CN-T-078	
Contact Tip 3/32" 2.4mm	导电嘴	CN-T-094	
5	Nozzle,3/4" I.D.,flush copper	紫铜喷嘴	CN-N3400C
Nozzle,3/4" I.D.,1/8" recess copper	紫铜喷嘴	CN-N3418C	
Nozzle,3/4" I.D.,1/4" recess copper	紫铜喷嘴	CN-N3414C	
Nozzle,3/4" I.D.,flush brass	黄铜喷嘴	CN-N3400B	
Nozzle,3/4" I.D.,1/8" recess brass	黄铜喷嘴	CN-N3418B	
Nozzle,3/4" I.D.,1/4" recess brass	黄铜喷嘴	CN-N3414B	
Nozzle,5/8" I.D.,flush copper	紫铜喷嘴	CN-N5800C	
Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-N5818C	
Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-N5814C	
Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-N5800B	
Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-N5818B	
Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-N5814B	
6	Nut Cover	螺母盖	CN-1840057
7	Front Handle	前把壳	CN-1880198
8	Switch	开关	CN-5662
9	Hook	挂钩	CN-1790002
10	Spring	前弹簧	CN-Spring
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把壳	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner White for .035"-045" (0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-43110
Liner White for .035"-045" (0.9-1.2mm) 15FT(4.5m)	送丝管3.5米	CN-43115	
Liner White for .035"-045" (0.9-1.2mm) 25FT(7.5m)	送丝管4.5米	CN-43125	
11-6	Euro Conduit Cap	螺母	CN-174EX-1C

12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
12-2	Rear Handle American Style	美式把手	CN-P001075A
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
13	Tweco Connector Plug	TWC连接器	CN-350-174H
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Rear Strain Relief Spring	LLN后弹簧	CN-235RSSR
17-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
17-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
17-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
17-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
18	Lincoln Connector Plug	LN连接器	CN-350-174LH


We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN BND Q50 500A

Rating: 500A CO₂
450A Mixed Gases
Duty Cycle: 60%
Wire Size: .035"-3/32"(0.9-2.4mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
CN-Q50 500A "B" Series Curved Handle MIG Torch Euro Connector	Q5010AE8EEC	Q5012AE8EEC	Q5015AH8EEC	
CN-Q50 500A "B" Series Curved Handle MIG Torch Miller Connector	Q5010AE8IMC	Q5012AH8IMC	Q5015AH8IMC	
CN-Q50 500A "B" Series Curved Handle MIG Torch Tweco Connector	Q5010AE8ITC	Q5012AH8ITC	Q5015AH8ITC	

1	Swan neck 45°	弯管	CN-QT5-45
Swan neck 60°	弯管	CN-QT5-60	
Swan Neck Flexible (166.8mm)	柔性弯管	CN-QT-F-6	
2	Insulator	绝缘座	CN-10012
3	Gas Diffuser	导电嘴座	CN-D-1
4	Contact Tip .023" 0.6mm	导电嘴	CN-T-023
Contact Tip .030" 0.8mm	导电嘴	CN-T-030	
Contact Tip .035" 0.9mm	导电嘴	CN-T-035	
Contact Tip .039" 1.0mm	导电嘴	CN-T-039	
Contact Tip .045" 1.2mm	导电嘴	CN-T-045	
Contact Tip .052" 1.4mm	导电嘴	CN-T-052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-T-062	
Contact Tip 5/64" 2.0mm	导电嘴	CN-T-078	
Contact Tip 3/32" 2.4mm	导电嘴	CN-T-094	
4-1	Contact Tip .030" 0.8mm	导电嘴	CN-TT-030
Contact Tip .035" 0.9mm	导电嘴	CN-TT-035	
Contact Tip .039" 1.0mm	导电嘴	CN-TT-039	
Contact Tip .045" 1.2mm	导电嘴	CN-TT-045	
Contact Tip .052" 1.4mm	导电嘴	CN-TT-052	
Contact Tip 1/16" 1.6mm	导电嘴	CN-TT-062	
Contact Tip 5/64" 2.0mm	导电嘴	CN-TT-078	
5	Nozzle,3/4" I.D.,flush copper	紫铜喷嘴	CN-N3400C
Nozzle,3/4" I.D.,1/8" recess copper	紫铜喷嘴	CN-N3418C	
Nozzle,3/4" I.D.,1/4" recess copper	紫铜喷嘴	CN-N3414C	
Nozzle,3/4" I.D.,flush brass	黄铜喷嘴	CN-N3400B	
Nozzle,3/4" I.D.,1/8" recess brass	黄铜喷嘴	CN-N3418B	
Nozzle,3/4" I.D.,1/4" recess brass	黄铜喷嘴	CN-N3414B	
Nozzle,5/8" I.D.,flush copper	紫铜喷嘴	CN-N5800C	
Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-N5818C	
Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-N5814C	
Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-N5800B	
Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-N5818B	
Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-N5814B	
5-1	Nozzle 3/8" 9.5mm Flush Copper	紫铜喷嘴	CN-NT-3800C
6	Nut Cover	螺母盖	CN-1840057
7	Front Handle	前把壳	CN-1880198
8	Switch	开关	CN-5662
9	Hook	挂钩	CN-1790002
10	Spring	前弹簧	CN-Spring
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把壳	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner White for .035"-045" (0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-43110
Liner White for .035"-045" (0.9-1.2mm) 15FT(4.5m)	送丝管3.5米	CN-43115	
Liner White for .035"-045" (0.9-1.2mm) 25FT(7.5m)	送丝管4.5米	CN-43125	
11-6	Euro Conduit Cap	螺母	CN-174EX-1C




CN BND Q60 600A


Rating: 600A CO₂
550A Mixed Gases
Duty Cycle: 60%
Wire Size: .045"-1/8"(1.2-3.2mm)



CN BND-Consumables



CN BND- Quik Tip Consumable




CN TR 300A

Rating: 300A CO₂

200A Mixed Gases


Duty Cycle: 60%

Wire Size: .030"-1/16"(0.8-1.6mm)



CN TR 400A

Rating: 400A CO₂
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .025"-1/16"(0.6-1.6mm)




No.	Description	10FT(3.0m)	12FT(3.5m)	15FT(4.5m)
CN-TR400 "C" Handle MIG Torch Euro Connector	CN-4010CE	CN-4012CE	CN-4015CE	
CN-TR400 "C" Handle MIG Torch Miller Connector	CN-4010CM	CN-4012CE	CN-4015CE	
CN-TR400 "C" Handle MIG Torch Tweco Connector	CN-4010CT	CN-4012CT	CN-4015CT	
CN-TR400 "C" Handle MIG Torch Lincoln Connector	CN-4010CL	CN-4012CL	CN-4015CL	
CN-TR400 "T" Handle MIG Torch Euro Connector	CN-4010TE	CN-4012TE	CN-4015TE	
CN-TR400 "T" Handle MIG Torch Miller Connector	CN-4010TM	CN-4012TM	CN-4015TM	
CN-TR400 "T" Handle MIG Torch Tweco Connector	CN-4010TT	CN-4012TT	CN-4015TT	
CN-TR400 "T" Handle MIG Torch Lincoln Connector	CN-4010TL	CN-4012TL	CN-4015TL	

1	Swan Neck 45°	弯管	CN-405-45
Swan Neck 60°	弯管	CN-405-60	
2	Neck Insulator	绝缘座	CN-402-11
3	Gas Diffuser (5/16-18Thd)	导电嘴座	CN-404-3
4	Contact Tip .030" 0.8mm	导电嘴	CN-403-1-30
Contact Tip .035" 0.9mm	导电嘴	CN-403-1-35	
Contact Tip .040" 1.0mm	导电嘴	CN-403-1-40	
Contact Tip .045" 1.2mm	导电嘴	CN-403-1-45	
Contact Tip .052" 1.4mm	导电嘴	CN-403-1-52	
Contact Tip 1/16" 1.6mm	导电嘴	CN-403-1-116	
Contact Tip .078" 2.0 mm	导电嘴	CN-403-1-564	
Contact Tip 3/32" 2.4mm	导电嘴	CN-403-1-332	
5	Nozzle 5/8",1/8" Stick-out,Bottleneck,Copper,1.062",2.63"喷嘴	喷嘴	CN-401-49-62
Nozzle 5/8",Flush,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-48-62	
Nozzle 5/8",Flush,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-51-62	
Nozzle 5/8",5mm Recess,Bottleneck,Copper,1.062",2.95"	喷嘴	CN-401-50-62	
Nozzle 9/16",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-87-56	
Nozzle 1/2",1/8" Recess,Taper,Copper,1.062",2.88"	喷嘴	CN-401-6-50	
Nozzle 1/2",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-50	
Nozzle 5/8",1/4" Stick-out,Taper,Brass,1.106",2.50"	喷嘴	CN-401-92-62	
Nozzle 5/8",1/8" Stick-out,Taper,Copper,1.062",2.63"	喷嘴	CN-401-81-62	
Nozzle 5/8",1/8" Stick-out,Taper,Copper,1.062",2.63"	喷嘴	CN-401-87-62	
Nozzle 5/8",1/8" Stick-out,Taper,Brass,1.062",2.63"	喷嘴	CN-401-91-62	
Nozzle 5/8",Flush,Taper,Brass,1.062",2.76"	喷嘴	CN-401-88-62	
Nozzle 5/8",1/8" Recess,Taper,Copper,1.062",2.88"	喷嘴	CN-401-6-62	
Nozzle 5/8",1/8" Recess,Taper,Brass,1.106",2.88"	喷嘴	CN-401-71-62	
Nozzle 5/8",1/8" Stick-out,Taper,Copper,1.062",2.88"	喷嘴	CN-401-72-62	
Nozzle 5/8",1/8" Recess,Taper,Brass,1.062",3.00"	喷嘴	CN-401-7-75	
Nozzle 5/8",1/4" Recess,Taper,Brass,1.106",3.00"	喷嘴	CN-401-7-62	
Nozzle 3/4",1/8" Recess,Taper,Copper,1.062",2.88"	喷嘴	CN-401-6-75	
Nozzle 3/4",1/8" Recess,Taper,Brass,1.106",2.88"	喷嘴	CN-401-7-75	
Nozzle 3/4",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-75	
Nozzle 7/8",1/4" Recess,Straight,Brass,1.106",3.00"	喷嘴	CN-401-7-87	
6	*T" Series Straight Handle & Spring	*T" 把壳&弹簧	CN-410
7	Trigger Housing	扳机/开关	CN-411-2
8	Cone Nut TR400	锥形螺母	CN-509
9	End Fitting TR400	前接头	CN-408
10	Goose Neck Locating Ring	弯管固定器	CN-407


11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把手	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner Red for .045"-1/16"(1.2-1.6mm) 10FT(3.0m)	送丝管3米	CN-415-116-10
	Liner Red for .045"-1/16"(1.2-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-415-116-15
	Liner Red for .045"-1/16"(1.2-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-415-116-25
11-6	Euro Conduit Cap	螺母	CN-174EX-1C
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
12-2	Rear Handle American Style	美式把手	CN-P001075A
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
13	Tweco Connector Plug	TWC连接器	CN-350-174H
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Power Pin Block	后主体	CN-414-400
17-2	Miller Central Connector	ML连接器	CN-214-1/2200137
17-3	Power Pin Tip	ML连接器螺母	CN-214-116
17-4	Miller Control Wire Direct Plug	ML控制插头	CN-419
17-5	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TR 500A

Rating: 500A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: .040"-1/16"(1.0-1.6mm)




No.	Description	10FT(3.0m)	12FT(3.5m)	15FT(4.5m)
CN-TR500 "C" Handle MIG Torch Euro Connector	CN-5010CE	CN-5012CE	CN-5015CE	
CN-TR500 "C" Handle MIG Torch Miller Connector	CN-5010CM	CN-5012CE	CN-5015CE	
CN-TR500 "C" Handle MIG Torch Tweco Connector	CN-5010CT	CN-5012CT	CN-5015CT	
CN-TR500 "C" Handle MIG Torch Lincoln Connector	CN-5010CL	CN-5012CL	CN-5015CL	
CN-TR500 "T" Handle MIG Torch Euro Connector	CN-5010TE	CN-5012TE	CN-5015TE	
CN-TR500 "T" Handle MIG Torch Miller Connector	CN-5010TM	CN-5012TM	CN-5015TM	
CN-TR500 "T" Handle MIG Torch Tweco Connector	CN-5010TT	CN-5012TT	CN-5015TT	
CN-TR500 "T" Handle MIG Torch Lincoln Connector	CN-5010TL	CN-5012TL	CN-5015TL	

1	Swan Neck 45°	弯管	CN-505-45
Swan Neck 60°	弯管	CN-505-60	
2	Neck Insulator	绝缘座	CN-402-11
3	Heavy Duty Retaining Head	导电嘴座	CN-404-20
Heavy Duty Robotic Retaining Head	导电嘴座	CN-404-30	
Dual Taper Heavy Duty Retaining Head	导电嘴座	CN-404-26	
Dual Taper Heavy Duty Robotic Retaining Head	导电嘴座	CN-404-32	
4	Contact Tip .030" 0.8mm Heavy Duty	导电嘴	CN-403-20-30
Contact Tip .035" 0.9mm Heavy Duty	导电嘴	CN-403-20-35	
Contact Tip .040" 1.0mm Heavy Duty	导电嘴	CN-403-20-40	
Contact Tip .045" 1.2mm Heavy Duty	导电嘴	CN-403-20-45	
Contact Tip .052" 1.4mm Heavy Duty	导电嘴	CN-403-20-52	
Contact Tip 1/16" 1.6mm Heavy Duty	导电嘴	CN-403-20-116	
Contact Tip 5/64" 2.0mm Heavy Duty	导电嘴	CN-403-20-564	
Contact Tip 3/32" 2.4mm Heavy Duty	导电嘴	CN-403-20-332	
Contact Tips Heavy Duty Tapered	导电嘴	CN-403-21-XX	
5	Nozzle 5/8",1/8" Stick-out,Bottleneck,Copper,1.062",2.63"喷嘴	喷嘴	CN-401-49-62
Nozzle 5/8",Flush,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-48-62	
Nozzle 5/8",Flush,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-51-62	
Nozzle 5/8",5mm Recess,Bottleneck,Copper,1.062",2.95"	喷嘴	CN-401-50-62	
Nozzle 9/16",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-87-56	
Nozzle 1/2",1/8" Recess,Taper,Copper,1.062",2.88"	喷嘴	CN-401-6-50	
Nozzle 1/2",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-50	
Nozzle 5/8",1/4" Recess,Taper,Brass,1.106",2.50"	喷嘴	CN-401-92-62	
Nozzle 5/8",1/4" Stick-out,Taper,Brass,1.106",2.50"	喷嘴	CN-401-51-62	
Nozzle 5/8",1/8" Stick-out,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-50-62	
Nozzle 9/16",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-87-56	
Nozzle 1/2",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-6-50	
Nozzle 1/2",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-50	
Nozzle 5/8",1/4" Stick-out,Taper,Brass,1.106",2.50"	喷嘴	CN-401-92-62	
Nozzle 5/8",1/8" Stick-out,Taper,Copper,1.062",2.63"	喷嘴	CN-401-81-62	
Nozzle 5/8			


CN M10 100AMP

Rating: 100A CO₂
60A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~0.9mm




CN M15 150AMP

Rating: 150A CO₂
90A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~0.9mm




CN M25 250AMP

Rating: 250A CO₂
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



CN M25 New Air Cooled

Rating: 250A CO₂
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



CN M40 400AMP


Rating: 400A CO₂
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.6mm



No.	Description	Order
	CN-M-40 MIG Torch 10FT (3.0m)	CN-169602
	CN-M-40 MIG Torch 12FT (3.5m)	CN-169604
	CN-M-40 MIG Torch 15FT (4.5m)	CN-169606
1	Swan Neck	CN-69744
2	Washer Shock	CN-169738
3	Nozzle Adapter	CN-169729
4	Contact Tip Adapter	CN-169728
5	Contact Tip .023" 0.6mm	CN-087299
	Contact Tip .030" 0.8mm	CN-000067
	Contact Tip .035" 0.9mm	CN-000068
	Contact Tip .045" 1.2mm	CN-000069
	Contact Tip .052" 1.3mm	CN-044392
	Contact Tip 1/16" 1.6mm	CN-172024
6	Nozzle 1/2" 12.7mm Flush	CN-200258
	Nozzle 1/2" 12.7mm Recess 1/8"	CN-169724
	Nozzle 5/8" 15.9mm Recess 1/8"	CN-169725
	Nozzle 5/8" 15.9mm Flush	CN-169726
	Nozzle 5/8" 15.9mm Stickout 1/8"	CN-169727
7	Front Handle	CN-180.D078
8	Switch	CN-185.0031S
9	Cable Ball Joint & Support Spring Middle	CN-400.1010M
10-1	Rear Strain Relief Spring	CN-P102213A
10-2	Rear Handle American Style	CN-P001075A
10-3	Miller Connector Plug	CN-350-174MH
10-4	Wire Guide Assembly Only	ML螺母 CN-174M-N
10-5	Liner for .035"-.045"(0.9-1.2mm) 15FT(4.5m)	CN-194012
	Liner for 1/16"-5/64"(1.6-2.0mm) 15FT(4.5m)	CN-194013
10-6	Control Plug Miller	ML控制插头 CN-079878

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口



CN MDX 100

Rating: 100A CO₂
60A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~0.9mm



No.	Description	Order
	CN-MDX-100 MIG Torch 10FT(3.0m)	CN-1770028
	CN-MDX-100 MIG Torch 12FT(3.5m)	CN-1770029
	CN-MDX-100 MIG Torch 15FT(4.5m)	CN-1770030

1	Swan Neck	CN-1040087
2	Diffuser AccuLock MDX	CN-D-M100
3	Contact Tip .023" 0.6mm	CN-T-M023
	Contact Tip .030" 0.8mm	CN-T-M030
	Contact Tip .035" 0.9mm	CN-T-M035
	Contact Tip .045" 1.2mm	CN-T-M045
	Contact Tip 3/64" 1.2 mm	CN-T-M047
	Contact Tip .052" 1.3mm	CN-044392
4	Nozzle Copper 1/2" 12.7mm Flush	CN-NS-M1200C
	Nozzle Brass 1/2" 12.7mm Flush	CN-NS-M1200B
4-1	Nozzle Gasless	CN-NS-MFLX
5	Front Handle	CN-180.D078
6	Switch	CN-185.0031S
7	Cable Ball Joint & Support Spring Middle	CN-400.1010M
8-1	Rear Handle Support Spring	CN-2520033
8-2	Rear Handle	CN-2520100
8-3	Miller Connector Plug	ML连接器 CN-2200169
8-4	Power Pin Cap .030"-.045"(0.8-1.2mm)	ML螺母 CN-2200171
8-5	Liner for .023"(0.6 mm) 10FT(3.0m)	送丝管3米 CN-LM1A-10
	Liner for .030"-.035"(0.8-0.9mm) 10FT(3.0m)	送丝管3米 CN-LM2A-10
	Liner for .035"-.045"(0.9-1.2mm) 10FT(3.0m)	送丝管3米 CN-LM3A-10
8-6	Control Plug Miller	ML控制插头 CN-GN201


We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口



CN MDX 250

Rating: 250A CO₂
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




CN Roughneck C-Series 300A/400A

Rating: 300A CO₂/250AMixed Gases,Duty Cycle: 60%
Rating: 400A CO₂/350AMixed Gases,Duty Cycle: 60%
Wire Size: .025"-.045"(0.6-1.2mm)
Wire Size: .025"-1/16"(0.6-1.6mm)




CN 14AK

Rating: 150A CO₂
130A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm


**CN 15AK**

Rating: 180A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



CN 24KD

Rating: 250A CO₂
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description	Order
	24KD 3m Welding Torch	CN-004.0510
	24KD 4m Welding Torch	CN-004.0511
	24KD 5m Welding Torch	CN-004.0512

1	Swan Neck	弯管	CN-004.0012
1-1	Swan Neck Flexible	柔性弯管	CN-004.0012F
2	Gas Diffuser DMC	分流器	CN-012.0183
	Gas Diffuser Ceramic	分流器	CN-012.0183C
3	Tip Holder M6*26	导电嘴座	CN-142.0003
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Cylindrical Nozzle ND17.0	柱形喷嘴	CN-145.0047
5-1	Conical Nozzle ND12.5	锥形喷嘴	CN-145.0080
5-2	Tapered Nozzle ND10.0	尖形喷嘴	CN-145.0128
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN 25AK

Rating: 230A CO₂
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description	Order
	25AK 3m Welding Torch	CN-004.0510
	25AK 4m Welding Torch	CN-004.0511
	25AK 5m Welding Torch	CN-004.0512



1	Swan Neck	弯管	CN-004.0012
1-1	Swan Neck Flexible	柔性弯管	CN-004.0032
2	Plastic Nut	塑料固定件	CN-PNUT
3	Tip Holder M6*35	导电嘴座	CN-142.0001
	Tip Holder M8*35	导电嘴座	CN-142.0001M8
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Cylindrical ø18*57	柱形喷嘴	CN-145.0042
5-1	Nozzle Conical ø15*57	锥形喷嘴	CN-145.0076
5-2	Nozzle Tapered ø11.5*57	尖形喷嘴	CN-145.0124
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口





CN 26KD

Rating: 270A CO₂
240A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm





CN 36KD

Rating: 300A CO₂
270A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm





CN 40KD

Rating: 350A CO₂
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.4mm



CN 240D

Rating: 300A CO₂
270A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm



CN 401D/501D/HD511

Rating: 400A/500A CO₂

350A/450A Mixed Gases

Duty Cycle: 100%


Wire Size: 0.8~1.2mm/1.0~1.6mm



No.	Description	Order
CN-401D Water Cooled Welding Torch 3m	CN-033.0107	
CN-401D Water Cooled Welding Torch 4m	CN-033.0108	
CN-401D Water Cooled Welding Torch 5m	CN-033.0109	
CN-501D Water Cooled Welding Torch 3m	CN-034.0160	
CN-501D Water Cooled Welding Torch 4m	CN-034.0161	
CN-501D Water Cooled Welding Torch 5m	CN-034.0162	
CNHDS511 Expert Water Cooled Welding Torch 3m	CN-134P421030	
CNHDS511 Expert Water Cooled Welding Torch 4m	CN-134P421040	
CNHDS511 Expert Water Cooled Welding Torch 5m	CN-134P421050	
CNHDS511 Expert Plus Water Cooled Welding Torch 3m	CN-134P431030	
CNHDS511 Expert Plus Water Cooled Welding Torch 4m	CN-134P431040	
CNHDS511 Expert Plus Water Cooled Welding Torch 5m	CN-134P431050	
1 CN401D Swan Neck	401D弯管	CN-033.0001
CN501D Swan Neck	501D弯管	CN-034.0496
1-1 CNHDS511 Swan Neck	HD511弯管	CN-HD034.0001
2 Insulalor	绝缘垫片	CN-030.0019
3 Contact Tip Holder M6*25mm	导电嘴座	CN-142.0008
Contact Tip Holder M6*29mm	导电嘴座	CN-142.0013
4 Gas Diffusor	分流器	CN-034.0926.0
5 Gas Diffusor White DMC	分流器	CN-030.0145
Gas Diffusor Ceramic	陶瓷分流器	CN-030.0190
Gas Diffusor Long Life	长寿命分流器	CN-030.0037
Gas Diffusor Black	黑色分流器	CN-030.0029
6 Contact Tip Holder M8 HD	导电嘴座	CN-142.0271.0
7 Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
8 Cylindrical Nozzle ND20*76	柱形喷嘴	CN-145.0051
8-1 Conical Nozzle ND16.0*76	锥形喷嘴	CN-145.0085
8-2 Tapered Nozzle ND14.0*76	尖形喷嘴	CN-145.0132
9 Front Handle	前把壳	CN-180.D078
10 Switch	开关	CN-185.0031S
11 Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
12 Fastener Cap Red	红色胶套	CN-501.2423
13 Fastener Cap Blue	蓝色胶套	CN-501.2424
14 Rear Handle Water	后把壳	CN-500.0342
15 Pug Nipple ND 5mm	出水快插	CN-501.0114
16 Water Hose Blue Ø5*8 Units:100m	蓝色水管	CN-109.0052
17 Water Outlet Hose Red Ø5*8 With Plug Nipple	红色水管	CN-103.0018
18 Adaptor Nut M33x2	后锁母	CN-500.0213
19 Gas Hose Red Ø5*8 Units:100m	红色气管	CN-109.0052
20 Hose Clamp Ø8.0mm	喉箍	CN-171.0012
21 Central Adaptor WZ-2	后主体	CN-501.0015
22 Liner Steel Blank 2.0/4.5 Wire Ø1.0-1.2 3m	送丝管3米	CN-122.0031
Liner Steel Blank 2.0/4.5 Wire Ø1.0-1.2 4m	送丝管4米	CN-122.0036
Liner Steel Blank 2.0/4.5 Wire Ø1.0-1.2 5m	送丝管5米	CN-122.0039
23 Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN 610D

Rating: 650ACO₂

500A Mixed Gases


Duty Cycle: 100%

Wire Size: 1.6~3.2mm



CN AUT501D

Rating: 500A CO₂
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm

**CN MIG/MAG Machine Swan Necks**

	Order	Description
	CN-934.0001	CN-AUT501D Swan Neck 0° /167
	CN-934.0002	CN-AUT501D Swan Neck 45° /X135/Y82
	CN-904.0003	CN-AUT25KD Fixed Swan Neck 0° / Y140
	CN-904.0004	CN-AUT25KD Fixed Swan Neck 45° / X125/Y80
	CN-912.0001	CN-AUT24KD Fixed Swan Neck 0° / Y154
	CN-912.0002	CN-AUT24KD Fixed Swan Neck 45° / X125/Y80
	CN-923.0001	CN-AUT240D Fixed Swan Neck 0° / Y185
	CN-923.0002	CN-AUT240D Fixed Swan Neck 45° / X125/Y80
	CN-914.0002	CN-AUT36KD Fixed Swan Neck 0° / Y185
	CN-914.0003	CN-AUT36KD Fixed Swan Neck 45° / X145/Y95
	CN-180.0001	CN-Handle Tube AUT


CN MIG/MAG Lengthen Swan Necks

	Order	Description
	CN-034.0001	CN-501D Swan Neck Standard L180mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L181-250mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L251-350mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L351-450mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L451-550mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L551-650mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L651-750mm
	CN-034.0001.XXX	CN-501D Lengthen Swan Neck L751-850mm

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN EVO 15

Rating: 180A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm




CN EVO 24

Rating: 250A CO₂
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



CN EVO 25


Rating: 230A CO₂
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description	Order
CN-MB EVO 25 Welding Torch 3m	CN-004.0668	
CN-MB EVO 25 Welding Torch 4m	CN-004.0669	
CN-MB EVO 25 Welding Torch 5m	CN-004.0670	


1	Swan Neck	弯管	CN-004.0663
2	Nozzle Spring	喷嘴弹簧	CN-003.0013
3	Tip Holder M6*35	导电嘴座	CN-142.0001
4	Tip Holder M8*35	导电嘴座	CN-142.0001M8
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Tapered ø11.5*57	喷嘴	CN-145.0124
	Nozzle Conical ø15*57	喷嘴	CN-145.0076
	Nozzle Cylindrical ø18*57	喷嘴	CN-145.0042
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.D574
9	Rear Handle	后把壳	CN-501.2248
10	Rear Conneclor Nut	后锁母	CN-500.0213L
11	Euro Central Connecloe KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 26


Rating: 270A CO₂
240A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description	Order
CN-MB EVO 26 Welding Torch 3m	CN-018.0208	
CN-MB EVO 26 Welding Torch 4m	CN-018.0209	
CN-MB EVO 26 Welding Torch 5m	CN-018.0210	


1	Swan Neck	弯管	CN-018.0214
2	Gas Diffuser DMC	分流器	CN-018.0116
	Gas Diffuser Ceramic	陶瓷分流器	CN-018.0141
3	Contact Tip Holder M6*22	导电嘴座	CN-142.0007
	Contact Tip Holder M8*22	导电嘴座	CN-142.0082
	Contact Tip Holder M6*25	导电嘴座	CN-142.0012
	Contact Tip Holder M8*25	导电嘴座	CN-142.0026
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Tapered ø14*76	喷嘴	CN-145.0132
	Nozzle Conical ø16*76	喷嘴	CN-145.0085
	Nozzle Cylindrical ø20*76	喷嘴	CN-145.0051
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.D574
9	Rear Handle	后把壳	CN-501.2248R
10	Rear Conneclor Nut	后锁母	CN-500.0213X
11	Euro Central Connecloe KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN EVO 36

Rating: 320A CO₂
290A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description	Order
1	Swan Neck	CN-014.0518
2	Gas Diffuser DMC	CN-014.0261
	Gas Diffuser Ceramic	CN-014.0023
3	Contact Tip Holder M6*28	CN-142.0005
	Contact Tip Holder M6*32	CN-142.0011
	Contact Tip Holder M8*28	CN-142.0020
	Contact Tip Holder M8*34	CN-142.0024
4	Contact Tip E-CU M8*30*0.8mm	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	CN-141.0033
5	Nozzle Tapered ø12*84	CN-145.0126
	Nozzle Conical ø16*84	CN-145.0078
	Nozzle Cylindrical ø19*84	CN-145.0045
6	Front Handle	CN-180.0178
7	Switch	CN-185.0142
8	Cable Ball Joint & Support Spring liddle	CN-400.D574
9	Rear Handle	CN-501.2248R
10	Rear Connector Nut	CN-500.0213X
11	Euro Central Conneclo KZ-2	CN-501.0003
12	Yellow Steel Liner 1.2-1.6mm 3m	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	CN-124.0044
13	Liner Positioner Nut M10x1	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN EVO 240D

Rating: 300A CO₂
270A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm




No.	Description	Order
1	Swan Neck	CN-023.0316
2	Gas Diffuser DMC	CN-012.0183
	Gas Diffuser Ceramic	CN-012.0183C
	Gas diffuser Silicone Rubber	CN-012.0243
3	Tip Holder M6*26	CN-142.0003
4	Contact Tip E-CU M6*28*0.8mm	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	CN-141.0020
5	Nozzle Conical ø10*63.5	CN-145.0128
	Nozzle Conical ø12.5*63.5	CN-145.0080
	Nozzle Cylindrical ø17*63.5	CN-145.0047
6	Front Handle	CN-180.0178
7	Switch	CN-185.0142
8	Ball Joint & Support Spring Water	CN-500.0233
9	Fastener Cap Red	CN-501.2423
10	Fastener Cap Blue	CN-501.2424
11	Rear Handle Water	CN-500.0342
12	Plug Nipple ND 5mm	CN-501.0114
13	Water Hose Blue ø5*8	CN-109.0052
14	Coolant Return Hose Red ø5*8 L=0.6m	CN-103.0116
15	Adaptor Nut M33x2	CN-500.0213
16	Hose Clamp ø9.0mm	CN-173.0001
17	Wire Conduit 3m	CN-154.0017
	Wire Conduit 4m	CN-154.0018
	Wire Conduit 5m	CN-154.0019
18	Central connector WZ-2 M12x1	CN-501.2677
19	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 3m	CN-122.0031
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 4m	CN-122.0036
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 5m	CN-122.0039
20	Liner Positioner Nut M10x1	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN EVO 401D

Rating: 400A CO₂
350A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm




No.	Description	Order
CN-MB EVO 401D Water Cooled Welding Torch 3m	CN-033.0387	
CN-MB EVO 401D Water Cooled Welding Torch 4m	CN-033.0388	
CN-MB EVO 401D Water Cooled Welding Torch 5m	CN-033.0389	

1	Swan Neck	弯管	CN-033.0378
1-1	Insulator	绝缘垫片	CN-030.0019
2	Contact Tip Holder M6*25	导电嘴座	CN-142.0008
	Contact Tip Holder M8*25	导电嘴座	CN-142.0022
	Contact Tip Holder CuCrZr M8*25	导电嘴座	CN-142.0022Z
	Contact Tip Holder CuCrZr M8*27	导电嘴座	CN-142.0201
3	Gas Diffuser DMC	分流器	CN-030.0145
	Gas Diffuser Ceramic	陶瓷分流器	CN-030.0190
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Cylindrical ø20*76mm	喷嘴	CN-145.0051
	Nozzle Conical ø16*76mm	喷嘴	CN-145.0085
	Nozzle Tapered ø14*76mm	喷嘴	CN-145.0132




CN EVO 501D

Rating: 500A CO₂
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm



No.	Description	Order
CN-MB EVO 501D Water Cooled Welding Torch 3m	CN-034.0865	
CN-MB EVO 501D Water Cooled Welding Torch 4m	CN-034.0866	
CN-MB EVO 501D Water Cooled Welding Torch 5m	CN-034.0867	

1	Swan Neck	弯管	CN-034.0856
1-1	Insulator	绝缘垫片	CN-030.0019
2	Contact Tip Holder M6*25	导电嘴座	CN-142.0008
	Contact Tip Holder M8*25	导电嘴座	CN-142.0022
	Contact Tip Holder CuCrZr M8*25	导电嘴座	CN-142.0022Z
	Contact Tip Holder CuCrZr M8*27	导电嘴座	CN-142.0201
3	Gas Diffuser DMC	分流器	CN-030.0145
	Gas Diffuser Ceramic	陶瓷分流器	CN-030.0190
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Cylindrical ø20*76mm	喷嘴	CN-145.0051
	Nozzle Conical ø16*76mm	喷嘴	CN-145.0085
	Nozzle Tapered ø14*76mm	喷嘴	CN-145.0132




CN AT155

Rating: 190A CO₂
180A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.0mm



No.	Description	Order
CN-AT155LW	Welding Torch 3m	CN-006.D810
CN-AT155LW	Welding Torch 4m	CN-006.D811
CN-AT155LW	Welding Torch 5m	CN-006.D812

1	Swan Neck	弯管	CN-006.D804
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D607
4	Tip Holder M6*35	导电嘴座	CN-006.D719
	Tip Holder M6*38	导电嘴座	CN-006.D835
5	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
6	Nozzle Conical Ø12mm*52mm	喷嘴	CN-145.D001
	Nozzle Conical Ø12mm*54mm	喷嘴	CN-145.D004
	Nozzle Cylindrical Ø17mm*52mm	喷嘴	CN-145.D003
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 0.8mm	枪颈送丝管	CN-122.D037
	Swan Neck Liner 1.0-1.2mm	枪颈送丝管	CN-122.D038
10	Support Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X



CN AT255

Rating: 240A CO₂
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description	Order
CN-AT255LW	Welding Torch 3m	CN-004.D850
CN-AT255LW	Welding Torch 4m	CN-004.D851
CN-AT255LW	Welding Torch 5m	CN-004.D852


1	Swan Neck	弯管	CN-004.D831
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D607
4	Tip Holder M6*51	导电嘴座	CN-004.D624
	Tip Holder M6*55	导电嘴座	CN-004.D889
5	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0516
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0519
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0020
9	Swan Neck Liner 1.0-1.2mm	枪颈送丝管	CN-122.D038
10	Support Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request



CN AT305


Rating: 290A CO₂
260A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description	Order
CN-AT305LW Welding Torch 3m	CN-018.D960	
CN-AT305LW Welding Torch 4m	CN-018.D961	
CN-AT305LW Welding Torch 5m	CN-018.D962	


1	Swan Neck	弯管	CN-014.H356
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D668
4	Tip Holder	导电嘴座	CN-014.D745
5	Contact Tip E-CU M8*30*0.8mm	导电嘴座	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴座	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
6	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck liner 1.0~1.2mm	枪颈送丝管	CN-122.D038
10	Support Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 1.0~1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0~1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0~1.2mm 5m	送丝管5米	CN-124.0035
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN AT355

Rating: 340A CO₂
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm



No.	Description	Order
CN-AT355LW 3m Welding Torch	CN-014.H390	
CN-AT355LW 4m Welding Torch	CN-014.H391	
CN-AT355LW 5m Welding Torch	CN-014.H391	


1	Swan Neck	弯管	CN-014.H363
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D668
4	Tip Holder	导电嘴座	CN-014.D745
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
6	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck liner 1.0~1.2mm	枪颈送丝管	CN-122.D038
10	Support Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 1.0~1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0~1.2mm 5m	送丝管5米	CN-124.0035
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN AT405

Rating: 400A CO₂
370A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description	Order
	CN-AT405LW 3m Welding Torch	CN-015.D070
	CN-AT405LW 4m Welding Torch	CN-015.D071
	CN-AT405LW 5m Welding Torch	CN-015.D072

1	Swan Neck	弯管	CN-015.0082
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D668
4	Tip Holder	导电嘴座	CN-014.D745
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M6*28*2.0mm	导电嘴	CN-141.0033
6	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 1.6mm	枪颈送丝管	CN-122.D078
10	Support Gait Rotator	旋转器	CN-016.D392
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	后主体	CN-501.D342
15	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米	CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米	CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米	CN-124.D118
16	Liner Positioner Nut M14x1	螺母	CN-501.D537



CN AT455

Rating: 450A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.4mm




No.	Description	Order
	CN-AT455LW Welding Torch 3m	CN-016.D294
	CN-AT455LW Welding Torch 4m	CN-016.D295
	CN-AT455LW Welding Torch 5m	CN-016.D296

1	Swan Neck	弯管	CN-016.D147
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-016.D154
4	Tip Holder M8*65mm	导电嘴座	CN-016.D155
5	Tip Holder M10*65mm	导电嘴座	CN-016.D156
	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M6*28*2.0mm	导电嘴	CN-141.0033
6	Nozzle Conical ø13mm*85mm	喷嘴	CN-145.D243
	Nozzle Conical ø16mm*85mm	喷嘴	CN-145.D244
	Nozzle Conical ø19mm*85mm	喷嘴	CN-145.D245
	Nozzle Cylindrical ø24mm*83mm	喷嘴	CN-145.D249
	Nozzle Conical HD Copper ø16mm*85mm	喷嘴	CN-145.D241
	Nozzle Conical HD Copper ø19mm*85mm	喷嘴	CN-145.D242
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 1.6mm	枪颈送丝管	CN-122.D078
10	Support Gait Rotator	旋转器	CN-016.D392
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	后主体	CN-501.D342
15	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米	CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米	CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米	CN-124.D118
16	Liner Positioner Nut M14x1	螺母	CN-501.D537



CN RF15


Rating: 180A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description	Order
	CN-RF15 Welding Torch 3m	CN-002.D659
	CN-RF15 Welding Torch 4m	CN-002.D660
	CN-RF15 Welding Torch 5m	CN-002.D661


1	Swan Neck	弯管	CN-002.D656
2	Spacer	绝缘座	CN-012.D106
3	Tip Holder M6*51	导电嘴座	CN-004.D624
4	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
5	Nozzle Conical ø14mm*67mm	喷嘴	CN-145.D012
	Nozzle Conical ø16mm*70mm	喷嘴	CN-145.D011
	Nozzle Cylindrical ø18mm*69mm	喷嘴	CN-145.D014
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Blue Steel Liner 0.6-0.8mm 3m	送丝管3米	CN-124.0011
	Blue Steel Liner 0.6-0.8mm 4m	送丝管4米	CN-124.0012
	Blue Steel Liner 0.6-0.8mm 5m	送丝管5米	CN-124.0015
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN RF25

Rating: 250A CO₂
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description	Order
	CN-RF25 Welding Torch 3m	CN-004.D804
	CN-RF25 Welding Torch 4m	CN-004.D805
	CN-RF25 Welding Torch 5m	CN-004.D806


1	Swan Neck	弯管	CN-004.D801
2	Spacer	绝缘座	CN-012.D106
3	Tip Holder M6*51	导电嘴座	CN-004.D624
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø14mm*67mm	喷嘴	CN-145.D012
	Nozzle Conical ø16mm*70mm	喷嘴	CN-145.D011
	Nozzle Cylindrical ø18mm*69mm	喷嘴	CN-145.D014
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN RF26

Rating: 315A CO₂
250A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description	Order
CN-RF26 Welding Torch 3m	CN-018.D908	
CN-RF26 Welding Torch 4m	CN-018.D909	
CN-RF26 Welding Torch 5m	CN-018.D910	

1	Swan Neck	弯管	CN-018.D911
2	Spacer	绝缘座	CN-018.D873
3	Tip Holder M6*52	导电嘴座	CN-014.D870
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Auminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Auminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Auminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Auminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Auminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø16mm*69mm	喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口



CN RF36

Rating: 360A CO₂
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description	Order
CN-RF36 Welding Torch 3m	CN-014.H221	
CN-RF36 Welding Torch 4m	CN-014.H222	
CN-RF36 Welding Torch 5m	CN-014.H223	

1	Swan Neck	弯管	CN-014.H227
2	Spacer	绝缘座	CN-018.D873
3	Tip Holder M6*52	导电嘴座	CN-014.D870
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Auminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Auminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Auminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Auminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Auminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø16mm*69mm	喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0044
13	Liner Positioner Nut M10x1	螺母	CN-501.0082


We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN RF45

Rating: 450A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.4mm




No.	Description	Order
	CN-RF45 Welding Torch 3m	CN-017.D041
	CN-RF45 Welding Torch 4m	CN-017.D042
	CN-RF45 Welding Torch 5m	CN-017.D043
1	Swan Neck	弯管 CN-017.D0475
2	Spacer	绝缘座 CN-016.D141
3	Tip Holder M8*65mm	导电嘴座 CN-016.D155
	Tip Holder M8*55mm	导电嘴座 CN-016.D025
	Nut For Tip Holder M8*55mm	导电嘴座螺母 CN-016.DNUT
	Tip Holder M10*60mm	导电嘴座 CN-016.D156
4	Contact Tip E-CU M8*30*0.8mm	导电嘴 CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴 CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴 CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴 CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴 CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴 CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴 CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴 CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴 CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴 CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴 CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴 CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴 CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴 CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴 CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴 CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴 CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴 CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴 CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴 CN-141.0033
5	Nozzle Conical ø13mm*85mm	喷嘴 CN-145.D243
	Nozzle Conical ø16mm*85mm	喷嘴 CN-145.D244
	Nozzle Conical ø19mm*85mm	喷嘴 CN-145.D245
6	Front Handle	前把壳 CN-180.D078S
7	Switch	开关 CN-185.0031L
8	Cable Ball Joint & Support Spring Middle	球节支撑体 CN-400.1010B
9	Rear Handle & Support Spring	后把壳 CN-501.2248
10	Rear Connector Nut	后锁母 CN-500.0213L
11	Euro Central Connector	欧式后主体 CN-501.D342
12	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米 CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米 CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米 CN-124.D118
13	Liner Positioner Nut M10x1	螺母 CN-501.D537
	We can supply any cable connector according to customer request	
	我们可以根据客户需要制作任何形式的接口	



CN MAXI 350

Rating: 350A CO₂
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm



No.	Description	Order
	CN-MAXI350 Welding Torch 3m	CN-MA6365
	CN-MAXI350 Welding Torch 4m	CN-MA6366
	CN-MAXI350 Welding Torch 5m	CN-MA6367

1	Swan Neck	弯管 CN-MF0247
2	Spacer	绝缘座 CN-MQ0182
3	Tip Holder	导电嘴座 CN-ME0003
4	Contact tip 1/4-28*38*0.8mm	导电嘴 CN-MD0004-08
	Contact tip 1/4-28*38*0.9mm	导电嘴 CN-MD0004-09
	Contact tip 1/4-28*38*1.0mm	导电嘴 CN-MD0004-10
	Contact tip 1/4-28*38*1.2mm	导电嘴 CN-MD0004-12
	Contact tip 1/4-28*38*1.4mm	导电嘴 CN-MD0004-14
	Contact tip 1/4-28*38*1.6mm	导电嘴 CN-MD0004-16
	Contact tip 1/4-28*38*2.0mm	导电嘴 CN-MD0004-20
5	Nozzle ø14*82mm	喷嘴 CN-MC0298
	Nozzle ø16*82mm	喷嘴 CN-MC0011
	Nozzle ø16*82mm	喷嘴 CN-MC0012
	Nozzle ø20*82mm	喷嘴 CN-MC0013
6	Front Handle	前把壳 CN-MP0160
7	Switch	开关 CN-BX0020
8	Switch Long	加长开关 CN-BX0068
9	Cable Ball Joint & Support Spring Big	球节支撑体 CN-400.1010B
10	Rear Handle & Support Spring	后把壳 CN-501.2248
11	Rear Connector Nut	后锁母 CN-500.0213L
12	Euro Central Connector M10*1	欧式后主体 CN-AR0083.M10
13	Steel Liner Red 1.0-1.2mm 3m	送丝管3米 CN-GM0012-3
	Steel Liner Red 1.0-1.2mm 4m	送丝管4米 CN-GM0012-4
	Steel Liner Red 1.0-1.2mm 5m	送丝管5米 CN-GM0012-2
14	Liner Positioner Nut M10x1	螺母 CN-FA0027

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MAXI 450

Rating: 450A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~2.0mm

**CN MAXI 4000**

Rating: 500A CO₂
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~2.4mm



CN OTC 200A


Rating: 200A CO₂
160A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.0mm



We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN OTC 350A


Rating: 350A CO₂
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN OTC 500A

Rating: 500A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2~1.6mm



CN P200A

Rating: 200A CO₂
160A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN P350A

Rating: 350A CO₂
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm




We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN P500A

Rating: 500A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2~1.6mm




We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 36KD (Fume Extraction MIG Welding Torch)

Rating: 350A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm



No.	Description	Order
1	CN-36KD-FE 3m Welding Torch	CN-36KDFE3M
2	CN-36KD-FE 4m Welding Torch	CN-36KDFE4M
3	CN-36KD-FE 5m Welding Torch	CN-36KDFE5M
4	Swan Neck	CN-36KDFESN
5	Gas Diffuser DC	CN-014.0261
6	Contact Tip Holder M8*28	CN-142.0005
7	Contact Tip Holder M8*32	CN-142.0011
8	Contact Tip E-CU M8*30*0.8mm	CN-140.0114
9	Contact Tip E-CU M8*30*1.0mm	CN-140.0313
10	Contact Tip E-CU M8*30*1.2mm	CN-140.0442
11	Contact Tip E-CU M8*30*1.4mm	CN-140.0533
12	Contact Tip E-CU M8*30*1.6mm	CN-140.0587
13	Contact Tip E-CU M8*30*2.0mm	CN-140.0653
14	Contact Tip E-CU M8*30*2.4mm	CN-140.0677
15	Contact Tip CuCrZr M8*30*0.8mm	CN-140.0117
16	Contact Tip CuCrZr M8*30*1.0mm	CN-140.0316
17	Contact Tip CuCrZr M8*30*1.2mm	CN-140.0045
18	Contact Tip CuCrZr M8*30*1.4mm	CN-140.0536
19	Contact Tip CuCrZr M8*30*1.6mm	CN-140.0590
20	Contact Tip CuCrZr M8*30*2.0mm	CN-140.0656
21	Contact Tip CuCrZr M8*30*2.4mm	CN-141.0679
22	Contact Tip E-CU Aluminum M8*30*0.8mm	CN-141.0003
23	Contact Tip E-CU Aluminum M8*30*1.0mm	CN-141.0008
24	Contact Tip E-CU Aluminum M8*30*1.2mm	CN-141.0015
25	Contact Tip E-CU Aluminum M8*30*1.4mm	CN-141.0055
26	Contact Tip E-CU Aluminum M8*30*1.6mm	CN-141.0022
27	Contact Tip E-CU Aluminum M8*30*2.0mm	CN-145.0033
28	Nozzle Conical ø16*84	CN-145.0078
29	Smoking Shield	CN-36KDFESS
30	Cable Support	CN-36KDFECS
31	Front Handle	CN-36KDFEFH
32	Switch	CN-36KDFES
33	Corrugated Pipe	CN-36KDFEC
34	Gas Tube Wih Nut 9/16-18	CN-PGAS
35	Control Wire Plug	CN-PCLP
36	Yellow Steel Liner 1.2-1.6mm 3m	CN-HKR36KD
37	Cable Protectors	CN-36KDFECP
38	Ball Joint	CN-501DFEBJ
39	Rear Handle	CN-FERH
40	OTC Rear Box Nut	CN-EURORB
41	OTC Central Adaptor Block	CN-501.0003
42	Yellow Steel Liner 1.2-1.6mm 3m	CN-OTCCAB
43	OTC Nut	CN-OTCNUT
44	Euro Rear Box Nut	CN-EURORB
45	Euro Central Adaptor Block	CN-501.0003
46	Yellow Steel Liner 1.2-1.6mm 3m	CN-124.0041
47	Euro Nut	CN-ENUT
48	Central Adaptor Block	CN-PCAB
49	Gas Tube Wih Nut 9/16-18	CN-PGAS
50	Control Wire Plug	CN-PCLP
51	Yellow Steel Liner 1.2-1.6mm 3m	CN-HKR36KD
52	Cable Protectors	CN-501DFECP
53	Ball Joint	CN-501DFEBJ
54	Rear Handle	CN-FERH
55	Euro Rear Box Nut	CN-EURORB
56	Wire Feed Protective	CN-WFP
57	Euro Central Adaptor Block	CN-501D.0003
58	Euro Nut	CN-501.0082


CN 501D (Fume Extraction MIG Welding Torch)

Rating: 500A CO₂
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description	Order
1	CN-501D-FE 3m Welding Torch	CN-501DFE3M
2	CN-501D-FE 4m Welding Torch	CN-501DFE4M
3	CN-501D-FE 5m Welding Torch	CN-501DFE5M
4	Swan Neck	CN-501DFESN
5	Contact Tip Holder M8*25	CN-142.0022
6	Gas Diffuser, DMC	CN-030.0145
7	Gas Diffuser, Ceramic	CN-030.0190
8	Contact Tip M8 E-Cu 0.8mm	CN-140.0114
9	Contact Tip M8 E-Cu 1.0mm	CN-140.0313
10	Contact Tip M8 E-Cu 1.2mm	CN-140.0442
11	Contact Tip M8 E-Cu 1.6mm	CN-140.0587
12	Contact Tip M8 CuCrZr 0.8mm	CN-140.0117
13	Contact Tip M8 CuCrZr 1.0mm	CN-140.0316
14	Contact Tip M8 CuCrZr 1.2mm	CN-140.0445
15	Contact Tip M8 CuCrZr 1.6mm	CN-140.0590
16	Contact Tip M8 E-Cu 0.8 for alu wire	CN-141.0003
17	Contact Tip M8 E-Cu 1.0 for alu wire	CN-141.0008
18	Contact Tip M8 E-Cu 1.2 for alu wire	CN-141.0015
19	Contact Tip M8 E-Cu 1.6 for alu wire	CN-141.0022
20	Conical Nozzle ø16.0	CN-145.0085
21	Smoking Shield	CN-501DFESS
22	Cable Support	CN-501DFECS
23	Front Handle	CN-501DFEFH
24	Switch	CN-501DFES
25	Corrugated Pipe	CN-501DFEC
26	Cable Protectors	CN-501DFECP
27	Ball Joint	CN-501DFEBJ
28	Rear Handle	CN-FERH
29	Euro Rear Box Nut	CN-EURORB
30	Wire Feed Protective	CN-WFP
31	Euro Central Adaptor Block	CN-501D.0003
32	Euro Nut	CN-501.0082
33	Hose Clamp ø8.0mm	CN-501.0015
34	Air Pipe	CN-501DAP
35	Quick Couplings	CN-501DAPQC
36	Fastener Cap Red	CN-501DFCR
37	Fastener Cap Blue	CN-501DFCB
38	Euro Liner 6.3/2.8-5.0m, 1.6-2.0	CN124.0068
39	Water Pipe	CN-501DW

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN P350A (Fume Extraction MIG Welding Torch)


Rating: 350A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm




No.	Description	Order
1	Swan Neck	CN-P350AFESN
2	Contact Tip Holder	CN-P350AFECTH
3	Insulator	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm O.D.8mm	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D.8mm	CN-TET90905-8
	Contact Tip E-CU M6*45*1.0mm O.D.8mm	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D.8mm	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D.8mm	CN-TET91405-8
	Contact Tip E-CU M6*45*1.6mm O.D.8mm	CN-TET91605-9
	Contact Tip E-CU M6*45*0.8mm O.D.9mm	CN-TET90805-9
	Contact Tip E-CU M6*45*0.9mm O.D.9mm	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D.9mm	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D.9mm	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D.9mm	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.9mm	CN-TET91605-9
5	Gas Diffuser Ceramic	CN-TGR01001
6	Nozzle Cylindrical φ15*73mm	CN-TGN00043
7	Smoking Shield	CN-P350AFESS
8	Cable Support	CN-P350AFEC5
9	Front Handle	CN-P350AFEFH
10	Switch	CN-P350AFES
11	Corrugated Pipe	CN-P350AFEC
12	Cable Protectors	CN-P350AFEC5P
13	Ball Joint	CN-P350AFEBJ
14	Rear Handle	CN-FERH
15	OTC Rear Box But	CN-OTCRB
16	OTC Central Adaptor Block	CN-OTCCAB
17	Red Steel Liner 1.0-1.2mm 3m	CN-OTC350
18	OTC Nut	CN-OTCNUT
19	Euro Rear Box Nut	CN-EURORB
20	Euro Central Adaptor Block	CN-501.0003
21	Red Steel Liner 1.0-1.2mm 3m	CN-124.0026
22	Euro Nut	CN-ENUT
23	Central Adaptor Block	CN-PCAB
24	Gas Tube Wih Nut 9/16-18	CN-PGAS
25	Control Wire Plug	CN-PCLP
26	Red Steel Liner 1.0-1.2mm 3m	CN-TDT90016

**CN P500A (Fume Extraction MIG Welding Torch)**

Rating: 500A CO₂
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2mm~1.6mm



No.	Description	Order
1	Swan Neck	CN-P500AFESN
2	Contact Tip Holder	CN-P500AFECTH
3	Insulator	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm O.D.8mm	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D.8mm	CN-TET90905-8
	Contact Tip E-CU M6*45*1.0mm O.D.8mm	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D.8mm	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D.8mm	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.8mm	CN-TET91605-9
	Contact Tip E-CU M6*45*0.9mm O.D.9mm	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D.9mm	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D.9mm	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D.9mm	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.9mm	CN-TET91605-9
5	Gas Diffuser Ceramic	CN-TGR00902
6	Nozzle ø19*84mm	CN-TGN00014
	Nozzle ø20*84mm	CN-TGN00056
7	Smoking Shield	CN-P500AFESS
8	Cable Support	CN-P500AFEC5
9	Front Handle	CN-P500AFEFH
10	Switch	CN-P500AFES
11	Corrugated Pipe	CN-P500AFEC
12	Cable Protectors	CN-P500AFEC5P
13	Ball Joint	CN-P350AFEBJ
14	Rear Handle	CN-FERH
15	OTC Rear Box But	CN-OTCRB
16	OTC Central Adaptor Block	CN-OTCCAB
17	Black Steel Liner 1.2-1.6mm 3m	CN-OTC500
18	OTC Nut	CN-OTCNUT
19	Euro Rear Box Nut	CN-EURORB
20	Euro Central Adaptor Block	CN-501.0003
21	Red Steel Liner 1.0-1.2mm 3m	CN-124.0026
22	Euro Nut	CN-ENUT
23	Central Adaptor Block	CN-PCAB
24	Gas Tube Wih Nut 9/16-18	CN-PGAS
25	Control Wire Plug	CN-PCLP
26	Red Steel Liner 1.0-1.2mm 3m	CN-TDT90016



Torch Handle

把壳

Description	型号/Modle	Sketch
CN09-1 欧式枪壳(一体) 主体黑胶红 MIG handle	Black Plastic / Red Rubber	
CN10-1欧式枪壳 MIG handle	主体黑胶红 Black Plastic / Red Rubber	
CNAT-1前手柄 MIG handle	主体黑胶红 Black Plastic / Red Rubber	
CN01-5 MIG handle	环保焊枪前枪壳 Red plastic / Black Rubber	
CN06-1 MIG handle	特威克枪壳 Black	
CN06-2 MIG handle	特威克枪壳 Black	

Description	型号/Modle	Sketch
CN03-1 松下枪壳 红圈 主体黑包红 MIG handle	Black Plastic / Red Rubber	
CN07-2 EVO枪壳 主体黑包红 MIG handle	Black Plastic / Red Rubber	
CN03-2 松下枪壳 主体红色 MIG handle	Red Plastic	
CN03-3 松下枪壳 主体红色 MIG handle	Red Plastic	
CN02-1 欧式枪壳 红圈 主体黑胶红 MIG handle	Black Plastic / Red Rubber	

Support customization of the shell.
You can freely choose the color.
支持定制把壳，您可自行搭配颜色。


CN Liner

送丝管


Description	编号/No.	specification
CNOTC Liner	CNOTC200	4.0/1.6-3.0m,蓝色,0.8-1.0
CNOTC Liner	CNOTC200	4.0/1.6-4.0m,蓝色,0.8-1.0
CNOTC Liner	CNOTC200	4.0/1.6-5.0m,蓝色,0.8-1.0
CNOTC Liner	CNOTC350	4.0/2.0-3.0m,红色,1.0-1.2
CNOTC Liner	CNOTC350	4.0/2.0-4.0m,红色,1.0-1.2
CNOTC Liner	CNOTC350	4.0/2.0-5.0m,红色,1.0-1.2
CNOTC Liner	CNOTC500	4.0/2.2-3.0m,黑色,1.4-1.6
CNOTC Liner	CNOTC500	4.0/2.2-4.0m,黑色,1.4-1.6
CNOTC Liner	CNOTC500	4.0/2.2-5.0m,黑色,1.4-1.6
CNHRK180 Liner	CNHRK180	4.0/1.6-3.0m,蓝色,0.8-1.0
CNHRK180 Liner	CNHRK180	4.0/1.6-4.0m,蓝色,0.8-1.0
CNHRK180 Liner	CNHRK180	4.0/1.6-5.0m,蓝色,0.8-1.0
CNHRK350 Liner	CNHRK350	4.0/2.0-3.0m,红色,1.0-1.2
CNHRK350 Liner	CNHRK350	4.0/2.0-4.0m,红色,1.0-1.2
CNHRK350 Liner	CNHRK350	4.0/2.0-5.0m,红色,1.0-1.2
CNHRK500 Liner	CNHRK500	4.0/2.2-3.0m,黑色,1.4-1.6
CNHRK500 Liner	CNHRK500	4.0/2.2-4.0m,黑色,1.4-1.6
CNHRK500 Liner	CNHRK500	4.0/2.2-5.0m,黑色,1.4-1.6
CNEuro Liner	CN124.0011	4.0/1.6-3.0m,蓝色,0.6-0.8
CNEuro Liner	CN124.0012	4.0/1.6-4.0m,蓝色,0.6-0.8
CNEuro Liner	CN124.0015	4.0/1.6-5.0m,蓝色,0.6-0.8
CNEuro Liner	CN124.0026	4.0/2.0-3.0m,红色,0.9-1.2
CNEuro Liner	CN124.0031	4.0/2.0-4.0m,红色,0.9-1.2
CNEuro Liner	CN124.0035	4.0/2.0-5.0m,红色,0.9-1.2
CNEuro Liner	CN124.0041	4.5/2.5-3.0m,黄色,1.4-1.6
CNEuro Liner	CN124.0042	4.5/2.5-4.0m,黄色,1.4-1.6
CNEuro Liner	CN124.0044	4.5/2.5-5.0m,黄色,1.4-1.6

CN Liner

送丝管




Description	编号/No.	specification
CNEuro Liner	CN124.0066	6.3/2.8-3.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0067	6.3/2.8-4.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0068	6.3/2.8-5.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0079	7.0/3.5-3.0m,无皮,2.4
CNEuro Liner	CN124.0080	7.0/3.5-4.0m,无皮,2.4
CNEuro Liner	CN124.0082	7.0/3.5-5.0m,无皮,2.4
CNEuro Liner	CN124.0083	7.0/4.5-3.0m,无皮,2.8-3.2
CNEuro Liner	CN124.0084	7.0/4.5-4.0m,无皮,2.8-3.2
CNEuro Liner	CN124.0086	7.0/4.5-5.0m,无皮,2.8-3.2



Description	编号/No.	specification
CNTWC Liner	CN42-3035-15	4.0/1.6-4.5m,黑色,0.8-1.2
CNTWC Liner	CN42-4045-15	4.0/2.0-4.5m,黑色,1.0-1.2
CNTWC Liner	CN42-4045-25	4.0/2.0-7.5m,黑色,1.0-1.2
CNTWC Liner	CN44-3545-15	4.8/1.9-4.5m,黑色,0.9-1.2
CNTWC Liner	CN44-3545-25	4.8/1.9-7.5m,黑色,0.9-1.2
CNTWC Liner	CN44-116-15	4.8/2.2-4.5m,黑色,1.4-1.6
CNTWC Liner	CN44-116-25	4.8/2.2-7.5m,黑色,1.4-1.6
CNTWC Liner	CN44-564-15	4.8/2.6-4.5m,黑色,2.0
CNTWC Liner	CN44-564-25	4.8/2.6-7.5m,黑色,2.0
CNTWC Liner	CN45H-3545-15	4.8/2.1-4.5m,黑色,0.9-1.2
CNTWC Liner	CN45H-3545-25	4.8/2.1-7.5m,黑色,0.9-1.2
CNTWC Liner	CN45H-116-15	4.8/2.2-4.5m,黑色,1.4-1.6
CNTWC Liner	CN45H-116-25	4.8/2.2-7.5m,黑色,1.4-1.6
CNTWC Liner	CN45H-564-15	4.8/2.6-4.5m,黑色,2.0
CNTWC Liner	CN45H-564-25	4.8/2.6-7.5m,黑色,2.0
CNTWC Liner	CN45H-332-15	6.8/3.2-4.5m,黑色,2.4
CNTWC Liner	CN45H-332-25	6.8/3.2-7.5m,黑色,2.4



Description	编号/No.	specification
CNESAB Liner	HR0366549883B	4.0/1.6-4.5m,蓝色,0.6-0.8
CNESAB Liner	HR0366549885B	4.0/1.6-4.5m,蓝色,0.9-1.0
CNESAB Liner	HR0366549887B	4.4/2.0-4.5m,红色,1.2
CNESAB Liner	HR0366549891B	4.6/2.2-4.5m,黑色,1.6
CNESAB Liner	HR0366549883	4.0/1.6-4.5m,蓝色,0.6-0.8
CNESAB Liner	HR0366549885	4.0/1.6-4.5m,蓝色,0.9-1.0
CNESAB Liner	HR0366549887	4.4/2.0-4.5m,红色,1.2
CNESAB Liner	HR0366549891	4.6/2.2-4.5m,黑色,1.6



Central Adaptor

中央适配器



Order	Description
CN-501.0169	Euro Central Adaptor(Gas Radial)



Order	Description
CN-501.0168HL	Euro Central Adaptor(Hexagonal Long)



Order	Description
CN-501.0168H	Euro Central Adaptor(Hexagonal)




Order	Description
CN-501.0168M	Euro Central Adaptor(Mini)



Order	Description
CN-501.0168	Euro Central Adaptor(Standard)



Order	Description
CN-501.0168L	Euro Central Adaptor(Long)



Order	Description
CN-501.0168K	Euro Central Adaptor(Kemppi)



Order	Description
CN-501.0168N	Euro Central Adaptor(New)




Order	Description
CN-501.0168E	Euro Central Adaptor(ESAB)



Order	Description
CN-TWCA	Tweco Central Adaptor



Order	Description
CN-MLCA	Miller Central Adaptor



Order	Description
CN-129.0313	Capillary Tube For 1.6mm (Length=200mm)

CN-129.0357	Capillary Tube For 1.6mm (Length=300mm)
-------------	---

CN-129.0361	Capillary Tube For 1.6mm (Length=500mm)
-------------	---

Central Adaptor

中央适配器

Order	Description
CN-501.2308	Insulating Flange 56mm Quadrangular



Order	Description
CN-501.2308-80	Insulation Flange 80mm



Order	Description
CN-501.0616	Insulating Flange 83mm



Order	Description
CN-501.0588	Insulating Flange 50mm



Order	Description
CN-OTCEURO	OTC Central Adaptor



Order	Description
CN-PEURO	Panasonic Transform Euro Connection Adaptor



Order	Description
CN-TWEURO	Tweco Transform Euro Connection Adaptor



Order	Description
CN-MILEURO	Miller Transform Euro Connection Adaptor



Order	Description
CN-LNCEURO	Lincoln Transform Euro Connection Adaptor



Order	Description
CN-FNSEURO	Fronius F+ Transform Euro Connection Adaptor



Order	Description
CN-44.0350.3565	Fronius FSC Transform Euro Connection Adaptor



Order	Description
CN-WWRS-5	Welding Wire Reel Shaft 5Kg
CN-WWRS-15	Welding Wire Reel Shaft 15kg

