CNAWELD

ADDRESS: Room 28A, Liandong U Valley, No. 158, Jinchuang Road, Yaoguan Town, Changzhou Economic Development Zone,Jiangsu,China
Post code: 213100
TEL: 86-0519-89691819
URL: https://www.cnaweld.com
E-MAIL: Official@cnaweld.com

» PROFESSIONAL/COLLABORATIVE/INNOVATIVE/DILIGENCE

CNAWELD

CNA
WELD



TIG

MIG

PLASMA

TIG CLADDING TORCH

CHANGZHOU CHINA WELDING EQUIPMENT CO., LTD.

COMPANY PROFILE

Changzhou City ChiNa Welding Equipment Co., Ltd. was founded in 2011. Strategically located within the core area of the Shanghai Economic Zone and Nanjing Metropolitan Area, we enjoy convenient transportation.

We are a modern enterprise specializing in the integrated R&D, production, and sales of welding and cutting tools. The company possesses robust technical capabilities, strong production capacity, and comprehensive testing facilities.

Our flagship products include welding torches, torch accessories, and wear parts. Our customer base spans the globe, with loyal clients in over 200 cities across Europe, the Americas, Australia, the Middle East, and beyond.

Keeping pace with the times and leading the industry, we have established a modern factory that combines information systems with automated equipment. Our products meet international standards and hold comprehensive certifications, including CE, RoHS, REACH, and ISO 9001. Furthermore, we are recognized as a High-Tech Enterprise .Our company has earned high acclaim in both domestic and international markets for our sound quality assurance system and excelent after-sales service.

公司简介

常州驰纳焊割设备有限公司公司成立于2011年,地处大上海经济圈和南京都市圈核心地带，交通方便。我们是一家专注于焊割工具集研发、生产、销售于一体的现代化企业。我司技术力量雄厚，生产能力强，检测设备完善。我们公司的主打产品是焊枪、焊枪配件及易损件。我们客户遍布全球，像欧洲、美洲、澳洲、中东等200多个城市都有忠实客户。

我们公司一直与时俱进，走在行业前端，已建立信息化系统和自动化设备相结合的现代化工厂。与国际接轨，产品认证证书较为全面，像CE、ROHS、REACH、ISO等等。同时我们也是高新技术企业。本公司以完善的质量保证体系和优良的售后服务在国内外市场享有盛誉。



TABLE OF CONTENTS

MIG TORCHES

CN TWC1 100A 01

CN TWC2 200A 02

Wearing Parts Suitable For Tweco 03

CN TWC3 300A 04

Wearing Parts Suitable For Tweco 05

CN TWC4 400A 06

Wearing Parts Suitable For Tweco 07

Wearing Parts Suitable For Tweco 08

Wearing Parts Suitable For Tweco 09

CN TWC5 500A 10

CN TWC6 600A 11

CN TW Fusion 140 180 220 12

CN TW Spary Master V250 13

CN TW Spary Master V350 14

CN TW Spary Master V450 15

CN TW Spary Master 250 16

CN TW Spary Master 350 17

CN TW Spary Master 450 18

CN LINC 100L 19

CN LINC 100L Pro 20

CN LINC 200 21

CN LINC 200 Pro 22

CN LINC 300 23

CN LINC 300 Pro 24

CN LINC 400 25

CN LINC 400 Pro 26

CN LINC 500 27

CN LINC 500 Pro 28

CN LINC PRO Curve HDE 250 29

CN LINC PRO Curve HDE 350 30

CN LINC PRO Curve HDE 450 31

CN LINC PRO Curve HDE 550 32

CN LINC K126 33

CN LINC K126 Pro 34

CN LINC K345 35

CN LC K231-1 36

CN RB 28 37

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

TABLE OF CONTENTS

MIG TORCHES

CN RB 36 38

CN RB 40 39

CN OTC 200 40

CN OTC 350 41

CN OTC 500 42

CN P200A 43

CN P350A 44

CN P500A 45

CN ME 300A 46

CN ME 350A 47

CN ME 400A 48

CN ME 500W 49

CN ME 600W 50

CN ME 300A/350A Nozzle 51

CN ME 400A/500W Nozzle 52

CN ME 600W Nozzle 53

CN TR 300A 54

CN TR 400A 55

CN TR 500A 56

CN ATTC 57

CN ATTC 250-550 58

CN ATTC MAPS 59

CN ATTC Nozzles 60

CN PROFAX Choice FC250A 61

CN PROFAX Choice FC400A 62

CN PROFAX 250A HeavyDuty 63

CN RF 15 64

CN RF 25 65

CN RF 26 66

CN RF 36 67

CN RF 45 68

CN BND 200A 69

CN BND 300/350A 70

CN BND 400A 71

CN BND Q20 200A 72

CN BND Q30 300A 73

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

TABLE OF CONTENTS

MIG TORCHES

CN BND Q40 400A 74
CN BND Q50 500A 75
CN BND Q60 600A 76
CN BND-Consumables 77
CN BND-Quik Tip Consumable.. 78
CN M10 79
CN M15 80
CN M25 81
CN M25 New Air Cooled..... 82
CN M40 83
CN MDX 100..... 84
CN MDX 250..... 85
CN Roughneck C-Series 86
CN 14AK 87
CN 15AK 88
CN 24KD 89
CN 25AK 90
CN 26KD..... 91
CN 36KD..... 92
CN 40KD 93
CN 240D 94
CN 401D/501D/HD511..... 95
CN AUT501D 96
CN Machine Swan Necks 97
CN Dual water-cooled 501D... 98
CN 601D..... 99
CN 61GD..... 100
CN ABI WT340..... 101
CN ABI WT440..... 102
CN ABI WT540..... 103
CN A 155 104
CN A 255 105
CN A 305..... 106
CN A 355..... 107
CN A 405 108
CN AT 155..... 109

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

TABLE OF CONTENTS

MIG TORCHES

CN AT 255..... 110
CN AT 305..... 111
CN AT 355..... 112
CN AT 405..... 113
CN AT 455..... 114
CN EVO 15..... 115
CN EVO 24..... 116
CN EVO 25..... 117
CN EVO 26..... 118
CN EVO 36..... 119
CN EVO 240D..... 120
CN EVO 401D..... 121
CN EVO 501D..... 122
CN MAXI 350..... 123
CN MAXI 450..... 124
CN MAXI 4000 125
CN TMAX 300HD..... 126
CN TMAX 400..... 127
CN TMAX 500..... 128
CN TMAX 3001HD..... 129
CN TMAX 4001..... 130
CN TBI 6G..... 131
CN TBI 7G..... 132
CN TBI 7W 133
CN TBI 8W 134
CN TBI 8G 135
CN TBI 241W..... 136
CN TBI 9W-L 137
CN TBI Pro 153/253..... 138
CN TBI 150..... 139
CN TBI 240..... 140
CN TBI 250..... 141
CN TBI 260..... 142
CN TBI 360..... 143
CN TBI 380..... 144
CN TBI 411 145

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

TABLE OF CONTENTS

MIG TORCHES

CN TBI 511 146
CN TBI Pro 353/453 147
CN TBI XP 363/463 148
CN PLUS 505 149
CN PLUS 555 150
CN PSF 260 151
CN PSF 315 152
CN PSF 415 153
CN PSF 515 154
CN PSF 420W 155
CN PSF 520W 156
CN PSF 250 157
CN PSF 305 158
CN PSF 405 159
CN PSF 505 160
CN MXL 201 161
CN MXL 271 162
CN MXL 341 163
CN PSF 411W 164
CN PSF 410W 165
CN PSF 510W 166
CN PSF 511W 167
CN SBME 116 168
CN SBME 125 169
CN SBME 135 170
CN SBME 235 171
CN SBME 350 172
CN SBME 450 173
CN SBME 470 174
CN SU 220 175
CN SU 260 176
CN SU 335 177
CN SU 535 178
CN SU 595 179
CN SU 695 180
CN MMT/PMT27 181
CN MMT/PMT32 182
CN MMT/PMT35 183

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

TABLE OF CONTENTS

MIG TORCHES

CN MMT/PMT42 184
CN MMT/PMT42W 185
CN MMT/PMT52W 186
CN GX203G/205G 187
CN GX253G/255G 188
CN GX303G/305G 189
CN GX403G/405G 190
CN GX303W/305W 191
CN G403W/405W 192
CN GX503W/505W 193
CN 605W 194
CN MMG20/MMG22 195
CN MMT/PMT25 196
CN MT38 197
CN MN320A Multi-Neck 198
CN MT-51 MW 199
CN FNS AL 2300 200
CN FNS AL 3000 201
CN FNS AL 4000 202
CN FNS AW 2500 203
CN FNS AW 4000 204
CN FNS AW 5000 205
CN FNS MTG 250i 206
CN FNS MTG 320i 207
CN FNS MTG 400i 208
CN FNS MTG 550i 209
CN FNS MTG 2100S 210
CN FNS MTG 2500S 211
CN FNS MTW 250i 212
CN FNS MTW 400i 213
CN FNS MTW 500i 214
CN MHP G MultiLock Hose 215
CN MHP W MultiLock Hose 216
CN P350A (Fume Extraction) 217
CN P500A (Fume Extraction) 218
CN 36KD (Fume Extraction) 219
CN 501D (Fume Extraction) 220
CN P350A (Light Version) 221
CN P500A (Light Version) 222
CN 36KD (LightVersion) 223

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

TABLE OF CONTENTS

TIG TORCHES

CN Torch Handle 224

CN Liner 1 225

CN Liner 2 226

CN Liner 3 227


CN Central Adaptor 228

The use of the original manufacturers' part numbers, and/or any manufacturer's registered or unregistered trade names andtrademarks are for REFERENCE ONLY. The above-mentioned parts are made by and for CNAWELD, not genuine ones. CNAWELD is no way affiliated with any orginal manufacturer.

使用原始制造商的零件编号/或任何制造商注册或未注册的商品名称和商标仅作参考。
样册内产品零件是由驰纳焊割制造和提供的，不是正品。驰纳焊割与任何原始制造商都没有关联。

CN TWC1 100A

Rating: 160A CO_2
100A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW1 160A MIG Torch Tweco Connector	CN-35-10	CN-35-12	CN-35-15
1	Swan Neck 45°	弯管	CN-61-60	
2	Cas Diffuser	导电嘴座	CN-51	
	Cas Diffuser	导电嘴座	CN-51-23	
3	Contact Tip .023" 0.6mm	导电嘴	CN-11-23	
	Contact Tip .030" 0.8mm	导电嘴	CN-11-30	
	Contact Tip .035" 0.9mm	导电嘴	CN-11-35	
	Contact Tip .040" 1.0mm	导电嘴	CN-11-40	
	Contact Tip .045" 1.2mm	导电嘴	CN-11-45	
	Contact Tip Heavy Duty .030" 0.8mm	导电嘴	CN-11H-30	
	Contact Tip Heavy Duty .035" 0.9mm	导电嘴	CN-11H-35	
	Contact Tip Heavy Duty .040" 1.0mm	导电嘴	CN-11H-40	
	Contact Tip Heavy Duty .045" 1.2mm	导电嘴	CN-11H-45	
	Contact Tip Tapered .023" 0.6mm	导电嘴	CN-11T-23	
	Contact Tip Tapered .030" 0.8mm	导电嘴	CN-11T-30	
	Contact Tip Tapered .035" 0.9mm	导电嘴	CN-11T-35	
	Contact Tip Tapered .040" 1.0mm	导电嘴	CN-11T-40	
	Contact Tip Tapered .045" 1.2mm	导电嘴	CN-11T-45	
4	Nozzle 3/8" 9.5mm	喷嘴	CN-21-37	
	Nozzle 1/2" 12.7mm	喷嘴	CN-21-50	
	Nozzle 5/8" 15.9mm	喷嘴	CN-21-62	
5	Front Handle	前把壳	CN-95G2209	
6	Switch	开关	CN-95185.00315	
7-2	Rear Strain Relief Spring	欧式弹簧	CN-9S285507	
7-3	Euro Rear Handle	欧式后把壳	CN-P001075	
7-4	Euro Nut	后锁母	CN-174X-2	
7-5	Euro Connector Tweco Style	后主体	CN-174EX-1	
7-6	Liner for .030"-.035"(0.8-0.9mm) 10FT(3.0m)	送丝管3米	CN-42-3035-10	
	Liner for .030"-.035"(0.8-0.9mm) 12FT(3.5m)	送丝管3.5米	CN-42-3045-12	
	Liner for .030"-.035"(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-42-3045-15	
7-6	Euro Conduit Cap	螺母	CN-174EX-1C	
8-1	Rear Strain Relief Spring	美式弹簧	CN-9S285507	
8-2	Rear Handle American Style	美式把壳	CN-9S285509	
8-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ	
8-4	Control Wire 2-Spaded Lug 6.3mm	控制线端子	CN-35K350-1	


9	Tweco Connector Plug	TWC连接器	CN-174EX-2
9-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
10	Miller Connector Plug	ML连接器	CN-350-174MH
10-1	CNML Liner	ML送丝管	CN-MLL

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TWC 200A


Rating: 200A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.2mm



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW2 MIG Torch Euro Connector	TW2-10T	TW2-12T	TW2-15T
	CN-TW2 MIG Torch Miler Connector	TW2-10M	TW2-12M	TW2-15M
	CN-TW2 MIG Torch Tweco Connector	TW2-10L	TW2-12L	TW2-15L
	CN-TW2 MIG Torch Lincoln Connector	TW2-10E	TW2-12E	TW2-15E
1	Jacketed Swan Neck 45°	弯管	CN-62J45	
	Jacketed Swan Neck 60°	弯管	CN-62J60	
2	Cas Diffuser(used with 32 insulator)	导电嘴座	CN-52	
3	Contact Tip .023" 0.6mm Standard	导电嘴	CN-14-23	
	Contact Tip .030" 0.8mm Standard	导电嘴	CN-14-30	
	Contact Tip .035" 0.9mm Standard	导电嘴	CN-14-35	
	Contact Tip .040" 1.0mm Standard	导电嘴	CN-14-40	
	Contact Tip .045" 1.2mm Standard	导电嘴	CN-14-45	
	Contact Tip .052" 1.3mm Standard	导电嘴	CN-14-52	
	Contact Tip 1/16" 1.6mm Standard	导电嘴	CN-14-116	
	Contact Tip 5/64" 2.0 mm Standard	导电嘴	CN-14-564	
	Contact Tip 3/64"AL 1.2 mm Standard	导电嘴	CN-14A364	
	Contact Tips Heavy Duty	导电嘴	CN-14H-XX	
	Contact Tips Tapered	导电嘴	CN-14T-XX	
4	Insulator (used with adjustable nozzles)	绝缘座	CN-32	
5	Front Handle	前把壳	CN-83RC	
6	Hook	挂钩	CN-1790002	
7	Switch	开关	CN-92RR	
8	Nipple	电缆接头	CN-62N	
9	Front Cable Assembly	前电缆组件	CN-102	
10	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010S	
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213	
11-2	Euro Rear Handle	欧式后把壳	CN-P001075	
11-3	Euro Nut	后锁母	CN-174X-2	
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1	
11-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10	
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12	
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15	
11-6	Euro Conduit Cap	螺母	CN-174EX-1C	
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A	
12-2	Rear Handle American Style	美式把壳	CN-P001075A	
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ	
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM	

13	Tweco Connector Plug	TWC连接器	CN-350-174H
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
17-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
17-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
17-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
17-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
18	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



Wearing Parts Suitable For Tweco


No.	Description	描述	Size	Standard No.
19-1 	Nozzle 3/8" (adjustable used with32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22-37
19-2 	Nozzle 3/8" (adjustable used with32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22-50
19-3 	Nozzle 5/8" (adjustable used with32 insulator and 52 gas diffuser)	喷嘴	15.9mm	CN22-62
19-4 	Tapered Nozzle 3/8" (short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22T-37SS
19-5 	Nozzle 3/8" (short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	9.5mm	CN22-37SS
19-6 	Nozzle 1/2" (short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	12.7mm	CN22-50SS
19-7 	Nozzle 5/8" (short stop-adjustable used with 32 insulator and 52 gas diffuser)	喷嘴	15.9mm	CN22-62SS

CNAWELD is no may affiliated with Tregaskiss and its registered trademarks,The products listed here are not genuine ones, but are made for and by CNAWELD,References to machines,torches, spare parts and aumbers are for your convenience ONLY,CNAWELD reserve the right to substitute OEM parts in place of CNAWELD parts.

CN TWC 300A

Rating: 300A CO_2
250A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.2mm





No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW3 MIG Torch Euro Connector	TW3-10T	TW3-12T	TW3-15T
	CN-TW3 MIG Torch Miler Connector	TW3-10M	TW3-12M	TW3-15M
	CN-TW3 MIG Torch Tweco Connector	TW3-10L	TW3-12L	TW3-15L
	CN-TW3 MIG Torch Lincoln Connector	TW3-10E	TW3-12E	TW3-15E

1	Jacketed Swan Neck 45°	弯管	CN-63J45
	Jacketed Swan Neck 60°	弯管	CN-63J60
2	Cas Diffuser	导电嘴座	CN-54A
3	Contact Tip .023" 0.6mm Standard	导电嘴	CN-14-23
	Contact Tip .030" 0.8mm Standard	导电嘴	CN-14-30
	Contact Tip .035" 0.9mm Standard	导电嘴	CN-14-35
	Contact Tip .040" 1.0mm Standard	导电嘴	CN-14-40
	Contact Tip .045" 1.2mm Standard	导电嘴	CN-14-45
	Contact Tip .052" 1.3mm Standard	导电嘴	CN-14-52
	Contact Tip 1/16" 1.6mm Standard	导电嘴	CN-14-116
	Contact Tip 5/64" 2.0 mm Standard	导电嘴	CN-14-564
	Contact Tip 3/64"AL 1.2 mm Standard	导电嘴	CN-14A364
	Contact Tips Heavy Duty	导电嘴	CN-14H-XX
	Contact Tips Tapered	导电嘴	CN-14T-XX
4	Front Handle	前把壳	CN-83RC
5	Hook	挂钩	CN-1790002
6	Switch	开关	CN-92RR
7	Nipple	电缆接头	CN-63N
8	Front Cable Assembly	前电缆组件	CN-102
9	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010S
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式后把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner for .035"-.045"(0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-44-3545-10
	Liner for .035"-.045"(0.9-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-44-3545-12
	Liner for .035"-.045"(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-44-3545-15
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
11-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM

12	Tweco Connector Plug	TWC连接器	CN-350-174H
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
18-1	Nozzle 3/8" (Self insulated nozzles)	喷嘴	9.5mm	CN23-37
18-2	Nozzle 3/8" (Self insulated nozzles)	喷嘴	9.5mm	CN23-37F
18-3	Nozzle 1/2" (Self insulated nozzles)	喷嘴	12.7mm	CN23-50
18-4	Nozzle 1/2" (Self insulated nozzles)	喷嘴	12.7mm	CN23-50F
18-5	Nozzle 5/8" (Self insulated nozzles)	喷嘴	15.8mm	CN23-62
18-6	Nozzle 5/8" (Self insulated nozzles)	喷嘴	15.8mm	CN23-62F
18-7	Nozzle 3/4" (Self insulated nozzles)	喷嘴	19mm	CN23-75
18-8	Nozzle 3/4" (Self insulated nozzles)	喷嘴	19mm	CN23-75F
18-9	Heavy duty nozzle 1/2" (Self insulated nozzles)	喷嘴	12.7mm	CN23H-50
18-10	Heavy duty nozzle 5/8" (Self insulated nozzles)	喷嘴	15.8mm	CN23H-62

CNAWELD is no may affiliated with Tweco and its registered trademarks,The products listed here are not genuine ones, but are made for and by CNAWELD,References to machines,torches, spare parts and aumbers are for your convenience ONLY,CNAWELD reserve the right to substitute OEM parts in place of CNAWELD parts.

CN TWC4 400A


Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.6mm



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW4 MIG Torch Euro Connector	TW4-10T	TW4-12T	TW4-15T
	CN-TW4 MIG Torch Miler Connector	TW4-10M	TW4-12M	TW4-15M
	CN-TW4 MIG Torch Tweco Connector	TW4-10L	TW4-12L	TW4-15L
	CN-TW4 MIG Torch Lincoln Connector	TW4-10E	TW4-12E	TW4-15E
1	Swan Neck 45°	弯管	CN-64J-45	
	Swan Neck 60°	弯管	CN-64J-60	
2	Cas Diffuser	导电嘴座	CN-52FN	
3	Contact Tip .023'' 0.6mm Standard	导电嘴	CN-14-23	
	Contact Tip .030'' 0.8mm Standard	导电嘴	CN-14-30	
	Contact Tip .035'' 0.9mm Standard	导电嘴	CN-14-35	
	Contact Tip .040'' 1.0mm Standard	导电嘴	CN-14-40	
	Contact Tip .045'' 1.2mm Standard	导电嘴	CN-14-45	
	Contact Tip .052'' 1.3mm Standard	导电嘴	CN-14-52	
	Contact Tip 1/16'' 1.6mm Standard	导电嘴	CN-14-116	
	Contact Tip 5/64" 2.0 mm Standard	导电嘴	CN-14-564	
	Contact Tip 3/64"AL 1.2 mm Standard	导电嘴	CN-14A364	
	Contact Tips Heavy Duty	导电嘴	CN-14H-XX	
	Contact Tips Tapered	导电嘴	CN-14T-XX	
4	Insulator (used with adjustable nozzles)	绝缘座	CN-34A	
5	Front Handle	前把壳	CN-83RC	
6	Hook	挂钩	CN-1790002	
7	Switch	开关	CN-94RR	
8	Nipple	电缆接头	CN-64N	
9	Front Cable Assembly	前电缆组件	CN-104	
10	Cable Ball joint & Support Spring Big	球节支撑体	CN-400.1010B	
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213	
11-2	Euro Rear Handle	欧式后把壳	CN-P001075	
11-3	Euro Nut	后锁母	CN-174X-2	
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1	
11-5	Liner for .052"-1/16"(1.3-1.6mm) 10FT(3.0m)	送丝管3米	CN-44-116-10	
	Liner for .052"-1/16"(1.3-1.6mm) 12FT(3.5m)	送丝管3.5米	CN-44-116-12	
	Liner for .052"-1/16"(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-44-116-15	
11-6	Euro Conduit Cap	螺母	CN-174EX-1C	
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A	
12-2	Rear Handle American Style	美式把壳	CN-P001075A	
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ	
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354	

13	Tweco Connector Plug	TWC连接器	CN-350-174H
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
17-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
17-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
17-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
17-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
18	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
19-1 	Nozzle 5/8″ (Self insulated nozzles)	喷嘴	15.8mm	CN24A-50
19-2 	Nozzle 3/4″ (Self insulated nozzles)	喷嘴	19mm	CN24A-50SS
19-3 	Nozzle 5/8" (adjustable-used with34A insulat or)	喷嘴	15.8mm	CN24A-62
19-4 	Nozzle 5/8" (short stop-adjustable used with 34A insulator)	喷嘴	15.8mm	CN24A-62SS
19-5 	Nozzle 3/4" (adjustable-used with 34A insulator)	喷嘴	19mm	CN24A-75
19-6 	Nozzle 3/4" (short stop-adjustable used with 34A insulator)	喷嘴	19mm	CN24A-75SS
19-7 	Heavy duty nozzle 1/2" (heavy duty-adjustable-used with 34A insulator)	喷嘴	12.7mm	CN24AH-50
19-8 	Heavy duty nozzle 5/8" (heavy duty-adjustable-used with 34A insulator)	喷嘴	15.8mm	CN24AH-62
19-9 	Heavy duty nozzle 1/2" (Self insulated nozzles)	喷嘴	12.7mm	CN23H-50
19-10 	Heavy duty nozzle 5/8" (heavy duty-adjustable-used with 34A insulator)	喷嘴	15.8mm	CN24AH-62

CNAWELD is no may affiliated with Tregaskiss and its registered trademarks,The products listed here are not genuine ones, but are made for and by CNAWELD,References to machines,torches, spare parts and aumbers are for your convenience ONLY,CNAWELD reserve the right to substitute OEM parts in place of CNAWELD parts.

气保焊枪 MIG Welding Torches

Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
19-11 	Heavy duty nozzle 5/8" (short stop-heavy duty-adjustable used with 34A insulator)	喷嘴	15.8mm	CN24AH-62SS
19-12 	Heavy duty nozzle 3/4" (short stop-heavy duty-adjustable used with 34A insulator)	喷嘴	19mm	CN24AH-75SS
19-13 	Heavy duty nozzle 3/4" (short stop-heavy duty-adjustable used with 34A insulator)	喷嘴	19mm	CN24AH-75
19-14 	Tapered nozzle 3/8" (adjustable used with 34A insulator)	喷嘴	9.5mm	CN24AT-37SS
19-15 	Nozzle 3/8" (coarse thread fixednozzle-used with 34CT insulator)	喷嘴	9.5mm	CN24CT-37S
19-16 	Nozzle 1/2" (coarse thread fixednozzle-used with 34CT insulator)	喷嘴	12.7mm	CN24CT-50F
19-17 	Nozzle 1/2" (coarse thread fixednozzle-used with 34CT insulator)	喷嘴	12.7mm	CN24CT-50S
19-18 	Nozzle 5/8" (coarse thread fixednozzle-used with 34CT insulator)	喷嘴	15.8mm	CN24CT-62F
19-19 	Nozzle 5/8" (coarse thread fixednozzle-used with 34CT insulator)	喷嘴	15.8mm	CN24CT-62R
19-20 	Nozzle 5/8" (coarse thread fixednozzle-used with 34CT insulator)	喷嘴	15.8mm	CN24CT-62S

CNAWELD is no may affiliated with Tregaskiss and its registered trademarks,The products listed here are not genuine ones, but are made for and by CNAWELD,References to machines,torches, spare parts and aumbers are for your convenience ONLY,CNAWELD reserve the right to substitute OEM parts in place of CNAWELD parts.


Wearing Parts Suitable For Tweco

No.	Description	描述	Size	Standard No.
19-21 	Nozzle 3/4" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	19mm	CN24CT-75F
19-22 	Nozzle 3/4" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	19mm	CN24CT-75R
19-23 	Nozzle 3/4" (coarse thread fixed nozzle-used with 34CT insulator)	喷嘴	19mm	CN24CT-75S
19-24 	Nozzle 1/2" (coarse thread fixed nozzle-used with 34FN insulator)	喷嘴	12.7mm	CN24FN-50S
19-25 	Nozzle 5/8" (coarse thread fixed nozzle-used with 34FN insulator)	喷嘴	15.8mm	CN24A-62F
19-26 	Insulator	绝缘套		CN34CT

CNAWELD is no may affiliated with Tregaskiss and its registered trademarks,The products listed here are not genuine ones, but are made for and by CNAWELD,References to machines,torches, spare parts and aumbers are for your convenience ONLY,CNAWELD reserve the right to substitute OEM parts in place of CNAWELD parts.

CN TWC 500A

Rating: 500A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~2.4mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW5 500A MIG Torch Tweco Connector	TW5-10T	TW5-12T	TW5-15T
	CN-TW5 500A MIG Torch Miller Connector	TW5-10M	TW5-12M	TW5-15M
	CN-TW5 500A MIG Torch Lincoln Connector	TW5-10L	TW5-12L	TW5-15L
	CN-TW5 500A MIG Torch Euro Connector	TW5-10E	TW5-12E	TW5-15E

1	Swan Neck 45°	弯管	CN-65J-45
	Swan Neck 60°	弯管	CN-65J-60
2	Gas Diffuser Use 0.9-1.6mm Liners	导电嘴座	CN-55
	Gas Diffuser Use 1.6-2,0mm Liners	导电嘴座	CN-55SW
	Gas Diffuser Use 2.0-3.2mm Liners	导电嘴座	CN-55H
3	Contact Tip .035'' 0.9mm Standard	导电嘴	CN-15H-35
	Contact Tip .040'' 1.0mm Standard	导电嘴	CN-15H-40
	Contact Tip .045'' 1.2mm Standard	导电嘴	CN-15H-45
	Contact Tip .052'' 1.3mm Standard	导电嘴	CN-15H-52
	Contact Tip 1/16'' 1.6mm Standard	导电嘴	CN-15H-116
	Contact Tip 5/64'' 2.0mm Standard	导电嘴	CN-15H-564
	Contact Tip 3/32'' 2.4mm Standard	导电嘴	CN-15H-332
	Contact Tip 7/64'' 2.8mm Standard	导电嘴	CN-15H-764
	Contact Tip 1/8'' 3.2mm Standard	导电嘴	CN-15H-18
4	Insulator	绝缘座	CN-35CT
4-1	Nozzle 1/2" 12.7mm	喷嘴	CN-25CT-50
	Nozzle 5/8" 5.9mm	喷嘴	CN-25CT-62
	Nozzle 3/4" 19mm	喷嘴	CN-25CT-75
5	Front Handle	前把壳	CN-85RC
6	Hook	挂钩	CN-1790002
7	Switch	开关	CN-94RR
8	Nipple	电缆接头	CN-65N
9	Front Cable Assembly	前电缆组件	CN-104
10	Cable Ball joint & Support Spring Big	球节支撑体	CN-400.1010B
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把壳	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner for .052''-1/16''(1.3-1.6mm) 10FT(3.0m)	送丝管3米	CN-45-116-10
	Liner for .052''-1/16''(1.3-1.6mm) 12FT(3.5m)	送丝管3.5米	CN-45-116-12
	Liner for .052''-1/16''(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-45-116-15


11-6	Euro Conduit Cap	螺母	CN-174EX-1C
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
12-2	Rear Handle American Style	美式把壳	CN-P001075A
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
13	Tweco Connector Plug	TWC连接器	CN-176SH
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
17-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
17-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
17-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
17-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
18	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TWC6 600A

Rating: 600A CO_2
550A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~2.4mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW6 600A MIG Torch Tweco Connector	TW6-10T	TW6-12T	TW6-15T
	CN-TW6 600A MIG Torch Miller Connector	TW6-10M	TW6-12M	TW6-15M
	CN-TW6 600A MIG Torch Lincoln Connector	TW6-10L	TW6-12L	TW6-15L
	CN-TW6 600A MIG Torch Euro Connector	TW6-10E	TW6-12E	TW6-15E

1	Swan Neck 60°	弯管	CN-66J-60
2	Gas Diffuser	导电嘴座	CN-56S-SW
3	Contact Tip .035" 0.9mm Standard	导电嘴	CN-16S-35
	Contact Tip .040" 1.0mm Standard	导电嘴	CN-16S-40
	Contact Tip .045" 1.2mm Standard	导电嘴	CN-16S-45
	Contact Tip .052" 1.3mm Standard	导电嘴	CN-16S-52
	Contact Tip 1/16" 1.6mm Standard	导电嘴	CN-16S-116
	Contact Tip 5/64" 2.0mm Standard	导电嘴	CN-16S-564
	Contact Tip 3/32" 2.4mm Standard	导电嘴	CN-16S-332
	Contact Tip 7/64" 2.8mm Standard	导电嘴	CN-16S-764
	Contact Tip 3/64" AL1.2mm Standard	导电嘴	CN-16AS-364
	Contact Tip1/16" AL1.6mm Standard	导电嘴	CN-16SA-116
	Contact Tip .035" 0.9mm Tapered	导电嘴	CN-16ST-35
	Contact Tip .040" 1.0mm Tapered	导电嘴	CN-16ST-40
	Contact Tip .045" 1.2mm Tapered	导电嘴	CN-16ST-45
	Contact Tip .052" 1.3mm Tapered	导电嘴	CN-16ST-52
	Contact Tip 1/16" 1.6mm Tapered	导电嘴	CN-16ST-116
4	Insulator	绝缘座	CN-36CT
4-1	Nozzle 1/2" 12.7mm	喷嘴	CN-26CT-50
	Nozzle 5/8" 5.9mm	喷嘴	CN-26CT-62
	Nozzle 3/4" 19mm	喷嘴	CN-26CT-75
5	Front Handle	前把壳	CN-85RC
6	Hook	挂钩	CN-1790002
7	Switch	开关	CN-94RR
8	Nipple	电缆接头	CN-65N
9	Front Cable Assembly	前电缆组件	CN-104
10	Cable Ball joint & Support Spring Big	球节支撑体	CN-400.1010B
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把壳	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner for 1/16"-5/64"(1.6-2.0mm) 10FT(3.0m)	送丝管3米	CN-45-116-10
	Liner for 1/16"-5/64"(1.6-2.0mm) 12FT(3.5m)	送丝管3.5米	CN-45-116-12
	Liner for 1/16"-5/64"(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-45-116-15

11-6	Euro Conduit Cap	螺母	CN-174EX-1C
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
12-2	Rear Handle American Style	美式把壳	CN-P001075A
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
13	Tweco Connector Plug	TWC连接器	CN-176SH
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	LN送丝管	CN-MLL
17-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
17-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
17-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
17-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
17-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
18	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TW Fusion 140 180 220

Rating: 140A-220A CO_2
140A-220A Mixed Gases
Duty Cycle: 40%
Wire Size: .025''-.45''(0.6-1.2mm)




No.	Description	Order
	CN-TW Fusion 140Amp MIG Torch 10FT TW Connector (4 Pin)	TWF140T-10-3035
	CN-TW Fusion 140Amp MIG Torch 10FT TW Connector (8 Pin)	TWF140TA-10-3035
	CN-TW Fusion 140Amp MIG Torch 10FT Miller Connector	TWF140M-10-3035
	CN-TW Fusion 140Amp MIG Torch 10FT Lincoln Connector	TWF140L-10-3035
	CN-TW Fusion 140Amp MIG Torch 10FT Euro Connector	TWF140X-10-3035
	CN-TW Fusion 180Amp MIG Torch 10FT TW Connector (4 Pin)	TWF180T-10-3035
	CN-TW Fusion 180Amp MIG Torch 10FT TW Connector (8 Pin)	TWF180TA-10-3035
	CN-TW Fusion 180Amp MIG Torch 12FT TW Connector (8 Pin)	TWF180TA-12-3035
	CN-TW Fusion 180Amp MIG Torch 10FT Miller Connector	TWF180M-10-3035
	CN-TW Fusion 180Amp MIG Torch 10FT Lincoln Connector	TWF180L-10-3035
	CN-TW Fusion 180Amp MIG Torch 10FT Euro Connector	TWF180X-10-3035
	CN-TW Fusion 180Amp MIG Torch 12FT Euro Connector	TWF180X-12-3035
	CN-TW Fusion 220Amp MIG Torch 10FT TW Connector (4 Pin)	TWF220T-10-3035
	CN-TW Fusion 220Amp MIG Torch 10FT TW Connector (8 Pin)	TWF220TA-10-3035
	CN-TW Fusion 220Amp MIG Torch 10FT Miller Connector	TWF220M-10-3035
	CN-TW Fusion 220Amp MIG Torch 10FT Lincoln Connector	TWF220L-10-3035
	CN-TW Fusion 220Amp MIG Torch 10FT Euro Connector	TWF220X-10-3035

1	P140/180/220 Swan Neck 60°	60°弯管	CN-FVCTS-220-60
2	Contact Tip .023" 0.6mm	导电嘴	CN-VTS23
	Contact Tip .030" 0.8mm	导电嘴	CN-VTS30
	Contact Tip .035" 0.9mm	导电嘴	CN-VTS35
	Contact Tip .040" 1.0mm	导电嘴	CN-VTS40
	Contact Tip .045" 1.2mm	导电嘴	CN-VTS45
	Contact Tip .052" 1.3mm	导电嘴	CN-VTS52
	Contact Tip 1/16" 1.6mm	导电嘴	CN-VTS116
	Contact Tip 5/64" 2.0mm	导电嘴	CN-VTS564
3	Nozzle 3/8" ø9.5*57	导电嘴	CN-VNS37F
	Nozzle 1/2" ø12.7*57	导电嘴	CN-VNS50F
	Nozzle 5/8" ø15.9*57	导电嘴	CN-VNS62F
	Nozzle 3/4" ø19*57	导电嘴	CN-VNS75F
4	Front Handle	把壳	CN-F80
5	Trigger Blade Assembly	开关芯	CN-ELC94-BL
6	Trigger	开关	CN-ELC94
7	Front Strain Relief Spring	前弹簧	CN-MS144


	Economical Model Style Rear Connector		
8-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
8-2	Rear Handle American Style	美式把壳	CN-P001075A
8-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
8-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
9	Tweco Connector Plug	TWC连接器	CN-176SH
10	Miller Connector Plug	ML连接器	CN-350-174MH
10-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
11	Liner for .030''-.035''(0.8-0.9mm) 10FT(3.0m)	送丝管3米	CN-42-3035-10
	Liner for .030''-.035''(0.8-0.9mm) 12FT(3.5m)	送丝管3.5米	CN-42-3035-12
	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-42-3035-15
12	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
13-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
13-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
13-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
13-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
13-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
14	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TW Spary Master V250

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 80%
Wire Size: .025''-.045''(0.6-1.2mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW Spary Master V250 MiG Torch Tweco Connector	TWSMV210-3545	TWSMV212-3545	TWSMV215-3545
	CN-TW Spary Master V250 MiG Torch Miller Connector	TWSMV210M-3545	TWSMV212M-3545	TWSMV215M-3545
	CN-TW Spary Master V250 MiG Torch Lincoln Connector	TWSMV210L-3545	TWSMV212L-3545	TWSMV215L-3545
	CN-TW Spary Master V250 MiG Torch Euro Connector	TWSMV210X-3545	TWSMV212X-3545	TWSMV215X-3545

1	Swan Neck 45°	45°弯管	CN-SMVCT-45
	Swan Neck 60°	60°弯管	CN-SMVCT-60
2	Velocity Medium Duty Contact Tip .023" 0.6mm	导电嘴	CN-VTM23
	Velocity Medium Duty Contact Tip .030" 0.8mm	导电嘴	CN-VTM30
	Velocity Medium Duty Contact Tip .035" 0.9mm	导电嘴	CN-VTM35
	Velocity Medium Duty Contact Tip .040" 1.0mm	导电嘴	CN-VTM40
	Velocity Medium Duty Contact Tip .045" 1.2mm	导电嘴	CN-VTM45
	Velocity Medium Duty Contact Tip AL.045" 1.2mm	导电嘴	CN-VTMA364
	Velocity Medium Duty Contact Tip .052" 1.3mm	导电嘴	CN-VTM52
	Velocity Medium Duty Contact Tip 1/16" 1.6mm	导电嘴	CN-VTM116
	Velocity Medium Duty Contact Tip AL1/16" 1.6mm	导电嘴	CN-VTMA116
	Velocity Medium Duty Contact Tip 5/64" 2.0mm	导电嘴	CN-VTM564
2-1	Velocity Heavy Duty Contact Tips	导电嘴	CN-VTH**
2-2	Velocity Extended Taper Contact Tips	导电嘴	CN-VTET**
3	Slip Nozzle Base	导电嘴座	CN-VNS
4	Heavy Duty Nozzle Retainer	喷嘴固定器	CN-VNH2PC
5	Medium Duty Threaded Nozzle Recess 1/2" (12.7mm)	喷嘴	CN-VNM50
	Medium Duty Threaded Nozzle Flush 1/2" (12.7mm)	喷嘴	CN-VNM50F
	Medium Duty Threaded Nozzle Recess 5/8" (15.9mm)	喷嘴	CN-VNM62
	Medium Duty Threaded Nozzle Flush 5/8" (15.9mm)	喷嘴	CN-VNM62F
	Medium Duty Threaded Nozzle Recess 3/4" (19.1mm)	喷嘴	CN-VNM75
	Medium Duty Threaded Nozzle Flush 3/4" (19.1mm)	喷嘴	CN-VNM75F
5-1	Medium Duty Slip Nozzle 1/2" (12.7mm)	喷嘴	CN-VNM50S
	Medium Duty Slip Nozzle 5/8" (15.9mm)	喷嘴	CN-VNM62S
	Medium Duty Slip Nozzle 3/4" (19.1mm)	喷嘴	CN-VNM75S
	Medium Duty Slip Nozzle Cone Only 1/2" (12.7mm)	喷嘴	CN-VNM50SC
	Medium Duty Slip Nozzle Cone Only 5/8" (15.9mm)	喷嘴	CN-VNM62SC
	Medium Duty Slip Nozzle Cone Only 3/4" (19.1mm)	喷嘴	CN-VNM75SC
5-2	Heavy Duty Threaded Nozzle Recess 5/8" (15.9mm)	喷嘴	CN-VNH62
	Heavy Duty Threaded Nozzle Flush 5/8" (15.9mm)	喷嘴	CN-VNH62F
	Heavy Duty Threaded Nozzle Recess 3/4" (19.1mm)	喷嘴	CN-VNH75
	Heavy Duty Threaded Nozzle Flush 3/4" (19.1mm)	喷嘴	CN-VNH75F
5-3	Heavy Duty Slip Nozzle 5/8" (15.9mm)	喷嘴	CN-VNH62S
	Heavy Duty Slip Nozzle 3/4" (19.1mm)	喷嘴	CN-VNH75S
	Heavy Duty Slip Nozzle Cone Only 5/8" (15.9mm)	喷嘴	CN-VNH62SC
	Heavy Duty Slip Nozzle Cone Only 3/4" (19.1mm)	喷嘴	CN-VNH75SC
5-4	Heavy Duty 2 Piece Nozzle Cone Only Recess 5/8" (15.9mm)	喷嘴	CN-VNH62C
	Heavy Duty 2 Piece Nozzle Cone Only Flush 5/8" (15.9mm)	喷嘴	CN-VNH62FC
	Heavy Duty 2 Piece Nozzle Cone Only Recess 3/4" (19.1mm)	喷嘴	CN-VNH75C
	Heavy Duty 2 Piece Nozzle Cone Only Flush 3/4" (19.1mm)	喷嘴	CN-VNH75FC

5-5	Extended Taper Nozzle	喷嘴	CN-VNET37F
6	Front Handle	前把壳	CN-MS84
7	Trigger Blade Assembly	开关芯	CN-ELC94-BL
8	Trigger	开关	CN-ELC94
9	Front Strain Relief Spring	前弹簧	CN-MS144
	Euro-Kwik Style Rear Connector		
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN TW Spary Master V350

Rating: 350A CO_2
320A Mixed Gases
Duty Cycle: 80%
Wire Size: .030''-1/16''(0.8-1.6mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW Spary Master V350 MiG Torch Tweco Connector	TWSMV310-116	TWSMV312-116	TSMV315-116
	CN-TW Spary Master V350 MiG Torch Miller Connector	TWSMV310M-116	TWSMV312M-116	TWSMV315M-116
	CN-TW Spary Master V350 MiG Torch Lincoln Connector	TWSMV310L-116	TWSMV312L-116	TWSMV315L-116
	CN-TW Spary Master V350 MiG Torch Euro Connector	TWSMV310X-116	TWSMV312X-116	TWSMV315X-116

1	Swan Neck 45°	45°弯管	CN-SMVCT-45
	Swan Neck 60°	60°弯管	CN-SMVCT-60
2	Velocity Medium Duty Contact Tip .023" 0.6mm	导电嘴	CN-VTM23
	Velocity Medium Duty Contact Tip .030" 0.8mm	导电嘴	CN-VTM30
	Velocity Medium Duty Contact Tip .035" 0.9mm	导电嘴	CN-VTM35
	Velocity Medium Duty Contact Tip .040" 1.0mm	导电嘴	CN-VTM40
	Velocity Medium Duty Contact Tip .045" 1.2mm	导电嘴	CN-VTM45
	Velocity Medium Duty Contact Tip AL.045" 1.2mm	导电嘴	CN-VTMA364
	Velocity Medium Duty Contact Tip .052" 1.3mm	导电嘴	CN-VTM52
	Velocity Medium Duty Contact Tip 1/16" 1.6mm	导电嘴	CN-VTM116
	Velocity Medium Duty Contact Tip AL1/16" 1.6mm	导电嘴	CN-VTMA116
	Velocity Medium Duty Contact Tip 5/64" 2.0mm	导电嘴	CN-VTM564
2-1	Velocity Heavy Duty Contact Tips	导电嘴	CN-VTH**
2-2	Velocity Extended Taper Contact Tips	导电嘴	CN-VTET**
3	Slip Nozzle Base	导电嘴座	CN-VNS
4	Heavy Duty Nozzle Retainer	喷嘴固定器	CN-VNH2PC
5	Medium Duty Threaded Nozzle Recess 1/2" (12.7mm)	喷嘴	CN-VNM50
	Medium Duty Threaded Nozzle Flush 1/2" (12.7mm)	喷嘴	CN-VNM50F
	Medium Duty Threaded Nozzle Recess 5/8" (15.9mm)	喷嘴	CN-VNM62
	Medium Duty Threaded Nozzle Flush 5/8" (15.9mm)	喷嘴	CN-VNM62F
	Medium Duty Threaded Nozzle Recess 3/4" (19.1mm)	喷嘴	CN-VNM75
	Medium Duty Threaded Nozzle Flush 3/4" (19.1mm)	喷嘴	CN-VNM75F
5-1	Medium Duty Slip Nozzle 1/2" (12.7mm)	喷嘴	CN-VNM50S
	Medium Duty Slip Nozzle 5/8" (15.9mm)	喷嘴	CN-VNM62S
	Medium Duty Slip Nozzle 3/4" (19.1mm)	喷嘴	CN-VNM75S
	Medium Duty Slip Nozzle Cone Only 1/2" (12.7mm)	喷嘴	CN-VNM50SC
	Medium Duty Slip Nozzle Cone Only 5/8" (15.9mm)	喷嘴	CN-VNM62SC
	Medium Duty Slip Nozzle Cone Only 3/4" (19.1mm)	喷嘴	CN-VNM75SC
5-2	Heavy Duty Threaded Nozzle Recess 5/8" (15.9mm)	喷嘴	CN-VNH62
	Heavy Duty Threaded Nozzle Flush 5/8" (15.9mm)	喷嘴	CN-VNH62F
	Heavy Duty Threaded Nozzle Recess 3/4" (19.1mm)	喷嘴	CN-VNH75
	Heavy Duty Threaded Nozzle Flush 3/4" (19.1mm)	喷嘴	CN-VNH75F
5-3	Heavy Duty Slip Nozzle 5/8" (15.9mm)	喷嘴	CN-VNH62S
	Heavy Duty Slip Nozzle 3/4" (19.1mm)	喷嘴	CN-VNH75S
	Heavy Duty Slip Nozzle Cone Only 5/8" (15.9mm)	喷嘴	CN-VNH62SC
	Heavy Duty Slip Nozzle Cone Only 3/4" (19.1mm)	喷嘴	CN-VNH75SC
5-4	Heavy Duty 2 Piece Nozzle Cone Only Recess 5/8" (15.9mm)	喷嘴	CN-VNH62C
	Heavy Duty 2 Piece Nozzle Cone Only Flush 5/8" (15.9mm)	喷嘴	CN-VNH62FC
	Heavy Duty 2 Piece Nozzle Cone Only Recess 3/4" (19.1mm)	喷嘴	CN-VNH75C
	Heavy Duty 2 Piece Nozzle Cone Only Flush 3/4" (19.1mm)	喷嘴	CN-VNH75FC

5-5	Extended Taper Nozzle	喷嘴	CN-VNET37F
6	Front Handle	前把壳	CN-MS84
7	Trigger Blade Assembly	开关芯	CN-ELC94-BL
8	Trigger	开关	CN-ELC94
9	Front Strain Relief Spring	前弹簧	CN-MS144
	Euro-Kwik Style Rear Connector		
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner for .035''-.045''(0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-44-3545-10
	Liner for .035''-.045''(0.9-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-44-3545-12
	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-44-3545-15
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN TW Spary Master V450

Rating: 450A CO_2
420A Mixed Gases
Duty Cycle: 80%
Wire Size: .030''-.045''(0.8-1.6mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW Spary Master V450 MIG Torch Tweco Connector	TWSMV410-116	TWSMV412-116	TWSMV415-116
	CN-TW Spary Master V450 MIG Torch Miller Connector	TWSMV410M-116	TWSMV412M-116	TWSMV415M-116
	CN-TW Spary Master V450 MIG Torch Lincoln Connector	TWSMV410L-116	TWSMV412L-116	TWSMV415L-116
	CN-TW Spary Master V450 MIG Torch Euro Connector	TWSMV410X-116	TWSMV412X-116	TWSMV415X-116

1	Swan Neck 45°	45°弯管	CN-SMVCT-45
	Swan Neck 60°	60°弯管	CN-SMVCT-60
2	Velocity Medium Duty Contact Tip .023" 0.6mm	导电嘴	CN-VTM23
	Velocity Medium Duty Contact Tip .030" 0.8mm	导电嘴	CN-VTM30
	Velocity Medium Duty Contact Tip .035" 0.9mm	导电嘴	CN-VTM35
	Velocity Medium Duty Contact Tip .040" 1.0mm	导电嘴	CN-VTM40
	Velocity Medium Duty Contact Tip .045" 1.2mm	导电嘴	CN-VTM45
	Velocity Medium Duty Contact Tip AL.045" 1.2mm	导电嘴	CN-VTMA364
	Velocity Medium Duty Contact Tip .052" 1.3mm	导电嘴	CN-VTM52
	Velocity Medium Duty Contact Tip 1/16" 1.6mm	导电嘴	CN-VTM116
	Velocity Medium Duty Contact Tip AL1/16" 1.6mm	导电嘴	CN-VTMA116
	Velocity Medium Duty Contact Tip 5/64" 2.0mm	导电嘴	CN-VTM564
2-1	Velocity Heavy Duty Contact Tips	导电嘴	CN-VTH**
2-2	Velocity Extended Taper Contact Tips	导电嘴	CN-VTET**
3	Slip Nozzle Base	导电嘴座	CN-VNS
4	Heavy Duty Nozzle Retainer	喷嘴固定器	CN-VNH2PC
5	Medium Duty Threaded Nozzle Recess 1/2" (12.7mm)	喷嘴	CN-VNM50
	Medium Duty Threaded Nozzle Flush 1/2" (12.7mm)	喷嘴	CN-VNM50F
	Medium Duty Threaded Nozzle Recess 5/8" (15.9mm)	喷嘴	CN-VNM62
	Medium Duty Threaded Nozzle Flush 5/8" (15.9mm)	喷嘴	CN-VNM62F
	Medium Duty Threaded Nozzle Recess 3/4" (19.1mm)	喷嘴	CN-VNM75
	Medium Duty Threaded Nozzle Flush 3/4" (19.1mm)	喷嘴	CN-VNM75F
5-1	Medium Duty Slip Nozzle 1/2" (12.7mm)	喷嘴	CN-VNM50S
	Medium Duty Slip Nozzle 5/8" (15.9mm)	喷嘴	CN-VNM62S
	Medium Duty Slip Nozzle 3/4" (19.1mm)	喷嘴	CN-VNM75S
	Medium Duty Slip Nozzle Cone Only 1/2" (12.7mm)	喷嘴	CN-VNM50SC
	Medium Duty Slip Nozzle Cone Only 5/8" (15.9mm)	喷嘴	CN-VNM62SC
	Medium Duty Slip Nozzle Cone Only 3/4" (19.1mm)	喷嘴	CN-VNM75SC
5-2	Heavy Duty Threaded Nozzle Recess 5/8" (15.9mm)	喷嘴	CN-VNH62
	Heavy Duty Threaded Nozzle Flush 5/8" (15.9mm)	喷嘴	CN-VNH62F
	Heavy Duty Threaded Nozzle Recess 3/4" (19.1mm)	喷嘴	CN-VNH75
	Heavy Duty Threaded Nozzle Flush 3/4" (19.1mm)	喷嘴	CN-VNH75F
5-3	Heavy Duty Slip Nozzle 5/8" (15.9mm)	喷嘴	CN-VNH62S
	Heavy Duty Slip Nozzle 3/4" (19.1mm)	喷嘴	CN-VNH75S
	Heavy Duty Slip Nozzle Cone Only 5/8" (15.9mm)	喷嘴	CN-VNH62SC
	Heavy Duty Slip Nozzle Cone Only 3/4" (19.1mm)	喷嘴	CN-VNH75SC
5-4	Heavy Duty 2 Piece Nozzle Cone Only Recess 5/8" (15.9mm)	喷嘴	CN-VNH62C
	Heavy Duty 2 Piece Nozzle Cone Only Flush 5/8" (15.9mm)	喷嘴	CN-VNH62FC
	Heavy Duty 2 Piece Nozzle Cone Only Recess 3/4" (19.1mm)	喷嘴	CN-VNH75C
	Heavy Duty 2 Piece Nozzle Cone Only Flush 3/4" (19.1mm)	喷嘴	CN-VNH75FC

5-5	Extended Taper Nozzle	喷嘴	CN-VNET37F
6	Front Handle	前把壳	CN-MS84
7	Trigger Blade Assembly	开关芯	CN-ELC94-BL
8	Trigger	开关	CN-ELC94
9	Front Strain Relief Spring	前弹簧	CN-MS144
	Euro-Kwik Style Rear Connector		
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner for .035"-.045"(0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-44-3545-10
	Liner for .035"-.045"(0.9-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-44-3545-12
	Liner for .035"-.045"(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-44-3545-15
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TW Spary Master 250

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 80%
Wire Size: .025''-.045''(0.6-1.2mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW Spray Master 250 MiG Torch Tweco Connector	TWMS210-3545	TMS212-3545	TWMS215-3545
	CN-TW Spray Master 250 MiG Torch Miller Connector	TWMS210M-3545	TWMS212M-3545	TWMS215M-3545
	CN-TW Spray Master 250 MIG Torch Lincoln Connector	TWMS210L-3545	TWMS212L-3545	TWMS215L-3545
	CN-TW Spray Master 250 MIG Torch Euro Connector	TWMS210X-3545	TWMS212X-3545	TMS215X-3545

1	Swan Neck 45°	45°弯管	CN-MS63-45
	Swan Neck 60°	60°弯管	CN-MS63-60
2	Nozzle Insulator	喷嘴绝缘器	CN-63J-3
3	Gas Diffuser	导电嘴座	CN-HD52-11
4	Contact Tip .023" 0.6mm	导电嘴	CN-11-23
	Contact Tip .030" 0.8mm	导电嘴	CN-11-30
	Contact Tip .035" 0.9mm	导电嘴	CN-11-35
	Contact Tip .040" 1.0mm	导电嘴	CN-11-40
	Contact Tip .045" 1.2mm	导电嘴	CN-11-45
5	Nozzle 3/8" 9.5mm	喷嘴	CN-HD22-37
	Nozzle 1/2" 12.7mm	喷嘴	CN-HD22-50
	Nozzle Flush 1/2" 12.7mm	喷嘴	CN-HD22-50F
	Nozzle 5/8" 15.9mm	喷嘴	CN-HD22-62
	Nozzle Flush 5/8" 15.9mm	喷嘴	CN-HD22-62F
6	Front Handle	前把壳	CN-MS84
7	Trigger Blade Assembly	挂钩	CN-ELC94-BL
8	Trigger	开关芯	CN-ELC94
9	Front Strain Relief Spring	前弹簧	CN-MS144
	Euro-Kwik Style Rear Connector		
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL


	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TW Spary Master 350

Rating: 350A CO_2
320A Mixed Gases
Duty Cycle: 80%
Wire Size: .030''-1/16''(0.8-1.6mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW Spray Master 350 MIG Torch Tweco Connector	TWMS310-116	TWMS312-116	TWMS315-116
	CN-TW Spray Master 350 MIG Torch Miller Connector	TWMS310M-116	TMMS312M-116	TWMS315M-116
	CN-TW Spray Master 350 MIG Torch Lincoln Connector	TWMS310L-116	TWMS312L-116	TWMS315L-116
	CN-TW Spray Master 350 MIG Torch Euro Connector	TWMS310X-116	TMMS312X-116	TWMS315X-116
1	Swan Neck 45°	45°弯管	CN-MS63-45	
	Swan Neck 60°	60°弯管	CN-MS63-60	
2	Nozzle Insulator	喷嘴绝缘器	CN-63J-3	
3	Gas Diffuser	导电嘴座	CN-EL52CT-16	
4	Contact Tip .035'' 0.9mm Standard	导电嘴	CN-16S-35	
	Contact Tip .040'' 1.0mm Standard	导电嘴	CN-16S-40	
	Contact Tip .045'' 1.2mm Standard	导电嘴	CN-16S-45	
	Contact Tip .052'' 1.3mm Standard	导电嘴	CN-16S-52	
	Contact Tip 1/16'' 1.6mm Standard	导电嘴	CN-16S-116	
	Contact Tip 5/64'' 2.0mm Standard	导电嘴	CN-16S-564	
	Contact Tip 3/32'' 2.4mm Standard	导电嘴	CN-16S-332	
	Contact Tip 7/64'' 2.8mm Standard	导电嘴	CN-16S-764	
	Contact Tip 3/64'' AL1.2mm Standard	导电嘴	CN-16AS-364	
	Contact Tip 1/16'' AL1.6mm Standard	导电嘴	CN-16SA-116	
	Contact Tip .035'' 0.9mm Tapered	导电嘴	CN-16ST-35	
	Contact Tip .040'' 1.0mm Tapered	导电嘴	CN-16ST-40	
	Contact Tip .045'' 1.2mm Tapered	导电嘴	CN-16ST-45	
	Contact Tip .052'' 1.3mm Tapered	导电嘴	CN-16ST-52	
	Contact Tip 1/16'' 1.6mm Tapered	导电嘴	CN-16ST-116	
5	Nozzle 3/8'' 9.5mm	喷嘴	CN-EL22CT-37	
	Nozzle 3/8'' Flush 9.5mm	喷嘴	CN-EL22CT-37F	
	Nozzle 1/2'' 12.7mm	喷嘴	CN-EL22CT-50	
	Nozzle 1/2'' Flush 12.7mm	喷嘴	CN-EL22CT-50F	
	Nozzle 5/8'' 15.9mm	喷嘴	CN-EL22CT-62	
	Nozzle 5/8'' Flush 15.9mm	喷嘴	CN-EL22CT-62F	
	Nozzle 5/8'' 15.9mm	喷嘴	CN-EL22CT-62P	
	Nozzle 5/8'' 15.9mm Heavy Duty	喷嘴	CN-EL22CT-62H	
	Nozzle 3/4'' 19mm	喷嘴	CN-EL22CT-75	
6	Front Handle	前把壳	CN-MS84	
7	Trigger Blade Assembly	挂钩	CN-ELC94-BL	
8	Trigger	开关芯	CN-ELC94	
9	Front Strain Relief Spring	前弹簧	CN-MS144	
	Euro-Kwik Style Rear Connector			
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213	
10-2	Euro Rear Handle	欧式把壳	CN-P001075	
10-3	Euro Nut	后锁母	CN-174X-2	
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1	
10-5	Liner for .040''-.045''(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10	
	Liner for .040''-.045''(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12	
	Liner for .040''-.045''(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15	
10-6	Euro Conduit Cap	螺母	CN-174EX-1C	

	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN TW Spary Master 450

Rating: 450A CO_2
420A Mixed Gases
Duty Cycle: 80%
Wire Size: .030''-1/16''(0.8-1.6mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-TW Spray Master 450 MIG Torch Tweco Connector	TWMS410-116	TWMS412-116	TWMS415-116
	CN-TW Spray Master 450 MIG Torch Miller Connector	TWMS410M-116	TWMS412M-116	TWMS415M-116
	CN-TW Spray Master 450 MIG Torch Lincoln Connector	TWMS410L-116	TWMS412L-116	TWMS415L-116
	CN-TW Spray Master 450 MIG Torch Euro Connector	TWMS410X-116	TWMS412X-116	TWMS415X-116
1	Swan Neck 45°	45°弯管	CN-MS63-45	
	Swan Neck 60°	60°弯管	CN-MS63-60	
1-1	Tube Conductor Flex	柔性弯管	CN-MS64SFLX3	
2	Nozzle Insulator	喷嘴绝缘器	CN-63J-3	
3	Gas Diffuser	导电嘴座	CN-EL52CT-16	
4	Contact Tip .035'' 0.9mm Standard	导电嘴	CN-16S-35	
	Contact Tip .040'' 1.0mm Standard	导电嘴	CN-16S-40	
	Contact Tip .045'' 1.2mm Standard	导电嘴	CN-16S-45	
	Contact Tip .052'' 1.3mm Standard	导电嘴	CN-16S-52	
	Contact Tip 1/16'' 1.6mm Standard	导电嘴	CN-16S-116	
	Contact Tip 5/64'' 2.0mm Standard	导电嘴	CN-16S-564	
	Contact Tip 3/32'' 2.4mm Standard	导电嘴	CN-16S-332	
	Contact Tip 7/64'' 2.8mm Standard	导电嘴	CN-16S-764	
	Contact Tip 3/64'' AL1.2mm Standard	导电嘴	CN-16AS-364	
	Contact Tip1/16'' AL1.6mm Standard	导电嘴	CN-16SA-116	
	Contact Tip .035'' 0.9mm Tapered	导电嘴	CN-16ST-35	
	Contact Tip .040'' 1.0mm Tapered	导电嘴	CN-16ST-40	
	Contact Tip .045'' 1.2mm Tapered	导电嘴	CN-16ST-45	
	Contact Tip .052'' 1.3mm Tapered	导电嘴	CN-16ST-52	
	Contact Tip 1/16'' 1.6mm Tapered	导电嘴	CN-16ST-116	
5	Nozzle 1/2'' 12.7mm	喷嘴	CN-HD24-50	
	Nozzle 5/8'' 15.9mm	喷嘴	CN-HD24-62	
	Nozzle 5/8'' 19mm	喷嘴	CN-HD24-75	
	Nozzle Flush 5/8'' 15.9mm	喷嘴	CN-HD24-62F	
	Nozzle Flush 5/8'' 19mm	喷嘴	CN-HD24-75F	
	Nozzle 1/2'' 12.7mm Tapered	喷嘴	CN-HD24L-50	
	Nozzle 5/8'' 15.9mm Tapered	喷嘴	CN-HD24L-62	
	Nozzle 5/8'' 19mm Tapered	喷嘴	CN-HD24L-75	
	Nozzle Flush 5/8'' 15.9mm Tapered	喷嘴	CN-HD24L-62F	
6	Front Handle	前把壳	CN-MS84	
7	Trigger Blade Assembly	挂钩	CN-ELC94-BL	
8	Trigger	开关芯	CN-ELC94	
9	Front Strain Relief Spring	前弹簧	CN-MS144	
	Euro-Kwik Style Rear Connector			
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213	
10-2	Euro Rear Handle	欧式把壳	CN-P001075	
10-3	Euro Nut	后锁母	CN-174X-2	
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1	
10-5	Liner for .040''-.045''(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10	
	Liner for .040''-.045''(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12	
	Liner for .040''-.045''(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15	
10-6	Euro Conduit Cap	螺母	CN-174EX-1C	

	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN LINC 100L

Rating: 100A CO_2

Duty Cycle: 40%

Wire Size: .025''-.045''(0.6-1.2mm)



No.	Description		Order
	CN-LINCMIG 100L MIG Torch Spaded Lug Connector 10FT(3.0m)		CN-K530-3
	CN-LINCMIG 100L MIG Torch Spaded Lug Connector 10FT(3.0m)		CN-K530-5
	CN-LINCMIG 100L MIG Torch W4-PIN 10FT(3.0m)		CN-K530-6
1	Swan Neck	弯管	CN-KP2038-1
1-1	Swan Neck Flexible	柔性弯管	CN-FKP2038-1
2	Cas Diffuser	导电嘴座	CN-KP35-50
3	Contact Tip .025'' 0.6mm	导电嘴	CN-KP11-23
	Contact Tip .030'' 0.8mm	导电嘴	CN-KP11-30
	Contact Tip .035'' 0.9mm	导电嘴	CN-KP11-35*
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP11-40
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP11-45
	Contact Tip .025'' 0.6mm Tapered	导电嘴	CN-KP11T-25
	Contact Tip .030'' 0.8mm Tapered	导电嘴	CN-KP11T-30
	Contact Tip .035'' 0.9mm Tapered	导电嘴	CN-KP11T-35
	Contact Tip .040'' 1.0mm Tapered	导电嘴	CN-KP11T-40
	Contact Tip .045'' 1.2mm Tapered	导电嘴	CN-KP11T-45
	Contact Tip Aluminum .035'' 0.9mm	导电嘴	CN-KP2078-1B1
4	Nozzle Fixed Recessed 3/8'' 9.5mm	喷嘴	CN-KP21-37
	Nozzle Fixed Recessed 1/2'' 12.7mm	喷嘴	CN-KP21-50
	Nozzle Fixed Recessed 5/8'' 15.9mm	喷嘴	CN-KP21-62
	Nozzle Fixed Flush 1/2'' 12.7mm	喷嘴	CN-KP21-50F
4-1	Gasless Nozzle	喷嘴	CN-KP1939-1
5	Front Handle	前把壳	CN-9SG2209
6	Switch	开关	CN-9S185.0031S
7	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010M
8-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
8-2	Euro Rear Handle	欧式后把壳	CN-P001075
8-3	Euro Nut	后锁母	CN-174X-2
8-4	Euro Connector Tweco Style	后主体	CN-174EX-1
8-5	Liner for .025''-.035''(0.6-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP35-40-15
	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-KP45-40-15
	Liner Aluminum for .035''(0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP1959-1
8-6	Euro Conduit Cap	螺母	CN-174EX-1C
9-1	Rear Strain Relief Spring	美式弹簧	CN-9S285507
9-2	Rear Handle American Style	美式把壳	CN-9S285509
9-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
9-4	Control Wire 2-Spaded Lug 6.3mm	控制线端子	CN-35K350-1
10	Tweco Connector Plug	TWC连接器	CN-174EX-2
10-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
11	Miller Connector Plug	ML连接器	CN-350-174MH
11-1	CNML Liner	ML送丝管	CN-MLL

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC 100L PRO

Rating: 100A CO_2

Duty Cycle: 40%

Wire Size: .025''-.035''(0.6-0.9mm)



No.	Description		Order
	CN-LINCMIG PRO 100L MIG Torch W4-Pin 10FT(3.0m)		CN-K3080-1
	CN-LINCMIG PRO 100L MIG Torch W8-Pin 10FT(3.0m)		CN-K530-7
1	Swan Neck	弯管	CN-KP3082-60*
2	Cas Diffuser	导电嘴座	CN-KP3076-1*
3	Contact Tip .025'' 0.6mm Tapered	导电嘴	CN-KP2744-025T
	Contact Tip .030'' 0.8mm Tapered	导电嘴	CN-KP2744-030T
	Contact Tip .035'' 0.9mm Tapered	导电嘴	CN-KP2744-035T*
	Contact Tip .040'' 1.0mm Tapered	导电嘴	CN-KP2744-040T
	Contact Tip .045'' 1.2mm Tapered	导电嘴	CN-KP2744-045T
4	Nozzle 3/8'' 9.5mm Flush	喷嘴	CN-KP3075-1-38F
	Nozzle 1/2'' 12.7mm Flush	喷嘴	CN-KP3075-1-50F*
	Nozzle 3/8'' 9.5mm Stickout 1/8''	喷嘴	CN-KP3075-1-38S
	Nozzle 1/2'' 12.7mm Stickout 1/8''	喷嘴	CN-KP3075-1-50S
4-1	Gasless Nozzle	喷嘴	CN-KP3084-1
5	Front Handle	前把壳	CN-9SG2209
6	Switch	开关	CN-9S185.0031S
7	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010M
8-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
8-2	Euro Rear Handle	欧式后把壳	CN-P001075
8-3	Euro Nut	后锁母	CN-174X-2
8-4	Euro Connector Tweco Style	后主体	CN-174EX-1
8-5	Liner for .025''-.035''(0.6-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP35-40-15
	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-KP45-40-15
	Liner Aluminum for .035''(0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP1959-1
8-6	Euro Conduit Cap	螺母	CN-174EX-1C
9-1	Rear Strain Relief Spring	美式弹簧	CN-9S285507
9-2	Rear Handle American Style	美式把壳	CN-9S285509
9-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
9-4	Control Wire 2-Spaded Lug 6.3mm	控制线端子	CN-35K350-1
10	Tweco Connector Plug	TWC连接器	CN-174EX-2
10-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
11	Miller Connector Plug	ML连接器	CN-350-174MH
11-1	CNML Liner	ML送丝管	CN-MLL

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC 200

Rating: 200A CO_2

Duty Cycle: 60%


Wire Size: .025''-.045''(0.6-1.2mm)




No.	Description		Order
	CN-LINCMIG 200 MIG Torch 15FT(4.5m) Fast-Mate		CN-K498-1
	CN-LINCMIG 200 MIG Torch 10FT(3.0m)		CN-K497-2
	CN-LINCMIG 200 MIG Torch 15FT(4.5m)		CN-K497-1
1	Swan Neck	弯管	CN-KP2028-1
2	Gas Diffuser Assembly (.035-.045)	导电嘴座	CN-KP52
3	Slip on Nozzle Insulator Assembly	绝缘座	CN-KP32
4	Contact Tip .023'' 0.6mm	导电嘴	CN-KP14-23
	Contact Tip .030'' 0.8mm	导电嘴	CN-KP14-30
	Contact Tip .035'' 0.9mm	导电嘴	CN-KP14-35
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP14-40
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP14-45*
	Contact Tip .052'' 1.3mm	导电嘴	CN-KP14-52
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP14-116
	Contact Tip 5/64'' 2.0 mm	导电嘴	CN-KP14-564
	Contact Tip AL 3/64'' 1.2mm	导电嘴	CN-KP14A-364
5	Nozzle 3/8'' 9.5mm	喷嘴	CN-KP22-37
	Nozzle 1/2'' 12.7mm	喷嘴	CN-KP22-50
	Nozzle 5/8'' 15.9mm	喷嘴	CN-KP22-62
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Collar	铝环	CN-9SS18830
8-1	Hanger	挂钩	CN-9SM15693
9	Gun Tube Connector	连接体	CN-M15635
10	Nozzle Clamp	连接夹具	CN-S15921-2
11	Retaining Ring	锁紧环	CN-S9776-7
12	Clamping Screw	锁紧螺母	CN-T14438
13	Tube	连接管	CN-S18847
14	Spring Boot	美式弹簧	CN-9SS24676
15-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
15-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
15-3	Euro Collar Nut	后锁母	CN-9SS18929
15-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
15-5	Liner for .025''-.030''(0.6-0.8mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-25-15
	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-3035-15
	Liner for .040''-.045''(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-4045-15*
	Liner Aluminum for .035''-.045''(0.9-1.2mm) 15FT (4.5m)	送丝管4.5米	CN-KP44N-3545-15
15-6	Euro Conduit Cap	螺母	CN-9SS18991
16	Cable Handle	美式后把壳	CN-9SL7725
17	Connector Cover	连接开关	CN-9SL7723
18	Nut (Cable Handle)	把壳螺母	CN-9SS18690
19	Tail Piece	把壳尾部	CN-9SM15607
20	Incoming End Nut	电缆连接螺母	CN-S23822-300
21	Incoming Connector Asbly	电缆连接器组件	CN-S18789
22	CNTWC Connector Plug	TWC连接器	CN-9SS18653
22-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
23	Lincoln Connector	LC连接器	CN-9SS18645
24	Miller Connector Plug	ML连接器	CN-9SS19760-1
24-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
24-2	CNML Liner	ML送丝管	CN-MLL
25-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
25-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
26	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口






CN LINC 200PRO

Rating: 200A CO_2

Duty Cycle: 60%

Wire Size: .025''-.045''(0.6-1.2mm)




No.	Description		Order
	CN-LINCMIG PRO Curve 200 MIG Gun 10FT(3.0m) Fast-Mate		CN-K2950-1X
	CN-LINCMIG PRO Curve 200 MIG Gun 15FT(4.5m) Fast-Mate		CN-K2950-2X
	CN-LINCMIG PRO Curve 200 MIG Gun 10FT(3.0m)		CN-K2950-1
	CN-LINCMIG PRO Curve 200 MIG Gun 15FT(4.5m)		CN-K2950-2
1	Swan Neck 45°	弯管	CN-KP2926-45
	Swan Neck 60°	弯管	CN-KP2926-60
2	Torch Tube Insulator	绝缘座	CN-KP2773-2
3	Gas Diffuser for 350AThread-on	导电嘴座	CN-KP2746-1*
4	Contact Tips Tapered	导电嘴	CN-KP2744-XXXT
4-1	Contact Tip .025'' 0.6mm	导电嘴	CN-KP2744-025
	Contact Tip .030'' 0.8mm	导电嘴	CN-KP2744-030
	Contact Tip .035'' 0.9mm	导电嘴	CN-KP2744-035
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP2744-040
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP2744-045*
	Contact Tip .052'' 1.4mm	导电嘴	CN-KP2744-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2744-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2744-564
5	Nozzle 3/8'' 9.5mm Recess 1/8''	喷嘴	CN-KP2742-1-38R
	Nozzle 1/2'' 12.7mm Recess 1/8''	喷嘴	CN-KP2742-1-50R
	Nozzle 5/8" 15.9mm Recess 1/8''	喷嘴	CN-KP2742-1-62R*
	Nozzle 3/8'' 9.5mm Flush	喷嘴	CN-KP2742-1-38F
	Nozzle 1/2'' 12.7mm Flush	喷嘴	CN-KP2742-1-50F
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-KP2742-1-62F
	Nozzle 3/8'' 9.5mm Stickout 1/8''	喷嘴	CN-KP2742-1-38S
	Nozzle 1/2'' 12.7mm Stickout 1/8''	喷嘴	CN-KP2742-1-50S
	Nozzle 5/8" 15.9mm Stickout 1/8''	喷嘴	CN-KP2742-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Collar	铝环	CN-9SS18830
8-1	Hanger	挂钩	CN-9SM15693
9	Gun Tube Connector	连接体	CN-M15635
10	Nozzle Clamp	连接夹具	CN-S15921-2
11	Retaining Ring	锁紧环	CN-S9776-7
12	Clamping Screw	锁紧螺母	CN-T14438
13	Tube	连接管	CN-S18847
14	Spring Boot	美式弹簧	CN-9SS24676
15-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
15-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
15-3	Euro Collar Nut	后锁母	CN-9SS18929
15-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
15-5	Liner for .025''-.030''(0.6-0.8mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-25-15
	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-3035-15
	Liner for .040''-.045''(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-4045-15*
	Liner Aluminum for .035''-.045''(0.9-1.2mm) 15FT (4.5m)	送丝管4.5米	CN-KP44N-3545-15
15-6	Euro Conduit Cap	螺母	CN-9SS18991
16	Cable Handle	美式后把壳	CN-9SL7725
17	Connector Cover	连接开关	CN-9SL7723
18	Nut (Cable Handle)	把壳螺母	CN-9SS18690
19	Tail Piece	把壳尾部	CN-9SM15607
20	Incoming End Nut	电缆连接螺母	CN-S23822-300
21	Incoming Connector Asbly	电缆连接器组件	CN-S18789
22	CNTWC Connector Plug	TWC连接器	CN-9SS18653
22-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
23	Lincoln Connector	LC连接器	CN-9SS18645
24	Miller Connector Plug	ML连接器	CN-9SS19760-1
24-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
24-2	CNML Liner	ML送丝管	CN-MLL
25-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
25-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
26	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口






CN LINC 300

Rating: 300A CO_2

Duty Cycle: 60%


Wire Size: .025''-5/64''(0.6-2.0mm)



No.	Description		Order
	CN-LINCMIG 300 MIG Torch 10FT(3.0m) Fast-Mate		CN-K470-1E
	CN-LINCMIG 300 MIG Torch 15FT(4.5m) Fast-Mate		CN-K470-2E
	CN-LINCMIG 300 MIG Torch 10FT(3.0m)		CN-K470-1
	CN-LINCMIG 300 MIG Torch 15FT(4.5m)		CN-K470-2
1	Swan Neck 45°	弯管	CN-KP1929-2
	Swan Neck 60°	弯管	CN-KP1928-2
2	Gas Diffuser	导电嘴座	CN-KP54A
3	Contact Tips Tapered	导电嘴	CN-KP14T-XX
3-1	Contact Tips Standard	导电嘴	CN-KP14-XX*
3-2	Contact Tips Heavy Duty	导电嘴	CN-KP14H-XX
4	Slip on Nozzle Insulator Assembly	绝缘座	CN-KP34A*
	Insulator	绝缘座	CN-KP34CT
5	Nozzle Adjustable Slip-On 1/2" 12.7mm	喷嘴	CN-KP24A-50
	Nozzle Adjustable Slip-On 5/8" 15.9mm	喷嘴	CN-KP24A-62*
	Nozzle Adjustable Slip-On 3/4" 19.5mm	喷嘴	CN-KP24A-75
	Nozzle Slip-On Recessed 3/8" 9.5mm	喷嘴	CN-KP24A-37SS
	Nozzle Slip-On Recessed 1/2" 12.7mm	喷嘴	CN-KP24A-50SS
	Nozzle Slip-On Recessed 5/8" 15.9mm	喷嘴	CN-KP24A-62SS
	Nozzle Fixed Recessed 3/8" 9.5mm	喷嘴	CN-KP23-37
	Nozzle Fixed Recessed 1/2" 12.7mm	喷嘴	CN-KP23-50
	Nozzle Fixed Recessed 5/8" 15.9mm	喷嘴	CN-KP23-62
	Nozzle Fixed Recessed 3/4" 19.5mm	喷嘴	CN-KP23-75
	Nozzle Fixed Flush 1/2" 12.7mm	喷嘴	CN-KP23-50F
	Nozzle Fixed Flush 5/8" 15.9mm	喷嘴	CN-KP23-62F
	Nozzle Fixed Heavy Duty 5/8"15.9mm	喷嘴	CN-KP23H-62
	Nozzle Fixed Heavy Duty 5/8"15.9mm	喷嘴	CN-KP23H-62F
	Nozzle Fixed Heavy Duty 5/8"19.5mm	喷嘴	CN-KP23H-75
	Nozzle Fixed Tapered 3/8" 9.5mm	喷嘴	CN-KP23T-37
	Nozzle 1/2" 12.7mm	喷嘴	CN-KP24CT-50S
	Nozzle 5/8" 15.9mm	喷嘴	CN-KP24CT-62S
	Nozzle 3/4" 19.5mm	喷嘴	CN-KP24CT-75S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Collar	铝环	CN-9SS18830
8-1	Hanger	挂钩	CN-9SM15693
9	Gun Tube Connector	连接体	CN-M15635
10	Nozzle Clamp	连接夹具	CN-S15921-2
11	Retaining Ring	锁紧环	CN-S9776-7
12	Clamping Screw	锁紧螺母	CN-T14438
13	Tube	连接管	CN-S18847
14	Spring Boot	美式弹簧	CN-9SS24676
15-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
15-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
15-3	Euro Collar Nut	后锁母	CN-9SS18929
15-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
15-5	Liner for .035''-.045''(0.9-1.2mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-3545-15*
	Liner for .035''-.045''(0.9-1.2mm) 25FT(7.5m)	送丝管4.5米	CN-KP44-3545-25
15-6	Euro Conduit Cap	螺母	CN-9SS18991
16	Cable Handle	美式后把壳	CN-9SL7725
17	Connector Cover	连接开关	CN-9SL7723
18	Nut (Cable Handle)	把壳螺母	CN-9SS18690
19	Tail Piece	把壳尾部	CN-9SM15607
20	Incoming End Nut	电缆连接螺母	CN-S23822-300
21	Incoming Connector Asbly	电缆连接器组件	CN-S18789
22	CNTWC Connector Plug	TWC连接器	CN-9SS18653
22-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
23	Lincoln Connector	LC连接器	CN-9SS18645
24	Miller Connector Plug	ML连接器	CN-9SS19760-1
24-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
24-2	CNML Liner	ML送丝管	CN-MLL
25-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
25-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
26	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC 300PRO

Rating: 300A CO_2

Duty Cycle: 60%


Wire Size: .025''-5/64''(0.6-2.0mm)



No.	Description		Order
	CN-LINCMIG PRO Curve 300 MIG Torch 10FT(3.0m) Fast-Mate		CN-K2951-1E
	CN-LINCMIG PRO Curve 300 MIG Torch 15FT(4.5m) Fast-Mate		CN-K2951-2E
	CN-LINCMIG PRO Curve 300 MIG Torch 10FT(3.0m)		CN-K2951-1
	CN-LINCMIG PRO Curve 300 MIG Torch 15FT(4.5m)		CN-K2951-2
	CN-LINCMIG PRO Curve 300 MIG Torch 20FT(6.0m)		CN-K2951-3
	CN-LINCMIG PRO Curve 300 MIG Torch 25FT(7.5m)		CN-K2951-4
1	Swan Neck 45°	弯管	CN-KP2925-45
	Swan Neck 60°	弯管	CN-KP2925-60*
2	Torch Tube Insulator	绝缘座	CN-KP2773-2
3	Gas Diffuser for 350AThread-on	导电嘴座	CN-KP2746-1*
4	Contact Tips Tapered	导电嘴	CN-KP2744-XXXT
4-1	Contact Tip .025" 0.6mm	导电嘴	CN-KP2744-025
	Contact Tip .030" 0.8mm	导电嘴	CN-KP2744-030
	Contact Tip .035" 0.9mm	导电嘴	CN-KP2744-035
	Contact Tip .040" 1.0mm	导电嘴	CN-KP2744-040
	Contact Tip .045" 1.2mm	导电嘴	CN-KP2744-045*
	Contact Tip .052" 1.4mm	导电嘴	CN-KP2744-052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-KP2744-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2744-564
5	Nozzle 3/8" 9.5mm Recess 1/8"	喷嘴	CN-KP2742-1-38R
	Nozzle 1/2" 12.7mm Recess 1/8"	喷嘴	CN-KP2742-1-50R
	Nozzle 5/8" 15.9mm Recess 1/8"	喷嘴	CN-KP2742-1-62R*
	Nozzle 3/8" 9.5mm Flush	喷嘴	CN-KP2742-1-38F
	Nozzle 1/2" 12.7mm Flush	喷嘴	CN-KP2742-1-50F
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-KP2742-1-62F
	Nozzle 3/8" 9.5mm Stickout 1/8"	喷嘴	CN-KP2742-1-38S
	Nozzle 1/2" 12.7mm Stickout 1/8"	喷嘴	CN-KP2742-1-50S
	Nozzle 5/8" 15.9mm Stickout 1/8"	喷嘴	CN-KP2742-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Collar	铝环	CN-9SS18830
8-1	Hanger	挂钩	CN-9SM15693
9	Gun Tube Connector	连接体	CN-M15635
10	Nozzle Clamp	连接夹具	CN-S15921-2
11	Retaining Ring	锁紧环	CN-S9776-7
12	Clamping Screw	锁紧螺母	CN-T14438
13	Tube	连接管	CN-S18847
14	Spring Boot	美式弹簧	CN-9SS24676
15-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
15-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
15-3	Euro Collar Nut	后锁母	CN-9SS18929
15-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
15-5	Liner for .025''-.030''(0.6-0.8mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-25-15
	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-3035-15
	Liner for .040''-.045''(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-4045-15*
	Liner Aluminum for .035''-.045''(0.9-1.2mm) 15FT (4.5m)	送丝管4.5米	CN-KP44N-3545-15
15-6	Euro Conduit Cap	螺母	CN-9SS18991
16	Cable Handle	美式后把壳	CN-9SL7725
17	Connector Cover	连接开关	CN-9SL7723
18	Nut (Cable Handle)	把壳螺母	CN-9SS18690
19	Tail Piece	把壳尾部	CN-9SM15607
20	Incoming End Nut	电缆连接螺母	CN-S23822-300
21	Incoming Connector Asbly	电缆连接器组件	CN-S18789
22	CNTWC Connector Plug	TWC连接器	CN-9SS18653
22-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
23	Lincoln Connector	LC连接器	CN-9SS18645
24	Miller Connector Plug	ML连接器	CN-9SS19760-1
24-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
24-2	CNML Liner	ML送丝管	CN-MLL
25-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
25-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
26	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC 400

Rating: 400A CO_2

Duty Cycle: 60%


Wire Size: .025''-5/64''(0.6-2.0mm)



No.	Description	Order
	CN-LINCMIG 400 MIG Torch 10FT(3.0m)(0.9-1.2mm) Fast-Mate	CN-K479-1
	CN-LINCMIG 400 MIG Torch15FT(4.5m)(0.9-1.2mm) Fast-Mate	CN-K479-2
	CN-LINCMIG 400 MIG Torch 10FT(3.0m)(0.9-1.2mm)	CN-K471-1
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(0.9-1.2mm)	CN-K471-2
	CN-LINCMIG 400 MIG Torch 20FT(6.0m)(0.9-1.2mm)	CN-K471-10
	CN-LINCMIG 400 MIG Torch 25FT(7.5m)(0.9-1.2mm)	CN-K471-13
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.3-1.6mm) Fast-Mate	CN-K479-4
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.3-1.6mm)	CN-K471-4
	CN-LINCMIG 400 MIG Torch 20FT(6.0m)(1.3-1.6mm)	CN-K471-11
	CN-LINCMIG 400 MIG Torch 25FT(7.5m)(1.3-1.6mm)	CN-K471-13
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.6-2.0mm) Fast-Mate	CN-K479-6
	CN-LINCMIG 400 MIG Torch 15FT(4.5m)(1.6-2.0mm)	CN-K471-6

1	Swan Neck 45°	弯管	CN-KP1929-1
	Swan Neck 60°	弯管	CN-KP1928-1
2	Gas Diffuser	导电嘴座	CN-KP54A
3	Contact Tips Tapered	导电嘴	CN-KP14T-XX
3-1	Contact Tips Standard	导电嘴	CN-KP14-XX*
3-2	Contact Tips Heavy Duty	导电嘴	CN-KP14H-XX
4	Slip on Nozzle Insulator Assembly	绝缘座	CN-KP34A*
	Insulator	绝缘座	CN-KP34CT
5	Nozzle Adjustable Slip-On 1/2" 12.7mm	喷嘴	CN-KP24A-50
	Nozzle Adjustable Slip-On 5/8" 15.9mm	喷嘴	CN-KP24A-62*
	Nozzle Adjustable Slip-On 3/4" 19.5mm	喷嘴	CN-KP24A-75
	Nozzle Slip-On Recessed 3/8" 9.5mm	喷嘴	CN-KP24A-37SS
	Nozzle Slip-On Recessed 1/2" 12.7mm	喷嘴	CN-KP24A-50SS
	Nozzle Slip-On Recessed 5/8" 15.9mm	喷嘴	CN-KP24A-62SS
	Nozzle Fixed Recessed 3/8" 9.5mm	喷嘴	CN-KP23-37
	Nozzle Fixed Recessed 1/2" 12.7mm	喷嘴	CN-KP23-50
	Nozzle Fixed Recessed 5/8" 15.9mm	喷嘴	CN-KP23-62
	Nozzle Fixed Recessed 3/4" 19.5mm	喷嘴	CN-KP23-75
	Nozzle Fixed Flush 1/2" 12.7mm	喷嘴	CN-KP23-50F
	Nozzle Fixed Flush 5/8" 15.9mm	喷嘴	CN-KP23-62F
	Nozzle Fixed Heavy Duty 5/8"15.9mm	喷嘴	CN-KP23H-62
	Nozzle Fixed Heavy Duty 5/8"15.9mm	喷嘴	CN-KP23H-62F
	Nozzle Fixed Heavy Duty 5/8"19.5mm	喷嘴	CN-KP23H-75
	Nozzle Fixed Tapered 3/8" 9.5mm	喷嘴	CN-KP23T-37
	Nozzle 1/2" 12.7mm	喷嘴	CN-KP24CT-50S
	Nozzle 5/8" 15.9mm	喷嘴	CN-KP24CT-62S
	Nozzle 3/4" 19.5mm	喷嘴	CN-KP24CT-75S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Collar	铝环	CN-9SS18830
8-1	Hanger	挂钩	CN-9SM15693

9	Gun Tube Connector	连接体	CN-M15635
10	Nozzle Clamp	连接夹具	CN-S15921-2
11	Retaining Ring	锁紧环	CN-S9776-7
12	Clamping Screw	锁紧螺母	CN-T14438
13	Tube	连接管	CN-S18847
14	Spring Boot	美式弹簧	CN-9SS24676
15-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
15-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
15-3	Euro Collar Nut	后锁母	CN-9SS18929
15-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
15-5	Liner for .052''-1/16''(1.3-1.6mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-116-15
	Liner for .052''-1/16''(1.3-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-KP44-116-25
16	Cable Handle	美式后把壳	CN-9SL7725
17	Connector Cover	连接开关	CN-9SL7723
18	Nut (Cable Handle)	把壳螺母	CN-9SS18690
19	Tail Piece	把壳尾部	CN-9SM15607
20	Incoming End Nut	电缆连接螺母	CN-S23822-300
21	Incoming Connector Asbly	电缆连接器组件	CN-S18789
22	CNTWC Connector Plug	TWC连接器	CN-9SS18653
22-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
23	Lincoln Connector	LC连接器	CN-9SS18645
24	Miller Connector Plug	ML连接器	CN-9SS19760-1
24-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
24-2	CNML Liner	ML送丝管	CN-MLL
25-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
25-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
26	Gas Tube Lincoln	LC气管	CN-9SAK353



We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口

CN LINC 400PRO

Rating: 400A CO_2

Duty Cycle: 60%

Wire Size: .025''-5/64''(0.6-2.0mm)




No.	Description	Order
	CN-LINCMIG PRO Curve 400 MIG Torch 10FT(3.0m) Fast-Mate	CN-K2952-1X
	CN-LINCMIG PRO Curve 400 MIG Torch 15FT(4.5m) Fast-Mate	CN-K2952-2X
	CN-LINCMIG PRO Curve 400 MIG Torch 10FT(3.0m)	CN-K2952-1
	CN-LINCMIG PRO Curve 400 MIG Torch 15FT(4.5m)	CN-K2952-2
	CN-LINCMIG PRO Curve 400 MIG Torch 20FT(6.0m)	CN-K2952-3
	CN-LINCMIG PRO Curve 400 MIG Torch 25FT(7.5m)	CN-K2952-4

1	Swan Neck 45°	弯管	CN-KP2926-45
	Swan Neck 60°	弯管	CN-KP2926-60
2	Torch Tube Insulator	绝缘座	CN-KP2773-2
3	Gas Diffuser for 350AThread-on	导电嘴座	CN-KP2746-1*
4	Contact Tips Tapered	导电嘴	CN-KP2744-XXXT
4-1	Contact Tip .025" 0.6mm	导电嘴	CN-KP2744-025
	Contact Tip .030" 0.8mm	导电嘴	CN-KP2744-030
	Contact Tip .035" 0.9mm	导电嘴	CN-KP2744-035
	Contact Tip .040" 1.0mm	导电嘴	CN-KP2744-040
	Contact Tip .045" 1.2mm	导电嘴	CN-KP2744-045*
	Contact Tip .052" 1.4mm	导电嘴	CN-KP2744-052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-KP2744-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2744-564
5	Nozzle 3/8" 9.5mm Recess 1/8"	喷嘴	CN-KP2742-1-38R
	Nozzle 1/2" 12.7mm Recess 1/8"	喷嘴	CN-KP2742-1-50R
	Nozzle 5/8" 15.9mm Recess 1/8"	喷嘴	CN-KP2742-1-62R*
	Nozzle 3/8" 9.5mm Flush	喷嘴	CN-KP2742-1-38F
	Nozzle 1/2" 12.7mm Flush	喷嘴	CN-KP2742-1-50F
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-KP2742-1-62F
	Nozzle 3/8" 9.5mm Stickout 1/8"	喷嘴	CN-KP2742-1-38S
	Nozzle 1/2" 12.7mm Stickout 1/8"	喷嘴	CN-KP2742-1-50S
	Nozzle 5/8" 15.9mm Stickout 1/8"	喷嘴	CN-KP2742-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-9SG1927
7	Trigger Assembly	开关	CN-9SS21002
8	Collar	铝环	CN-9SS18830
8-1	Hanger	挂钩	CN-9SM15693
9	Gun Tube Connector	连接体	CN-M15635
10	Nozzle Clamp	连接夹具	CN-S15921-2
11	Retaining Ring	锁紧环	CN-S9776-7
12	Clamping Screw	锁紧螺母	CN-T14438
13	Tube	连接管	CN-S18847
14	Spring Boot	美式弹簧	CN-9SS24676

15-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
15-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
15-3	Euro Collar Nut	后锁母	CN-9SS18929
15-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
15-5	Liner for .052''-1/16''(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-116-15*
	Liner for .052''-1/16''(1.3-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-KP44-116-25
	Liner for 1/16''-5/64''(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-564-15
	Liner for 1/16''-5/64''(1.6-2.0mm) 25FT(7.5m)	送丝管7.5米	CN-KP44-564-25
	Liner Aluminum for .052''-1/16''(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-KP44N-116-15
15-6	Euro Conduit Cap	螺母	CN-9SS18991
16	Cable Handle	美式后把壳	CN-9SL7725
17	Connector Cover	连接开关	CN-9SL7723
18	Nut (Cable Handle)	把壳螺母	CN-9SS18690
19	Tail Piece	把壳尾部	CN-9SM15607
20	Incoming End Nut	电缆连接螺母	CN-S23822-300
21	Incoming Connector Asbly	电缆连接器组件	CN-S18789
22	CNTWC Connector Plug	TWC连接器	CN-9SS18653
22-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
23	Lincoln Connector	LC连接器	CN-9SS18645
24	Miller Connector Plug	ML连接器	CN-9SS19760-1
24-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
24-2	CNML Liner	ML送丝管	CN-MLL
25-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
25-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
26	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC 550

Rating: 600A CO_2

Duty Cycle: 60%


Wire Size: .035''-1/8''(0.9-3.2mm)



No.	Description		Order
	CN-LINCMIG 550 MIG Torch 15FT(4.5m)(2.0-2.4mm)		CN-K598-11
1	Swan Neck 60° (5 in. Radius Bend)	弯管	CN-KP1951-2*
2	Gas Diffuser 2.0-3.2mm	导电嘴座	CN-KP56S-H*
3	Contact Tip .035'' 0.9mm Standard	导电嘴	CN-KP16S-35
	Contact Tip .040'' 1.0mm Standard	导电嘴	CN-KP16S-40
	Contact Tip .045'' 1.2mm Standard	导电嘴	CN-KP16S-45
	Contact Tip .052'' 1.3mm Standard	导电嘴	CN-KP16S-52
	Contact Tip 1/16'' 1.6mm Standard	导电嘴	CN-KP16S-116
	Contact Tip 5/64'' 2.0mm Standard	导电嘴	CN-KP16S-564
	Contact Tip 3/32'' 2.4mm Standard	导电嘴	CN-KP16S-332*
	Contact Tip 7/64'' 2.8mm Standard	导电嘴	CN-KP16S-764
4	Insulator	绝缘座	CN-KP36CT*
5	Nozzle 1/2" 12.7mm	喷嘴	CN-KP26CT-50
	Nozzle 5/8" 5.9mm	喷嘴	CN-KP26CT-62*
	Nozzle 3/4" 19mm	喷嘴	CN-KP26CT-75
6	Torch Handle (Left & Right)	前把壳	CN-9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Clamp	前固定器	CN-9SS15921-1
9	Spring Boot	美式弹簧	CN-9SS24676B
10-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
10-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
10-3	Euro Collar Nut	后锁母	CN-9SS18929
10-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
10-5	Liner for 5/64-3/32''(2.0-2.4mm) 10FT(3.0m)	送丝管3米	CN-KP45H-332-10
	Liner for 5/64-3/32''(2.0-2.4mm) 12FT(3.5m)	送丝管3.5米	CN-KP45H-332-12
	Liner for 5/64-3/32''(2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-KP45H-332-15*
10-6	Euro Conduit Cap	螺母	CN-9SS18991
11	Cable Handle	美式后把壳	CN-9SL7725
12	Connector Cover	连接开关	CN-9SL7723
13	Nut (Cable Handle)	把壳螺母	CN-9SS18690
14	Tail Piece	把壳尾部	CN-9SM15607
15	Incoming End Nut	电缆连接螺母	CN-S23822-300
16	Incoming Connector Asbly	电缆连接器组件	CN-S18789
17	CNTWC Connector Plug	TWC连接器	CN-9SS18653
17-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
18	Lincoln Connector	LC连接器	CN-9SS18645
19	Miller Connector Plug	ML连接器	CN-9SS19760-1
19-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
19-2	CNML Liner	ML送丝管	CN-MLL
20-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
20-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
21	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口



CN LINC 550PRO

Rating: 600A CO_2

Duty Cycle: 60%


Wire Size: .025''-3/32''(0.6-2.4mm)



No.	Description		Order
	CN-LINCMIG 550 MIG Torch 15FT(4.5m)(2.0-2.4mm)		CN-K598-11
1	Swan Neck 60° (5 in. Radius Bend)	弯管	CN-KP1951-2*
2	Gas Diffuser 2.0-3.2mm	导电嘴座	CN-KP56S-H*
3	Contact Tip .035'' 0.9mm Standard	导电嘴	CN-KP16S-35
	Contact Tip .040'' 1.0mm Standard	导电嘴	CN-KP16S-40
	Contact Tip .045'' 1.2mm Standard	导电嘴	CN-KP16S-45
	Contact Tip .052'' 1.3mm Standard	导电嘴	CN-KP16S-52
	Contact Tip 1/16'' 1.6mm Standard	导电嘴	CN-KP16S-116
	Contact Tip 5/64'' 2.0mm Standard	导电嘴	CN-KP16S-564
	Contact Tip 3/32'' 2.4mm Standard	导电嘴	CN-KP16S-332*
	Contact Tip 7/64'' 2.8mm Standard	导电嘴	CN-KP16S-764
4	Insulator	绝缘座	CN-KP36CT*
5	Nozzle 1/2" 12.7mm	喷嘴	CN-KP26CT-50
	Nozzle 5/8" 5.9mm	喷嘴	CN-KP26CT-62*
	Nozzle 3/4" 19mm	喷嘴	CN-KP26CT-75
6	Torch Handle (Left & Right)	前把壳	CN-9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Clamp	前固定器	CN-9SS15921-1
9	Spring Boot	美式弹簧	CN-9SS24676B
10-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
10-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
10-3	Euro Collar Nut	后锁母	CN-9SS18929
10-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
10-5	Liner for 5/64-3/32''(2.0-2.4mm) 10FT(3.0m)	送丝管3米	CN-KP45H-332-10
	Liner for 5/64-3/32''(2.0-2.4mm) 12FT(3.5m)	送丝管3.5米	CN-KP45H-332-12
	Liner for 5/64-3/32''(2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-KP45H-332-15*
10-6	Euro Conduit Cap	螺母	CN-9SS18991
11	Cable Handle	美式后把壳	CN-9SL7725
12	Connector Cover	连接开关	CN-9SL7723
13	Nut (Cable Handle)	把壳螺母	CN-9SS18690
14	Tail Piece	把壳尾部	CN-9SM15607
15	Incoming End Nut	电缆连接螺母	CN-S23822-300
16	Incoming Connector Asbly	电缆连接器组件	CN-S18789
17	CNTWC Connector Plug	TWC连接器	CN-9SS18653
17-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
18	Lincoln Connector	LC连接器	CN-9SS18645
19	Miller Connector Plug	ML连接器	CN-9SS19760-1
19-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
19-2	CNML Liner	ML送丝管	CN-MLL
20-1	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
20-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
21	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口




CN LINC PRO Curve HDE 250

Rating: 250A CO_2/Mixed Gas

Duty Cycle: 100%

Wire Size: .025''-045''(0.6-1.2mm)




No.	Description		Order
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 10FT(3.0m) K466-1 Connector Kit		CN-K4531-1-1
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 15FT(4.5m) K466-1 Connector Kit		CN-K4531-2-1
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 20FT(6.0m) K466-1 Connector Kit		CN-K4531-3-1
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 25FT(7.5m) K466-1 Connector Kit		CN-K4531-4-1
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 15FT(4.5m) K466-10 Connector Kit		CN-K4531-2-10
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 15FT(4.5m) K466-6 Connector Kit		CN-K4531-2-6
	CN-LINCMIG PRO Curve HDE 250 MIG Torch 15FT(4.5m) K466-3 Connector Kit		CN-K4531-2-3
1	Swan Neck 45°	弯管	CN-KP4693-45
	Swan Neck 60°	弯管	CN-KP4693-60
2	Torch Tube Insulator	绝缘座	CN-KP2773-2
3	Gas Diffuser for 350A Thread-on	导电嘴座	CN-KP2746-1*
4	Contact Tips Tapered	导电嘴	CN-KP2744-XXXT
4-1	Contact Tip .025'' 0.6mm	导电嘴	CN-KP2744-025
	Contact Tip .030'' 0.8mm	导电嘴	CN-KP2744-030
	Contact Tip .035'' 0.9mm	导电嘴	CN-KP2744-035
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP2744-040
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP2744-045*
	Contact Tip .052'' 1.4mm	导电嘴	CN-KP2744-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2744-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2744-564
5	Nozzle 3/8" 9.5mm Recess 1/8''	喷嘴	CN-KP2742-1-38R
	Nozzle 1/2" 12.7mm Recess 1/8''	喷嘴	CN-KP2742-1-50R
	Nozzle 5/8" 15.9mm Recess 1/8''	喷嘴	CN-KP2742-1-62R*
	Nozzle 3/8" 9.5mm Flush	喷嘴	CN-KP2742-1-38F
	Nozzle 1/2" 12.7mm Flush	喷嘴	CN-KP2742-1-50F
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-KP2742-1-62F
	Nozzle 3/8" 9.5mm Stickout 1/8''	喷嘴	CN-KP2742-1-38S
	Nozzle 1/2" 12.7mm Stickout 1/8''	喷嘴	CN-KP2742-1-50S
	Nozzle 5/8" 15.9mm Stickout 1/8''	喷嘴	CN-KP2742-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-HDE9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Power Cable Male Cone	前接头	CN-S26287-5
9	Power Cable Female Nut	接头螺母	CN-S26288-5
10	Spring Boot	美式弹簧	CN-S24676-2
11-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
11-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
11-3	Euro Collar Nut	后锁母	CN-9SS18929
11-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
11-5	Liner for .025''-.030''(0.6-0.8mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-25-15
	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-3035-15
	Liner for .040''-.045''(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-KP42-4045-15*
11-6	Euro Conduit Cap	螺母	CN-9SS18991
12	Cable Handle	美式后把壳	CN-9SL7725
13	Connector Cover	连接开关	CN-9SL7723
14	Nut (Cable Handle)	把壳螺母	CN-9SS18690
15	Tail Piece	把壳尾部	CN-9SM15607
16	Incoming End Nut	电缆连接螺母	CN-S23822-300
17	Incoming Connector Asbly	电缆连接器组件	CN-S18789
18	CNTWC Connector Plug	TWC连接器	CN-9SS18653
18-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	Lincoln Connector	LC连接器	CN-9SS18645
20	Miller Connector Plug	ML连接器	CN-9SS19760-1
20-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
20-2	CNML Liner	ML送丝管	CN-MLL
21-2	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
21-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
22	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口






CN LINC PRO Curve HDE 350

Rating: 350A CO_2/Mixed Gas

Duty Cycle: 100%

Wire Size: 0.035''-5/64''(0.9-2.0mm)




No.	Description		Order
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 10FT(3.0m) K466-1 Connector Kit		CN-K4532-1-1
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 15FT(4.5m) K466-1 Connector Kit		CN-K4532-2-1
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 20FT(6.0m) K466-1 Connector Kit		CN-K4532-3-1
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 25FT(7.5m) K466-1 Connector Kit		CN-K4532-4-1
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 15FT(4.5m) K466-10 Connector Kit		CN-K4532-2-10
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 15FT(4.5m) K466-6 Connector Kit		CN-K4532-2-6
	CN-LINCMIG PRO Curve HDE 350 MIG Torch 15FT(4.5m) K466-3 Connector Kit		CN-K4532-2-3
1	Swan Neck 45°	弯管	CN-KP4694-45
	Swan Neck 60°	弯管	CN-KP4694-60*
2	Torch Tube Insulator	绝缘座	CN-KP2773-1*
3	Gas Diffuser	导电嘴座	CN-KP2747-1*
4	Contact Tips Tapered	导电嘴	CN-KP2745-XXXT
4-1	Contact Tip .035'' 0.9mm	导电嘴	CN-KP2745-035
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP2745-040
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP2745-045*
	Contact Tip .052'' 1.4mm	导电嘴	CN-KP2745-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2745-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2745-564
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-KP2745-332
	Contact Tip 7/64'' 2.8mm	导电嘴	CN-KP2745-764
	Contact Tip 1/8'' 3.2mm	导电嘴	CN-KP2745-18
5	Nozzle 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP2743-1-62R*
	Nozzle 3/4" ø19.5mm Recess 1/8''	喷嘴	CN-KP2743-1-75R
	Nozzle 5/8" ø15.9mm Flush	喷嘴	CN-KP2743-1-62F
	Nozzle 3/4" ø19.5mm Flush	喷嘴	CN-KP2743-1-75F
	Nozzle 5/8" ø15.9mm Stickout 1/8''	喷嘴	CN-KP2743-1-62S
	Nozzle 3/4" ø19.5mm Stickout 1/8''	喷嘴	CN-KP2743-1-75S
	Nozzle Bottleneck 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP3161-1-62R
	Nozzle Bottleneck 5/8" ø15.9mm Flush	喷嘴	CN-KP3161-1-62F
	Nozzle Bottleneck 5/8" ø15.9mm Stickout 1/8''	喷嘴	CN-KP3161-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-HDE9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Power Cable Male Cone	前接头	CN-S26287-5
9	Power Cable Female Nut	接头螺母	CN-S26288-5
10	Spring Boot	美式弹簧	CN-S24676-2
11-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
11-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
11-3	Euro Collar Nut	后锁母	CN-9SS18929
11-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
11-5	Liner for .035''-.045''(0.9-1.2mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-3545-15
	Liner for .052''-1/16''(1.3-1.6mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-116-15*
	Liner for 1/16''-5/64''(1.6-2.0mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-564-15
11-6	Euro Conduit Cap	螺母	CN-9SS18991
12	Cable Handle	美式后把壳	CN-9SL7725
13	Connector Cover	连接开关	CN-9SL7723
14	Nut (Cable Handle)	把壳螺母	CN-9SS18690
15	Tail Piece	把壳尾部	CN-9SM15607
16	Incoming End Nut	电缆连接螺母	CN-S23822-300
17	Incoming Connector Asbly	电缆连接器组件	CN-S18789
18	CNTWC Connector Plug	TWC连接器	CN-9SS18653
18-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	Lincoln Connector	LC连接器	CN-9SS18645
20	Miller Connector Plug	ML连接器	CN-9SS19760-1
20-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
20-2	CNML Liner	ML送丝管	CN-MLL
21-2	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
21-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
22	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口






CN LINC PRO Curve HDE 450

Rating: 450A CO_2/Mixed Gas

Duty Cycle: 100%

Wire Size: 0.035''-5/64''(0.9-2.0mm)




No.	Description		Order
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 10FT(3.0m) K466-1 Connector Kit		CN-K4533-1-1
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 15FT(4.5m) K466-1 Connector Kit		CN-K4533-2-1
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 20FT(6.0m) K466-1 Connector Kit		CN-K4533-3-1
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 25FT(7.5m) K466-1 Connector Kit		CN-K4533-4-1
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 15FT(4.5m) K466-10 Connector Kit		CN-K4533-2-10
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 15FT(4.5m) K466-6 Connector Kit		CN-K4533-2-6
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 15FT(4.5m) K466-3 Connector Kit		CN-K4533-2-3
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 15FT(4.5m) K613-7 Connector Kit		CN-K4533-2-7
	CN-LINC MIG PRO Curve HDE 450 MIG Torch 15FT(4.5m) K613-3 Connector Kit		CN-K4533-2-3
1	Swan Neck 45°	弯管45°	CN-KP4695-45
	Swan Neck 60°	弯管60°	CN-KP4695-60*
	Short Swan Neck 45°	短弯管45°	CN-KP4696-45SN
	Short Swan Neck 60°	短弯管60°	CN-KP4696-60SN
2	Torch Tube Insulator	绝缘座	CN-KP2773-1*
3	Gas Diffuser	导电嘴座	CN-KP2747-1*
4	Contact Tips Tapered	导电嘴	CN-KP2745-XXXT
4-1	Contact Tip .035'' 0.9mm	导电嘴	CN-KP2745-035
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP2745-040
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP2745-045*
	Contact Tip .052'' 1.4mm	导电嘴	CN-KP2745-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2745-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2745-564
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-KP2745-332
	Contact Tip 7/64'' 2.8mm	导电嘴	CN-KP2745-764
	Contact Tip 1/8'' 3.2mm	导电嘴	CN-KP2745-18
5	Nozzle 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP2743-1-62R*
	Nozzle 3/4" ø19.5mm Recess 1/8''	喷嘴	CN-KP2743-1-75R
	Nozzle 5/8" ø15.9mm Flush	喷嘴	CN-KP2743-1-62F
	Nozzle 3/4" ø19.5mm Flush	喷嘴	CN-KP2743-1-75F
	Nozzle 5/8" ø15.9mm Stickout 1/8''	喷嘴	CN-KP2743-1-62S
	Nozzle 3/4" ø19.5mm Stickout 1/8''	喷嘴	CN-KP2743-1-75S
	Nozzle Bottleneck 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP3161-1-62R
	Nozzle Bottleneck 5/8" ø15.9mm Flush	喷嘴	CN-KP3161-1-62F
	Nozzle Bottleneck 5/8" ø15.9mm Stickout 1/8''	喷嘴	CN-KP3161-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-HDE9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Power Cable Male Cone	前接头	CN-S26287-5
9	Power Cable Female Nut	接头螺母	CN-S26288-5
10	Spring Boot	美式弹簧	CN-S24676-2
11-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
11-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
11-3	Euro Collar Nut	后锁母	CN-9SS18929
11-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
11-5	Liner for .052''-1/16''(1.3-1.6mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-116-15
	Liner for 1/16''-5/64''(1.6-2.0mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-564-15*
	Liner for 5/64''-3/32''(2.0-2.4mm) 15FT (4.5m)	送丝管4.5米	CN-KP45H-332-15
11-6	Euro Conduit Cap	螺母	CN-9SS18991
12	Cable Handle	美式后把壳	CN-9SL7725
13	Connector Cover	连接开关	CN-9SL7723
14	Nut (Cable Handle)	把壳螺母	CN-9SS18690
15	Tail Piece	把壳尾部	CN-9SM15607
16	Incoming End Nut	电缆连接螺母	CN-S23822-400
17	Incoming Connector Asbly	电缆连接器组件	CN-S18789
18	CNTWC Connector Plug	TWC连接器	CN-9SS18653
18-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	Lincoln Connector	LC连接器	CN-9SS18645
20	Miller Connector Plug	ML连接器	CN-9SS19760-1
20-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
20-2	CNML Liner	ML送丝管	CN-MLL
21-2	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
21-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
22	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request

我们可以根据客户需要制作任何形式的接口






CN LINC PRO Curve HDE 550

Rating: 550A CO_2/500A Mixed Gas

Duty Cycle: 100%

Wire Size: 0.035''-1/8''(0.9-3.2mm)




No.	Description		Order
	CN-LINC MIG PRO Curve HDE 550 MIG Torch 10FT(3.0m) K613-3 Connector Kit		CN-K4534-1-3
	CN-LINC MIG PRO Curve HDE 550 MIG Torch 15FT(4.5m) K613-3 Connector Kit		CN-K4534-2-3
	CN-LINC MIG PRO Curve HDE 550 MIG Torch 15FT(4.5m) K613-7 Connector Kit		CN-K4534-2-7
1	Swan Neck 45°	弯管45°	CN-KP4696-45
	Swan Neck 60°	弯管60°	CN-KP4696-60*
2	Torch Tube Insulator	绝缘座	CN-KP2773-1*
3	Gas Diffuser	导电嘴座	CN-KP2747-1*
4	Contact Tips Tapered	导电嘴	CN-KP2745-XXXT
4-1	Contact Tip .035'' 0.9mm	导电嘴	CN-KP2745-035
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP2745-040
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP2745-045*
	Contact Tip .052'' 1.4mm	导电嘴	CN-KP2745-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2745-116
	Contact Tip 5/64" 2.0 mm	导电嘴	CN-KP2745-564
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-KP2745-332
	Contact Tip 7/64'' 2.8mm	导电嘴	CN-KP2745-764
	Contact Tip 1/8'' 3.2mm	导电嘴	CN-KP2745-18
5	Heavy Duty Nozzle Body 550A	喷嘴	CN-KP3582-1
5-1	Heavy Duty Nozzle 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP3583-1-62R
	Heavy Duty Nozzle 3/4" ø19.5mm Recess 1/8''	喷嘴	CN-KP3583-1-75R
	Heavy Duty Nozzle 5/8" ø15.9mm Flush	喷嘴	CN-KP3583-1-62F
	Heavy Duty Nozzle 3/4" ø19.5mm Flush	喷嘴	CN-KP3583-1-75F
5	Nozzle 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP2743-1-62R*
	Nozzle 3/4" ø19.5mm Recess 1/8''	喷嘴	CN-KP2743-1-75R
	Nozzle 5/8" ø15.9mm Flush	喷嘴	CN-KP2743-1-62F
	Nozzle 3/4" ø19.5mm Flush	喷嘴	CN-KP2743-1-75F
	Nozzle 5/8" ø15.9mm Stickout 1/8''	喷嘴	CN-KP2743-1-62S
	Nozzle 3/4" ø19.5mm Stickout 1/8''	喷嘴	CN-KP2743-1-75S
	Nozzle Bottleneck 5/8" ø15.9mm Recess 1/8''	喷嘴	CN-KP3161-1-62R
	Nozzle Bottleneck 5/8" ø15.9mm Flush	喷嘴	CN-KP3161-1-62F
	Nozzle Bottleneck 5/8" ø15.9mm Stickout 1/8''	喷嘴	CN-KP3161-1-62S
6	Torch Handle (Left & Right)	前把壳	CN-HDE9SG2480
7	Trigger Assembly	开关	CN-9SS21002
8	Power Cable Male Cone	前接头	CN-S26287-4
9	Power Cable Female Nut	接头螺母	CN-S26288-4
10	Spring Boot	美式弹簧	CN-S24676-2
11-1	Rear Strain Relief Spring	球节支撑体	CN-9SP102213
11-2	Euro Cable Handle	欧式后把壳	CN-9SM15808
11-3	Euro Collar Nut	后锁母	CN-9SS18929
11-4	Euro CentralAdapter Assembly	欧式后主体	CN-9SS18948-2
11-5	Liner for .052''-1/16''(1.3-1.6mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-116-15
	Liner for 1/16''-5/64''(1.6-2.0mm) 15FT (4.5m)	送丝管4.5米	CN-KP44-564-15*
	Liner for 5/64''-3/32''(2.0-2.4mm) 15FT (4.5m)	送丝管4.5米	CN-KP45H-332-15
11-6	Euro Conduit Cap	螺母	CN-9SS18991
12	Cable Handle	美式后把壳	CN-9SL7725
13	Connector Cover	连接开关	CN-9SL7723
14	Nut (Cable Handle)	把壳螺母	CN-9SS18690
15	Tail Piece	把壳尾部	CN-9SM15607
16	Incoming End Nut	电缆连接螺母	CN-S22506
17	Incoming Connector Asbly	电缆连接器组件	CN-S20696
18	CNTWC Connector Plug	TWC连接器	CN-9SS18653
18-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	Lincoln Connector	LC连接器	CN-9SS18645
20	Miller Connector Plug	ML连接器	CN-9SS19760-1
20-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
20-2	CNML Liner	ML送丝管	CN-MLL
21-2	Miller &Tweco Control Wire Direct Plug	美式插头	CN-9SM15608
21-2	Lincoln Control Wire Direct Plug	LC插头	CN-9SM16325-1
22	Gas Tube Lincoln	LC气管	CN-9SAK353

We can supply any cable connector according to customer request


我们可以根据客户需要制作任何形式的接口





CN LINC K126 Flux-Cored Self-Shielded

Rating: 350A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .062''-3/32''(1.6-2.4mm)




No.	Description		Order
	CN-LINCMIG K126 FCAW-SS Welding Torch 10FT(3.0m)		CN-K126-1
	CN-LINCMIG K126 FCAW-SS Welding Torch 15FT(4.5m)		CN-K126-2
1	Swan Neck		CN-KP1909-1
2	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2100-2B1
	Contact Tip 068-072'' 1.7-1.8mm	导电嘴	CN-KP2100-1B1
	Contact Tip 5/64'' 2.0mm	导电嘴	CN-KP2100-4B1
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-KP2100-3B1
3	Nozzle Thread Protector, 3/4 to 1-1/2'' Stickout	喷嘴	CN-KP2089-1
4	Heat Shield Assembly	隔热罩组件	CN-9SS13037
5	Spatter Shield	飞溅防护罩	CN-9ST12027
6	Snap Ring	卡扣环	CN-9SS9776-7
7	Clamp	夹具	CN-9SS15921-1
8	Clamp Switch Housing	夹具外壳	CN-9SS15922-1
9	Handle	把壳	CN-9SM10102-1
10	Trigger & Control Cable 10FT(3.0m)	控制电缆3米	CN-9SM12462-10
	Trigger & Control Cable 15FT(4.5m)	控制电缆4.5米	CN-9SM12462-15
10-1	Micro Switch	开关	CN-9ST12485
10-2	Control Wire Plug	控制线插头	CN-35SP-354
11	Switch Insulation	开关绝缘器	CN-9SS14878
12	Switch Housing Assembly	开关壳	CN-9SM22370
13	Handle & Stiffener Wire Feeder End	后把壳	CN-9SM14050-1
14	Connector Wire Feeder End	后接头	CN-9SS12801-3
15	Liner for 5/64''-3/32''(2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-KP45H-332-15

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN LINC K126 PRO Flux-Cored Self-Shielded

Rating: 350A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .035''-.012''(0.9-3.0mm)




No.	Description		Order
	CN-LINCMIG K126 PRO FCAW-SS Welding Torch 10FT(3.0m) With K613-6		CN-K126-10
	CN-LINCMIG K126 PRO FCAW-SS Welding Torch 15FT(4.5m) With K613-6		CN-K126-11
	CN-LINCMIG K126 PRO FCAW-SS Welding Torch 15FT(4.5m) With K466-10		CN-K126-12
	CN-LINCMIG K126 PRO FCAW-SS Welding Torch 15FT(4.5m) With K466-8		CN-K126-13
1	Swan Neck 62° Reverse Bend 6 in. (152mm)	弯管62°	CN-KP2906-62R
	Swan Neck 30° Reverse Bend 6 in. (152mm)	弯管30°	CN-KP2906-30R
	Swan Neck 30° Reverse Bend 12 in. (305mm)	弯管30°	CN-KP2906-30R-L
	Swan Neck 30° Reverse Bend 12 in. (305mm)	弯管30°	CN-KP3267-1
2	Tip Holder	导电嘴座	CN-KP2908-1
3	Contact Tip .035'' 0.9mm	导电嘴	CN-KP2745-035
	Contact Tip .040'' 1.0mm	导电嘴	CN-KP2745-040
	Contact Tip .045'' 1.2mm	导电嘴	CN-KP2745-045
	Contact Tip .052'' 1.4mm	导电嘴	CN-KP2745-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2745-116
	Contact Tip 5/64'' 2.0mm	导电嘴	CN-KP2745-564
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-KP2745-332
	Contact Tip 7/64'' 2.8mm	导电嘴	CN-KP2745-764
	Contact Tip 1/8'' 3.2mm	导电嘴	CN-KP2745-18
4	Insulator/Nozzle	喷嘴	CN-KP2907-1
5	Heat Shield Assembly	隔热罩组件	CN-9SS13037
6	Hand Screw Assembly	螺丝组件	CN-9ST13858
7	Spatter Shield	飞溅防护罩	CN-9ST12027
8	Snap Ring	卡扣环	CN-9SS9776-7
9	Clamp	夹具	CN-9SS15921-1
10	Clamp Switch Housing	夹具外壳	CN-9SS15922-1
11	Handle	把壳	CN-9SM10102-1
12	Trigger Switch Assembly	开关组件	CN-9SS28279
13	Switch Insulation	开关绝缘器	CN-9SS14878
14	Switch Housing Assembly	开关壳	CN-9SM22370
15	Spring Boot	弹簧器	CN-9SS24676
16	Cable Handle	电缆手柄	CN-9SL7725
17	Nut Cable Handle	螺母电缆手柄	CN-9SS18690
18	Tail Piece	尾部部件	CN-9SM15607
19	Connector Cover	连接器盖	CN-9SL7723
20	Torch Connector Kit Assembly K613-6	后连接器	CN-9SS18645-1
	Torch Connector Kit Assembly K466-10	后连接器	CN-9SS18653
	Torch Connector Kit Assembly K466-8	后连接器	CN-9SS18645-3
21	Liner for 5/64''-3/32''(2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-KP45H-332-15
	Liner for 1/16''-5/64''(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-KP44-564-15
22	Torch Control Assembly	铃铛插头	CN-9SM15608

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN LINC K345 Flux-Cored Self-Shielded



Rating: 350A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .068''-5/64''(1.7-2.0mm)



No.	Description		Order
	CN-LINCMIG K345 FCAW-SS Welding Torch 10FT(3.0m)		CN-K345-10
1	Swan Neck 62° Standard	弯管62°	CN-KP1909-1
	Swan Neck 90°	弯管90°	CN-KP1920-1
	Swan Neck 30° 6" Long	弯管30°	CN-KP1914-2
	Swan Neck 30° 12" Long	弯管30°	CN-KP1914-1
2	Contact Tip 1/16'' 1.6mm	导电嘴	CN-KP2100-2B1
	Contact Tip 068-072" 1.7-1.8mm	导电嘴	CN-KP2100-1B1
	Contact Tip 5/64'' 2.0mm	导电嘴	CN-KP2100-4B1
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-KP2100-3B1
3	Torch Tube Insulator/ Thread Protector	喷嘴	CN-KP2745-116
4	Heat Shield Assembly	隔热罩组件	CN-9SS13037
5	Hand Screw Assembly	螺丝组件	CN-9ST13858
6	Spatter Shield	飞溅防护罩	CN-9ST12027
7	Snap Ring	卡扣环	CN-9SS9776-7
8	Clamp	夹具	CN-9SS11598-1
9	Clamp Switch Housing	夹具外壳	CN-9SS15922-1
10	Handle	把壳	CN-9SM10102
11	Switch & Cable Assembly 10FT	开关电缆组件	CN-9SS16383-1
11-1	Switch	开关组件	CN-9ST13381-6
11-2	Switch Boot	开关切换器	CN-9ST13938-6
11-3	Control Wire Plug 4-Pin	控制线插头4针	CN-9SS12020-17
12	Trigger & Control Cable Assembly 10ft	控制电缆10英尺	CN-9SM12956-10
12-1	Micro Switch	微动开关	CN-9ST12485
12-2	Control Wire Plug 3-Pin	控制线插头3针	CN-9SS12020-19
13	Switch Insulation	开关绝缘器	CN-9SS14878
14	Switch Housing Assembly	开关壳	CN-9SM22370
15	Handle & Stiffener Wire Feeder End	后把壳	CN-9SM14050-1
16	Connector Wire Feeder End	后接头	CN-9SS12801-3
17	Liner for 5/64''-3/32''(2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-KP45H-332-15

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN LC K231-1 Submerged Arc Contact Nozzle Assembly

Rating: 600A
Wire Size: 5/64"-7/32"(2.0-5.6mm)




No.	Description		Order
1	Contact Tip 3/32'' 2.4mm 1-7/8" Long	导电嘴	CN-KP1962-3B1/S10125-3/32
	Contact Tip 1/8'' 3.2mm 1-7/8" Long	导电嘴	CN-KP1962-1B1/S10125-1/8
	Contact Tip 5/32'' 4.0mm 1-7/8" Long	导电嘴	CN-KP1962-4B1/S10125-5/32
	Contact Tip 3/16'' 4.8mm 1-7/8" Long	导电嘴	CN-KP1962-2B1/S10125-3/16
	Contact Tip 7/32'' 5.6mm 1-7/8" Long	导电嘴	CN-KP1962-5B1/S10125-7/32
2	Flux Cone	埋伏焊喷嘴	CN-KP2085-1/T10507
3	Retaining Nut	固定螺母	CN-S10147
4	Locking Ferrule	锁紧套圈	CN-T10574
5	Cone Body Assembly	锥体主体组件	CN-M8249
6	Thumb Screw	拇指螺钉	CN-T9078-1
7	Nozzle Body	喷嘴主体	CN-S10157
8	Hex Herd Screw	六角螺钉	CN-121312
9	Fiber Insulator	玻纤管	CN-T13835-IN
10	3/4*7" Flux Hose	护套软管	CN-T13835
11	Nozzle Insulator	绝缘胶套	CN-S10493-1
12	Socket Head Screw	六角螺钉	CN-T10570

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN RB28

Rating: 260A CO_2
220A Mixed Gases
Duty Cycle: 60%



No.	Description		Order
	CN-TW OCIM RB28 Air Cooled Mig Welding Torch 3m		CN-161.100.307
	CN-TW OCIM RB28 Air Cooled Mig Welding Torch 4m		CN-161.100.407
	CN-TW OCIM RB28 Air Cooled Mig Welding Torch 5m		CN-161.100.507
1	Swan Neck	弯管	CN-116.103.108
2	Gas Difiuser	导电嘴座	CN-118.102.111
3	Contact Tip Cu M8*30*0.8mm	导电嘴	CN-147.010.308
	Contact Tip Cu M8*30*1.0mm	导电嘴	CN-147.010.310
	Contact Tip Cu M8*30*1.2mm	导电嘴	CN-147.010.312
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-147.020.308
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-147.020.310
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-147.020.312
4	Nozzle Standard ø15/ø22x62.5	喷嘴	CN-179.105.110
	Nozzle Tapered ø12/ø22x62.5	喷嘴	CN-179.109.107
	Nozzle Cylindric ø18/ø22x62.5	喷嘴	CN-179.104.105
5	Front Handle	前把壳	CN-137.100.107-1
6	Switch	开关	CN-146.101.102-1
7	Hook	挂钩	CN-1790002-1
8	Cable Ball Joint	球节支撑体	CN-156.102.106
9	Support Spring	后弹簧	CN-141.106.107
10	Rear Handle	后把壳	CN-156.101.103
11	Adaptor Nut M33x2	后锁母	CN-127.102.102
12	Euro Central Connector	欧式后主体	CN-142.105.107
13	Liner Steel Insulation Red Wire ø1.0-1.2 3m	送丝管3米	CN-130.050.302
	Liner Steel Insulation Red Wire ø1.0-1.2 4m	送丝管4米	CN-130.050.402
	Liner Steel Insulation Red Wire ø1.0-1.2 5m	送丝管5米	CN-130.050.502
14	Liner Positioner Nut M10x1	螺母	CN-117.101.101

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

气保焊枪 MIG Welding Torches

CN RB36

Rating: 300A CO_2
270A Mixed Gases
Duty Cycle: 60%
Wire Size: .030''-.045''(0.8-1.2mm)




No.	Description		Order
	CN-TW OCIM RB36 Air Cooled Mig Welding Torch 3m		CN-161.130.307
	CN-TW OCIM RB36 Air Cooled Mig Welding Torch 4m		CN-161.130.407
	CN-TW OCIM RB36 Air Cooled Mig Welding Torch 5m		CN-161.130.507
1	Swan Neck	弯管	CN-116.103.114
2	Gas Difiuser	导电嘴座	CN-118.102.119
3	Contact Tip Cu M8*40*0.8mm	导电嘴	CN-147.010.108
	Contact Tip Cu M8*40*1.0mm	导电嘴	CN-147.010.110
	Contact Tip Cu M8*40*1.2mm	导电嘴	CN-147.010.112
	Contact Tip CuCrZr M8*40*0.8mm	导电嘴	CN-147.020.108
	Contact Tip CuCrZr M8*40*1.0mm	导电嘴	CN-147.020.110
	Contact Tip CuCrZr M8*40*1.2mm	导电嘴	CN-147.020.112
4	Nozzle Standard ø16/ø24x73.5	喷嘴	CN-179.105.115
	Nozzle Tapered ø13/ø24x73.5	喷嘴	CN-179.109.124
	Nozzle Cylindric ø20/ø24x73.5	喷嘴	CN-179.104.112
5	Front Handle	前把壳	CN-137.100.107-1
6	Switch	开关	CN-146.101.102-1
7	Hook	挂钩	CN-1790002-1
8	Cable Ball Joint	球节支撑体	CN-156.102.106
9	Support Spring	后弹簧	CN-141.106.107
10	Rear Handle	后把壳	CN-156.101.103
11	Adaptor Nut M33x2	后锁母	CN-127.102.102
12	Euro Central Connector	欧式后主体	CN-142.105.107
13	Liner Steel Insulation Red Wire ø1.0-1.2 3m	送丝管3米	CN-130.050.302
	Liner Steel Insulation Red Wire ø1.0-1.2 4m	送丝管4米	CN-130.050.402
	Liner Steel Insulation Red Wire ø1.0-1.2 5m	送丝管5米	CN-130.050.502
14	Liner Positioner Nut M10x1	螺母	CN-117.101.101

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN RB40

Rating: 360A CO_2
340A Mixed Gases
Duty Cycle: 60%
Wire Size: .040''-1/16''(1.0-1.6mm)




No.	Description		Order
	CN-TW OCIM RB40 Air Cooled Mig Welding Torch 3m		CN-161.120.307
	CN-TW OCIM RB40 Air Cooled Mig Welding Torch 4m		CN-161.120.407
	CN-TW OCIM RB40 Air Cooled Mig Welding Torch 5m		CN-161.120.507
1	Swan Neck	弯管	CN-116.103.115
2	Gas Difiuser	导电嘴座	CN-118.102.122
3	Contact Tip Cu M8*40*0.8mm	导电嘴	CN-147.010.108
	Contact Tip Cu M8*40*1.0mm	导电嘴	CN-147.010.110
	Contact Tip Cu M8*40*1.2mm	导电嘴	CN-147.010.112
	Contact Tip Cu M8*40*1.4mm	导电嘴	CN-147.010.114
	Contact Tip Cu M8*40*1.6mm	导电嘴	CN-147.010.116
	Contact Tip CuCrZr M8*40*0.8mm	导电嘴	CN-147.020.108
	Contact Tip CuCrZr M8*40*1.0mm	导电嘴	CN-147.020.110
	Contact Tip CuCrZr M8*40*1.2mm	导电嘴	CN-147.020.112
	Contact Tip CuCrZr M8*40*1.4mm	导电嘴	CN-147.020.114
	Contact Tip CuCrZr M8*40*1.6mm	导电嘴	CN-147.020.116
4	Nozzle Standard ø17/ø26x75	喷嘴	CN-179.105.113
	Nozzle Tapered ø15.5/ø26x75	喷嘴	CN-179.109.112
	Nozzle Cylindric ø22/ø26x75	喷嘴	CN-179.104.108
5	Front Handle	前把壳	CN-137.100.107-1
6	Switch	开关	CN-146.101.102-1
7	Hook	挂钩	CN-1790002-1
8	Cable Ball Joint	球节支撑体	CN-156.102.106
9	Support Spring	后弹簧	CN-141.106.107
10	Rear Handle	后把壳	CN-156.101.103
11	Adaptor Nut M33x2	后锁母	CN-127.102.102
12	Euro Central Connector	欧式后主体	CN-142.105.107
13	Liner Steel insulation Yellow Wire p1.2-1.6 3m	送丝管3米	CN-130.050.302
	Liner Steel Insulation Yellow Wire p1.2-1.6 4m	送丝管4米	CN-130.050.402
	Liner Steel insulation Yellow Wire p1.2-1.6 5m	送丝管5米	CN-130.050.502
14	Liner Positioner Nut M10x1	螺母	CN-117.101.101

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN OTC 200A

Rating: 200A CO_2
160A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.0mm




No.	Description		Order
	CN-OTC200A Welding Torch 3m		CN-WT20003
	CN-OTC200A Welding Torch 4m		CN-WT20004
	CN-OTC200A Welding Torch 5m		CN-WT20005
1	Swan Neck Separable	分体弯管	CN-U5020C00
1-1	Swan Neck	弯管	CN-0143.03
2	Brass Contact Tip Holder	黄铜连杆	CN-U2000G02
3	Copper Contact Tip Holder	紫铜连杆	CN-U2000G03
4	Contact Tip E-CU M6*45*0.6mm O.D9mm	导电嘴	CN-K980B96
	Contact Tip E-CU M6*45*0.8mm O.D9mm	导电嘴	CN-K080C23
	Contact Tip E-CU M6*45*0.9mm O.D9mm	导电嘴	CN-K080C24
	Contact Tip E-CU M6*45*1.0mm O.D9mm	导电嘴	CN-K080C25
	Contact Tip E-CU M6*45*1.2mm O.D9mm	导电嘴	CN-K080C26
	Contact Tip E-CU M6*45*1.4mm O.D9mm	导电嘴	CN-K080C27
	Contact Tip E-CU M6*45*1.6mm O.D9mm	导电嘴	CN-K080C28
	Contact Tip E-CU M6*45*0.8mm O.D8mm	导电嘴	CN-K980C02
	Contact Tip E-CU M6*45*0.9mm O.D8mm	导电嘴	CN-K980C03
	Contact Tip E-CU M6*45*1.0mm O.D8mm	导电嘴	CN-K980C04
	Contact Tip E-CU M6*45*1.2mm O.D8mm	导电嘴	CN-K980C05
	Contact Tip E-CU M6*45*1.4mm O.D8mm	导电嘴	CN-K980C06
	Contact Tip E-CU M6*45*1.6mm O.D8mm	导电嘴	CN-K980C07
5	Nozzle ø13*76mm	喷嘴	CN-U5342N00
6	Front Handle	前把壳	CN-P200F
7	Trigger The Wrench	扳机	CN-U5035E01
8	Switch	开关芯	CN-U4167T00
9	Cable Ball Joint & Support Spring Small	前弹簧	CN-400.1010S
10	Support Spring	电缆支撑体	CN-U5035K01
11	Rear Handle	后把壳	CN-U5035K00
12	Rear Connector Nut	后锁母	CN-U4167F03
13	OTC Central Connector	OTC后主体	CN-U4167E00
14	Steel Liner 0.8-1.0mm 3m	送丝管3米	CN-U4186G01
	Steel Liner 0.8-1.0mm 4m	送丝管4米	CN-U4187G01
	Steel Liner 0.8-1.0mm 5m	送丝管5米	CN-U4188G01
15	Liner Positioner Nut	螺母	CN-U4167G06

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN OTC 350A

Rating: 350A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-OTC350A Welding Torch 3m		CN-WT35103
	CN-OTC350A Welding Torch 4m		CN-WT35104
	CN-OTC350A Welding Torch 5m		CN-WT35105
1	Swan Neck	弯管	CN-U5347B00
2	Contact Tip Holder Brass M14*79.5mm	黄铜连杆	CN-U4167G03
3	Insulator	绝缘座	CN-U4167L00
4	Gas Diffuser Ceramic	分流器	CN-U4167G02
5	Contact Tip E-CU M6*45*0.6mm O.D9mm	导电嘴	CN-K980B96
	Contact Tip E-CU M6*45*0.8mm O.D9mm	导电嘴	CN-K080C23
	Contact Tip E-CU M6*45*0.9mm O.D9mm	导电嘴	CN-K080C24
	Contact Tip E-CU M6*45*1.0mm O.D9mm	导电嘴	CN-K080C25
	Contact Tip E-CU M6*45*1.2mm O.D9mm	导电嘴	CN-K080C26
	Contact Tip E-CU M6*45*1.4mm O.D9mm	导电嘴	CN-K080C27
	Contact Tip E-CU M6*45*1.6mm O.D9mm	导电嘴	CN-K080C28
	Contact Tip E-CU M6*45*0.8mm O.D8mm	导电嘴	CN-K980C02
	Contact Tip E-CU M6*45*0.9mm O.D8mm	导电嘴	CN-K980C03
	Contact Tip E-CU M6*45*1.0mm O.D8mm	导电嘴	CN-K980C04
	Contact Tip E-CU M6*45*1.2mm O.D8mm	导电嘴	CN-K980C05
	Contact Tip E-CU M6*45*1.4mm O.D8mm	导电嘴	CN-K980C06
	Contact Tip E-CU M6*45*1.6mm O.D8mm	导电嘴	CN-K980C07
6	Nozzle Cylindrical ø20*16*73mm	喷嘴	CN-U4167G01
	Nozzle Conical ø20*13*73mm	喷嘴	CN-U4167H01
	Nozzle Cylindrical ø21*16*73mm	喷嘴	CN-U4167H16
7	Front Handle	前把壳	CN-U5035G00
8	Trigger The Wrench	扳机	CN-U5035E01
9	Switch	开关芯	CN-U4167T00
10	Cable Ball Joint & Support Spring Small	前弹簧	CN-U5035G01
11	Support Spring	电缆支撑体	CN-U5035K01
12	Rear Handle	后把壳	CN-U5035K00
13	Rear Connector Nut	后锁母	CN-U4167F03
14	OTC Central Connector	OTC后主体	CN-U4167E00
15	Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-U4170H02
	Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-U4535G01
	Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-U4172H01
16	Liner Positioner Nut	螺母	CN-U4167G06

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN OTC 500A

Rating: 500A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2~1.6mm




No.	Description		Order
	CN-OTC500A Welding Torch 3m		CN-WT50003
	CN-OTC500A Welding Torch 4m		CN-WT50004
	CN-OTC500A Welding Torch 5m		CN-WT50005
1	Swan Neck	弯管	CN-U5353B00
2	Contact Tip Holder Brass M14*90mm	黄铜连杆	CN-U4173G21
3	Insulator	绝缘座	CN-U4173L00
4	Gas Diffuser Ceramic	分流器	CN-U4173G02
5	Contact Tip E-CU M6*45*0.6mm O.D9mm	导电嘴	CN-K980B96
	Contact Tip E-CU M6*45*0.8mm O.D9mm	导电嘴	CN-K080C23
	Contact Tip E-CU M6*45*0.9mm O.D9mm	导电嘴	CN-K080C24
	Contact Tip E-CU M6*45*1.0mm O.D9mm	导电嘴	CN-K080C25
	Contact Tip E-CU M6*45*1.2mm O.D9mm	导电嘴	CN-K080C26
	Contact Tip E-CU M6*45*1.4mm O.D9mm	导电嘴	CN-K080C27
	Contact Tip E-CU M6*45*1.6mm O.D9mm	导电嘴	CN-K080C28
	Contact Tip E-CU M6*45*0.8mm O.D8mm	导电嘴	CN-K980C02
	Contact Tip E-CU M6*45*0.9mm O.D8mm	导电嘴	CN-K980C03
	Contact Tip E-CU M6*45*1.0mm O.D8mm	导电嘴	CN-K980C04
	Contact Tip E-CU M6*45*1.2mm O.D8mm	导电嘴	CN-K980C05
	Contact Tip E-CU M6*45*1.4mm O.D8mm	导电嘴	CN-K980C06
	Contact Tip E-CU M6*45*1.6mm O.D8mm	导电嘴	CN-K980C07
6	Nozzle Cylindrical ø25*19*88mm	喷嘴	CN-U4173G01
	Nozzle Cylindrical ø25*16*88mm	喷嘴	CN-U4173H01
	Nozzle Cylindrical ø25*13*84mm	喷嘴	CN-U5353V01
7	Front Handle	前把壳	CN-U5035G00
8	Trigger The Wrench	扳机	CN-U5035E01
9	Switch	开关芯	CN-U4167T00
10	Cable Ball Joint & Support Spring Small	前弹簧	CN-U5035G01
11	Support Spring	电缆支撑体	CN-U5035K01
12	Rear Handle	后把壳	CN-U5035K00
13	Rear Connector Nut	后锁母	CN-U4167F03
14	OTC Central Connector	OTC后主体	CN-U4167E00
15	Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-U4170H02
	Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-U4535G01
	Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-U4172H01
16	Liner Positioner Nut	螺母	CN-U4167G06

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN P200A

Rating: 200A CO_2
160A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-P200A 3m Welding Torch		YT-20CS4HAE
	CN-P200A 4m Welding Torch		YT-20CS5HAE
	CN-P200A 5m Welding Torch		YT-20CS6HAE
1	Swan Neck	弯管	CN-0143.03
1-1	Swan Neck Separable	分体弯管	CN-TCU20111
2	Contact Tlp Holder Brass	导电嘴座	CN-TSM02001B
3	Contact Tip Holder	导电嘴座	CN-TSM02001
4	Contact Tip E-CU M6*45*0.8mm O.D8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D8mm	导电嘴	CN-TET90905-8
	Contact Tip E-CU M6*45*1.0mm O.D8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D8mm	导电嘴	CN-TET91405-8
	Contact Tip E-CU M6*45*1.6mm O.D8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.8mm O.D9mm	导电嘴	CN-TET90805-9
	Contact Tip E-CU M6*45*0.9mm O.D9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D9mm	导电嘴	CN-TET91605-9
5	Nozzle ø13*76mm	喷嘴	CN-TGN01208
6	Front Handle	前把壳	CN-P200F
7	Switch	开关芯	CN-P350FS
8	Trigger The Wrench	扳机	CN-P350FSW
9	Cable Ball Joint & Support Spring Small	球节支撑体	CN-400.1010S
10	Rear Handle	后把壳	CN-P350B
11	Control Wire Plug	控制线插头	CN-PCLP
12	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
13	Blue Steel Liner 0.8-1.0mm 3m	送丝管	CN-TDT90014
	Blue Steel Liner 0.8-1.0mm 4m	送丝管	CN-TDT90015
	Blue Steel Liner 0.8-1.0mm 5m	送丝管	CN-TDT90016

14	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
15	Rear Handle	后把壳	CN-501.2248
16	Rear Connector Nut	后锁母	CN-500.0213L
17	Euro Central Connector KZ-2	后主体	CN-501.0003
18	Blue Steel Liner 0.6-0.8mm 3m	送丝管3米	CN-124.0011
	Blue Steel Liner 0.6-0.8mm 4m	送丝管4米	CN-124.0012
	Blue Steel Liner 0.6-0.8mm 5m	送丝管5米	CN-124.0015
19	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN P350A

Rating: 350A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm


No.	Description		Order
	CN-P350A 3m Welding Torch		YT-35CS4HAE
	CN-P350A 4m Welding Torch		YT-35CS5HAE
	CN-P350A 5m Welding Torch		YT-35CS6HAE
1	Swan Neck Separable	分体弯管	CN-TSM06357
1-1	Swan Neck	弯管	CN-TCU35022
2	Contact Tlp Holder Brass	导电嘴座	
2-1	Contact Tip Holder	导电嘴座	
3	Insulator	绝缘座	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm O.D.8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D.8mm	导电嘴	CN-TET90905-8
	Contact Tip E-CU M6*45*1.0mm O.D.8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D.8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D.8mm	导电嘴	CN-TET91405-8
	Contact Tip E-CU M6*45*1.6mm O.D.8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.8mm O.D.9mm	导电嘴	CN-TET90805-9
	Contact Tip E-CU M6*45*0.9mm O.D.9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D.9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D.9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D.9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.9mm	导电嘴	CN-TET91605-9
5	Gas Diffuser Ceramic	分流器	CN-TGR01001
6	Nozzle Cylindrical ø15*73mm	柱形喷嘴	CN-TGN00043
6-1	Nozzle Conlcal ø11.5*73mm	锥形喷嘴	CN-TGN00044
7	Front Handle	前把壳	CN-P350F
8	Switch	开关芯	CN-P350FS
9	Trigger The Wrench	扳机	CN-P350FSW
10	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010B
11	Control Wire Plug	控制插头	CN-PCLP
12	Gas Tube With Nut 9/16-18	气接头	CN-PGAS
13	Rear Handle	后把壳	CN-P350B

14	Central Adaplor Block	后主体	CN-CAB
15	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-TDT90016
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-TDT90005
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-TDT90006
16	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
17	Rear Handle & Support Spring	后把壳	CN-501.2248X
18	Rear Connector Nut	后锁母	CN-500.0213X
19	Euro Central Connector KZ-2	后主体	CN-501.0003
20	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
21	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN P500A

Rating: 500A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2~1.6mm



No.	Description		Order
	CN-P500A 3m Welding Torch		YT-50CS4HPE
	CN-P500A 4m Welding Torch		YT-50CS5HPE
	CN-P500A 5m Welding Torch		YT-50CS5HPE
1	Swan Neck	弯管	CN-TSM04708
2	Contact Tip Holder Inside Thread M14*1	导电嘴座	CN-TSM04693
	Contact Tip Holder inside Thread Brass M14*1	导电嘴座	CN-TSM04693-E
	Contact Tip Holder Extemal Thread M10*1	导电嘴座	CN-TSM04693-EB
	Contact Tip Holder Extemal Thread Brass M10*1	导电嘴座	CN-TET90905-8
3	insulator	绝缘座	CN-TFZ50107
4	Contact Tip E-CU M6*45*0.8mm O.D..8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D..8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.0mm O.D..8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D..8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D..8mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D..8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.9mm O.D..9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D..9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D..9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D..9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D..9mm	导电嘴	CN-TET91605-9
5	Gas Diffuser Ceramic	分流器	CN-TGR00902
6	Nozzle ø19*84mm	喷嘴	CN-TGN00014
	Nozzle ø20*84mm	喷嘴	CN-TGN00056
7	Front Handle	前把壳	CN-TGN01208
8	Switch	开关芯	CN-P200F
9	Trigger The Wrench	扳机	CN-P350FS
10	Cable Ball Joint & Support Spring Small	球节支撑体	CN-400.1010B
11	Rear Handle	后把壳	CN-P350B
12	Control Wire Plug	控制线插头	CN-PCLP
13	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
14	Central Adaplor Block	后主体	
15	Black Steel Liner 1.2-1.6mm 3m	送丝管	CN-TDT90001
	Black Steel Liner 1.2-1.6mm 4m	送丝管	CN-TDT90002
	Black Steel Liner 1.2-1.6mm 5m	送丝管	CN-TDT90003
16	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
17	Rear Handle & Support Spring	后把壳	CN-501.2248X
18	Rear Connector Nut	后锁母	CN-500.0213X
19	Euro Central Connector KZ-2	后主体	CN-501.0003
20	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0043
21	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN ME 300A

Rating: 300A CO_2
185A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.4mm



No.	Description		Order
	ME300A-N Spring Pins 3M		CN-116711
	ME300A-N Spring Pins 3.5M		CN-116712
	ME300A-N Spring Pins 4M		CN-116713
	ME300A-N Spring Pins 4.5M		CN-116714
1	Swan Neck ME300A 45°	弯管	CN-53000
2	Insulating rings	绝缘环	CN-57002
3	Gas Diffuser M6 ME300A-ME350A	导电嘴座	CN-53002
4	Contact Tip M6*0.6 hexagonal	导电嘴	CN-57600
	Contact Tip M6*0.8 hexagonal	导电嘴	CN-57601
	Contact Tip M6*0.9 hexagonal	导电嘴	CN-57602
	Contact Tip M6*1.0/0.8 hexagona	导电嘴	CN-57603
	Contact Tip M6*1.2/1.0 hexagonal	导电嘴	CN-57604
	Contact Tip M6*1.4/1.2 hexagonal	导电嘴	CN-57605
	Contact Tip M6 copsil 0.6 round	导电嘴	CN-57950
	Contact Tip M6 copsil 0.8 round	导电嘴	CN-57951
	Contact Tip M6 copsil 0.9 round	导电嘴	CN-57952
	Contact Tip M6 copsil 1.0 round	导电嘴	CN-57953
	Contact Tip M6 copsil 1.2 round	导电嘴	CN-57954
5	Spatter protection ø16.9 x 14.5 L=36	玻纤管	CN-53001
6	Nozzle spray HD	喷嘴	CN-53009
6-1	Nozzle dip, long conical	喷嘴	CN-53004
6-2	Nozzle dip, long conical-1	喷嘴	CN-53157
6-3	Nozzle dip, short conical	喷嘴	CN-53003
6-4	Nozzle dip, short conical-1	喷嘴	CN-53156
6-5	Nozzle spray HD short	喷嘴	CN-53015
6-6	Nozzle parallel	喷嘴	CN-53005
6-7	Nozzle spot	喷嘴	CN-53006
7	Front Handle	前把壳	CN-1880220
8	Hook	挂钩	CN-1790002
9	Switch	开关	CN-177488H
10	Rubber Sheathing	橡胶保护套	CN-Spring
11	Rear Strain Relief Spring	欧式弹簧	CN-P102213
12	Euro Rear Handle	欧式后把壳	CN-P001075
13	Rear Connector Nut	后锁母	CN-500.0213L
14	Euro Central Connector KZ-2	后主体	CN-57113
15	Black Steel Liner 0.6-0.8mm 3.0m	送丝管3米	CN-57151
	Black Steel Liner 0.6-0.8mm 3.5m	送丝管3.5米	CN-57152
	Black Steel Liner 0.6-0.8mm 4.0m	送丝管4.0米	CN-57153
	Black Steel Liner 0.6-0.8mm 4.5m	送丝管4.5米	CN-57154
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN ME 350A

Rating: 350A CO_2
210A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.6mm





No.	Description		Order
	ME350A-N Spring Pins 3M		CN-116719
	ME350A-N Spring Pins 3.5M		CN-116720
	ME350A-N Spring Pins 4M		CN-116721
	ME350A-N Spring Pins 4.5M		CN-116722
1	Swan Neck ME350A 45°	弯管	CN-53000
	Swan Neck ME350A-gas less long compl	少气型长弯管	CN-53012
2	Insulating rings	绝缘环	CN-57002
3	Gas Diffuser M6 ME300A-ME350A	导电嘴座	CN-53002
4	Contact Tip M6*0.6 hexagonal	导电嘴	CN-57600
	Contact Tip M6*0.8 hexagonal	导电嘴	CN-57601
	Contact Tip M6*0.9 hexagonal	导电嘴	CN-57602
	Contact Tip M6*1.0/0.8 hexagonal	导电嘴	CN-57603
	Contact Tip M6*1.2/1.0 hexagonal	导电嘴	CN-57604
	Contact Tip M6*1.4/1.2 hexagonal	导电嘴	CN-57605
	Contact Tip M6 copsil 0.6 round	导电嘴	CN-57950
	Contact Tip M6 copsil 0.8 round	导电嘴	CN-57951
	Contact Tip M6 copsil 0.9 round	导电嘴	CN-57952
	Contact Tip M6 copsil 1.0 round	导电嘴	CN-57953
	Contact Tip M6 copsil 1.2 round	导电嘴	CN-57954
5	Spatter protection ø16.9 x 14.5 L=36	玻纤管	CN-53001
6	Nozzle spray HD	喷嘴	CN-53009
6-1	Nozzle dip, long conical	喷嘴	CN-53004
6-2	Nozzle dip, long conical-1	喷嘴	CN-53157
6-3	Nozzle dip, short conical	喷嘴	CN-53003
6-4	Nozzle dip, short conical-1	喷嘴	CN-53156
6-5	Nozzle spray HD short	喷嘴	CN-53015
6-6	Nozzle parallel	喷嘴	CN-53005
6-7	Nozzle spot	喷嘴	CN-53006
7	Front Handle	前把壳	CN-1880220
8	Hook	挂钩	CN-1790002
9	Switch	开关	CN-177488H
10	Rubber Sheathing	橡胶保护套	CN-117692
11	Rear Strain Relief Spring	欧式弹簧	CN-P102213
12	Euro Rear Handle	欧式后把壳	CN-P001075
13	Rear Connector Nut	后锁母	CN-500.0213L
14	Euro Central Connector KZ-2	后主体	CN-57113
15	Black Steel Liner 0.6-0.8mm 3.0m	送丝管3米	CN-57151
	Black Steel Liner 0.6-0.8mm 3.5m	送丝管3.5米	CN-57152
	Black Steel Liner 0.6-0.8mm 4.0m	送丝管4.0米	CN-57153
	Black Steel Liner 0.6-0.8mm 4.5m	送丝管4.5米	CN-57154
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN ME 400A

Rating: 400A CO_2
260A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~2.0mm





No.	Description		Order
	ME400A-N Spring Pins 3M		CN-116735
	ME400A-N Spring Pins 3.5M		CN-116736
	ME400A-N Spring Pins 4M		CN-116737
	ME400A-N Spring Pins 4.5M		CN-116738
1	Swan Neck ME400A 45°	弯管	CN-54017
2	Insulating rings	绝缘环	CN-57003
3	Gas Diffuser M8*34.5mm	导电嘴座	CN-54002
4	Contact Tip M8*0.8 hexagonal	导电嘴	CN-57800
	Contact Tip M8*0.9 hexagonal	导电嘴	CN-57801
	Contact Tip M8*1.0/0.8 aluminium hexagonal	导电嘴	CN-57802
	Contact Tip M8*1.2/1.0 aluminium hexagonal	导电嘴	CN-57803
	Contact Tip M8*1.4/1.2 aluminium hexagonal	导电嘴	CN-57804
	Contact Tip M8*1.6/1.4 aluminium hexagonal	导电嘴	CN-57805
	Contact Tip M8*1.8/1.6 aluminium hexagonal	导电嘴	CN-57834
	Contact Tip M8 copsil 0.8 round	导电嘴	CN-57835
	Contact Tip M8 copsil 0.9 round	导电嘴	CN-57836
	Contact Tip M8 copsil 1.0/0.8 aluminium round	导电嘴	CN-57837
	Contact Tip M8 copsil 1.2/1.0 aluminium round	导电嘴	CN-57838
	Contact Tip M8 copsil 1.4/1.2 aluminium round	导电嘴	CN-57839
	Contact Tip M8 copsil 1.6/1.4 aluminium round	导电嘴	CN-57840
	Contact Tip M8 copsil 2.0/1.8 aluminium round	导电嘴	CN-57841
5	Nozzle insulator ø19 x16.5 L=37	玻纤管	* CN-54001
	Nozzle insulator ø19 x16.5 L=24	玻纤管	* CN-54009
6	Nozzle spray HD ID 15mm	喷嘴	CN-54004
6-1	Nozzle dip, long conical ID 15mm	喷嘴	CN-54006
6-2	Nozzle dip, short conical ID 15.5mm	喷嘴	CN-54003
6-3	Nozzle pulse HD ID 15mm	喷嘴	CN-54022
6-4	Nozzle spray small bore ID 13mm	喷嘴	CN-54008
6-5	Nozzle spray small bore ID 10mm	喷嘴	CN-54028
6-6	Nozzle spray HD long ID 15mm	喷嘴	CN-54011
6-7	Nozzle parallel HD ID 19.2mm	喷嘴	CN-54007
6-8	Nozzle spot ID 22mm	喷嘴	CN-54005
7	Front Handle	前把壳	CN-117693
8	Hook	挂钩	CN-1790002
9	Switch	开关	CN-177488H
10	Swan neck holder	弯管固定器	CN-54016
11	Rubber Sheathing	橡胶保护套	CN-117692
12	Rear Strain Relief Spring	欧式弹簧	CN-P102213
13	Euro Rear Handle	欧式后把壳	CN-P001075
14	Rear Connector Nut	后锁母	CN-500.0213L
15	Euro Central Connector KZ-2	后主体	CN-57113
16	Red Steel Liner 1.4-2.0mm 3.0m	送丝管3米	CN-57261
	Red Steel Liner 1.4-2.0mm 3.5m	送丝管3.5米	CN-57262
	Red Steel Liner 1.4-2.0mm 4.0m	送丝管4.0米	CN-57263
	Red Steel Liner 1.4-2.0mm 4.5m	送丝管4.5米	CN-57264
17	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



* -Nozzle insulator item No. :CN-54001
Use for Gas Nozzle item No. :
CN-54004、CN-54006、CN-54003、CN-54022
CN-54011、CN-54007、CN-54005

* 玻纤管：CN-54001
适用于喷嘴：CN-54004、CN-54006、CN-54003、CN-54022
CN-54011、CN-54007、CN-54005

* -Nozzle insulator item No. :CN-54009
Use for Gas Nozzle item No. :CN-54008、CN-54028

* 玻纤管：CN-54009
适用于喷嘴：CN-54008、CN-54028


CN ME 500W

Rating: 500A CO_2
420A Mixed Gases
Duty Cycle: 80%
Wire Size: 0.8~2.4mm




No.	Description		Order
	ME500W-N Spring Pins 3M		CN-117177
	ME500W-N Spring Pins 3.5M		CN-117178
	ME500W-N Spring Pins 4M		CN-117179
	ME500W-N Spring Pins 4.5M		CN-117180
1	CNME500W Swan neck-43°	弯管	CN-55060
2	Gas diffuser M8	导电嘴座	CN-54002
3	Contact Tip M8*0.8 hexagonal	导电嘴	CN-57800
	Contact Tip M8*0.9 hexagonal	导电嘴	CN-57801
	Contact Tip M8*1.0/0.8 aluminium hexagonal	导电嘴	CN-57802
	Contact Tip M8*1.2/1.0 aluminium hexagonal	导电嘴	CN-57803
	Contact Tip M8*1.4/1.2 aluminium hexagonal	导电嘴	CN-57804
	Contact Tip M8*1.6/1.4 aluminium hexagonal	导电嘴	CN-57805
	Contact Tip M8*1.8/1.6 aluminium hexagonal	导电嘴	CN-57834
	Contact Tip M8*2.0/1.8 aluminium hexagonal	导电嘴	CN-57806
	Contact Tip M8*2.4/2.0aluminium hexagonal	导电嘴	CN-57807
	Contact Tip M8*2.8/2.4aluminium hexagonal	导电嘴	CN-57813
	Contact Tip M8 copsil 0.8 round	导电嘴	CN-57835
	Contact Tip M8 copsil 0.9 round	导电嘴	CN-57836
	Contact Tip M8 copsil 1.0/0.8 aluminium round	导电嘴	CN-57837
	Contact Tip M8 copsil 1.2/1.0 aluminium round	导电嘴	CN-57838
	Contact Tip M8 copsil 1.4/1.2 aluminium round	导电嘴	CN-57839
	Contact Tip M8 copsil 1.6/1.4 aluminium round	导电嘴	CN-57840
	Contact Tip M8 copsil 2.0/1.8 aluminium round	导电嘴	CN-57841
	Contact Tip M8 copsil 2.4/2.0 aluminium round	导电嘴	CN-57842
	Contact Tip M8 copsil 2.8/2.4 aluminium round	导电嘴	CN-57843
4	Nozzle insulator ø19x16.5 L=37	玻纤管	CN-54001
	Nozzle insulator ø1x16.5 L=24	玻纤管	CN-54009
5	Nozzle spray HD ID 15mm	喷嘴	CN-54004
5-1	Nozzle dip, long conical ID 15mm	喷嘴	CN-54006
5-2	Nozzle dip, short conical ID 15.5mm	喷嘴	CN-54003
5-3	Nozzle pulse HD ID 15mm	喷嘴	CN-54022
5-4	Nozzle spray small bore ID 13mm	喷嘴	CN-54008
5-5	Nozzle spray small bore ID 10mm	喷嘴	CN-54028
5-6	Nozzle spray HD long ID 15mm	喷嘴	CN-54011
5-7	Nozzle parallel HD ID 19.2mm	喷嘴	CN-54007
5-8	Nozzle spot ID 22mm	喷嘴	CN-54005
6	Front Handle	前把壳	CN-117693
7	Hook	挂钩	CN-1790002
8	Switch	开关	CN-177488H
9	Cable Ball Joint & Support Sping Water	球节支撑体	CN-117693
10	Fastener Cap Red	红色胶套	CN-115823
11	Fastener Cap Blue	蓝色胶套	CN-115822
12	Rear Handle Water	后把壳	CN-76054
13	Pug Nipple ND 5mm	出水快插	CN-501.0114
14	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-109.0052
15	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-103.0018
16	Adaptor Nut M33x2	后锁母	CN-117695
17	Gas Hose Red ø5*8 Units:100m	红色气管	CN-109.0052
18	Hose Clamp ø8.0mm	喉箍	CN-171.0012
19	Central Adaptor WZ-2	后主体	CN-57141
20	Red Steel Liner 1.4-2.0mm 3.0m	送丝管3米	CN-57261
	Red Steel Liner 1.4-2.0mm 3.5m	送丝管3.5米	CN-57262
	Red Steel Liner 1.4-2.0mm 4.0m	送丝管4.0米	CN-57263
	Red Steel Liner 1.4-2.0mm 4.5m	送丝管4.5米	CN-57264
21	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN ME 600W









Rating: 600A CO_2
520A Mixed Gases
Duty Cycle: 80%
Wire Size: 0.8~2.4mm



















No.	Description		Order
	ME600W-N Spring Pins 3M		CN-117371
	ME600W-N Spring Pins 3.5M		CN-117182
	ME600W-N Spring Pins 4M		CN-117183
	ME600W-N Spring Pins 4.5M		CN-117184
1	CNME600W Swan neck-45°	弯管	CN-56050
2	Gas diffuser M8 ME500A	导电嘴座	CN-55002
3	Contact Tip M8*0.8 hexagonal	导电嘴	CN-57800
	Contact Tip M8*0.9 hexagonal	导电嘴	CN-57801
	Contact Tip M8*1.0/0.8 aluminium hexagonal	导电嘴	CN-57802
	Contact Tip M8*1.2/1.0 aluminium hexagonal	导电嘴	CN-57803
	Contact Tip M8*1.4/1.2 aluminium hexagonal	导电嘴	CN-57804
	Contact Tip M8*1.6/1.4 aluminium hexagonal	导电嘴	CN-57805
	Contact Tip M8*1.8/1.6 aluminium hexagonal	导电嘴	CN-57834
	Contact Tip M8*2.0/1.8 aluminium hexagonal	导电嘴	CN-57806
	Contact Tip M8*2.4/2.0 aluminium hexagonal	导电嘴	CN-57807
	Contact Tip M8*2.8/2.4 aluminium hexagonal	导电嘴	CN-57813
	Contact Tip M8*3.2/2.8 aluminium hexagonal	导电嘴	CN-57815
	Contact Tip M8 copsil 0.8 round	导电嘴	CN-57835
	Contact Tip M8 copsil 0.9 round	导电嘴	CN-57836
	Contact Tip M8 copsil 1.0/0.8 aluminium round	导电嘴	CN-57837
	Contact Tip M8 copsil 1.2/1.0 aluminium round	导电嘴	CN-57838
	Contact Tip M8 copsil 1.4/1.2 aluminium round	导电嘴	CN-57839
	Contact Tip M8 copsil 1.6/1.4 aluminium round	导电嘴	CN-57840
	Contact Tip M8 copsil 2.0/1.8 aluminium round	导电嘴	CN-57841
	Contact Tip M8 copsil 2.4/2.0 aluminium round	导电嘴	CN-57842
	Contact Tip M8 copsil 2.8/2.4 aluminium round	* 导电嘴	CN-57843
	Contact Tip M8 copsil 3.2/2.8 aluminium round	导电嘴	CN-57844
4	Nozzle insulator ø19x16.5 L=37	玻纤管	CN-54001
	Nozzle insulator ø1x16.5 L=24	玻纤管	CN-54009
5	Nozzle spray HD ID 17mm	喷嘴	CN-55003
5-1	Nozzle spray HD short	喷嘴	CN-55026
5-2	Nozzle spray small bore ID 10.5mm	喷嘴	CN-55005
5-3	Nozzle pulse HD ID 17mm	喷嘴	CN-55008
5-4	Nozzle spot HD	喷嘴	CN-55004
5-5	Nozzle spray HD long	喷嘴	CN-55009
5-6	Gas nozzle- parallel	喷嘴	CN-55011
6	Front Handle	前把壳	CN-117693
7	Hook	挂钩	CN-1790002
8	Switch	开关	CN-177488H
9	Cable Ball Joint & Support Sping Water	球节支撑体	CN-117693
10	Fastener Cap Red	红色胶套	CN-115823
11	Fastener Cap Blue	蓝色胶套	CN-115822
12	Rear Handle Water	后把壳	CN-76054
13	Pug Nipple ND 5mm	出水快插	CN-501.0114
14	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-109.0052
15	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-103.0018
16	Adaptor Nut M33x2	后锁母	CN-117695
17	Gas Hose Red ø5*8 Units:100m	红色气管	CN-109.0052
18	Hose Clamp ø8.0mm	喉箍	CN-171.0012
19	Central Adaptor WZ-2	后主体	CN-57341
20	Red Steel Liner 2.0-3.2mm 3.0m	送丝管3米	CN-114706
	Red Steel Liner 2.0-3.2mm 3.5m	送丝管3.5米	CN-114707
	Red Steel Liner 2.0-3.2mm 4.0m	送丝管4.0米	CN-114708
	Red Steel Liner 2.0-3.2mm 4.5m	送丝管4.5米	CN-114709
21	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




ME300A/350A-Nozzle		Standard No.	Description
		CN-53009	Nozzle spray HD
		CN-53004	Nozzle dip, long conical
		CN-53157	Nozzle dip, long conical-1
		CN-53003	Nozzle dip, short conical
		CN-53156	Nozzle dip, short conical-1
		CN-53015	Nozzle spray HD short
		CN-53005	Nozzle pafallel
		CN-53006	Nozzle spot

ME400A/500W-Nozzle		Standard No.	Description
		CN-54004	Nozzle spray HD ID 15mm
		CN-54006	Nozzle dip,long conical ID 15mm
		CN-54003	Nozzle dip,short conical ID 15.5mm
		CN-54022	Nozzle pulse HD ID 15mm
		CN-54008	Nozzle spray small bore ID 13mm
		CN-54028	Nozzle spray small bore ID 10mm
		CN-54011	Nozzle spray HD long ID 15mm
		CN-54007	Nozzle parallel HD ID 19.2mm
		CN-54005	Nozzle spot ID 22mm

ME600W-Nozzle	Standard No.	Description
 	CN-55003	Nozzle spray HD ID 17mm
 	CN-55026	Nozzle spray HD short
 	CN-55005	Nozzle spray small bore ID 10.5mm
 	CN-55008	Nozzle pulse HD ID 17mm
 	CN-55004	Nozzle spot HD
 	CN-55009	Nozzle spray HD long
 	CN-55011	Gas nozzle - parallel


CN TR 300A

Rating: 300A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: .030''-1/16''(0.8-1.6mm)




No.	Description	10FT(3.0m)	12FT(3.5m))	15FT(4.5m
	CN-TR300 "C" Handle MIG Torch Euro Connector	CN-3010CE	CN-3012CE	CN-3015CE
	CN-TR300 "C" Handle MIG Torch Miller Connector	CN-3010CM	CN-3012CE	CN-3015CE
	CN-TR300 "C" Handle MIG Torch Tweco Connector	CN-3010CT	CN-3012CT	CN-3015CT
	CN-TR300 "C" Handle MIG Torch Lincoln Connector	CN-3010CL	CN-3012CL	CN-3015CL
	CN-TR300 "T" Handle MIG Torch Euro Connector	CN-3010TE	CN-3012TE	CN-3015TE
	CN-TR300 "T" Handle MIG Torch Miller Connector	CN-3010TM	CN-3012TM	CN-3015TM
	CN-TR300 "T" Handle MIG Torch Tweco Connector	CN-3010TT	CN-3012TT	CN-3015TT
	CN-TR300 "T" Handle MIG Torch Lincoln Connector	CN-3010TL	CN-3012TL	CN-3015TL
1	Swan Neck 45°	弯管	CN-305-45	
	Swan Neck 60°	弯管	CN-305-60	
2	Neck Insulato	绝缘座	CN-402-11	
3	Nozzle Adapter	喷嘴适配器	CN-402-3	
4	Retaining Head/Diffuser	导电嘴座	CN-404-3	
5	Contact Tip .030'' 0.8mm	导电嘴	CN-403-1-30	
	Contact Tip .035'' 0.9mm	导电嘴	CN-403-1-35	
	Contact Tip .040'' 1.0mm	导电嘴	CN-403-1-40	
	Contact Tip .045'' 1.2mm	导电嘴	CN-403-1-45	
	Contact Tip .052'' 1.4mm	导电嘴	CN-403-1-52	
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-403-1-116	
	Contact Tip .078" 2.0 mm	导电嘴	CN-403-1-564	
	Contact Tip 3/32" 2.4 mm	导电嘴	CN-403-1-332	
6	Nozzle 1/2'',1/4" Stick-out,Bottleneck,Brass,0.938",2.50"	喷嘴	CN-401-44-50	
	Nozzle 1/2'',1/4" Stick-out,Bottleneck,Copper,0.938",2.50	喷嘴	CN-401-44-50C	
	Nozzle 1/2'',1/8" Stick-out,Bottleneck,Brass,0.938",2.63"	喷嘴	CN-401-48-50	
	Nozzle 1/2'',1/8" Stick-out,Bottleneck,Copper,0.938",2.63	喷嘴	CN-401-48-50C	
	Nozzle 1/2'',1/8" Recess,Bottleneck,Brass,0.938",2.88''	喷嘴	CN-401-42-50	
	Nozzle 1/2'',1/8" Recess,Bottleneck,Copper,0.938",2.88''	喷嘴	CN-401-42-50C	
	Nozzle 3/8'',Flush,Taper,Copper,0.938",2.74"	喷嘴	CN-401-4-38	
	Nozzle 3/8'',1/16" Recess,Taper,Brass,0.978",2.81"	喷嘴	CN-401-40-38	
	Nozzle 1/2'',1/8" Recess,Taper,Copper,0.938",2.88''	喷嘴	CN-401-4-50	
	Nozzle 5/8",1/4" Stick-out,Taper,Copper,0.938",2.51"	喷嘴	CN-401-44-62	
	Nozzle 5/8",1/4" Stick-out,Taper,Copper,0.938",2.51"	喷嘴	CN-401-9-62	
	Nozzle 5/8",1/8" Stick-out,Taper,Copper,0.938",2.63"	喷嘴	CN-401-8-62	
	Nozzle 5/8",1/8" Recess,Taper,Copper,0.938",2.88"	喷嘴	CN-401-4-62	
	Nozzle 3/4",1/8" Recess,Straight,Copper,0.938",2.88"	喷嘴	CN-401-4-75	
	Nozzle 5/8",1/8" Recess,Taper,Brass,1.062",2.88''	喷嘴	CN-401-72-62	
	Nozzle 5/8",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-62	
	Nozzle 5/8",1/4" Recess,Taper,Brass,1.106",3.00"	喷嘴	CN-401-7-62	
	Nozzle 3/4",1/8" Recess,Taper,Copper,1.062",2.88''	喷嘴	CN-401-6-75	
	Nozzle 3/4",1/8" Recess,Taper,Brass,1.106",2.88''	喷嘴	CN-401-7-75	
	Nozzle 3/4",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-75	
	Nozzle 7/8",1/4" Recess,Straight,Brass,1.106",3.00"	喷嘴	CN-401-7-87	
7	"T" Series Straight Handle & Spring	"T" 把壳&弹簧	CN-410	

8	Trigger Housing	扳机/开关	CN-411-2
9	Cone Nut TR300	锥形螺母	CN-409
10	End Fitting TR300	前接头	CN-308
11	Goose Neck Locating Ring	弯管固定器	CN-407
12-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
12-2	Euro Rear Handle	欧式后把壳	CN-P001075
12-3	Euro Nut	后锁母	CN-174X-2
12-4	Euro Connector Tweco Style	后主体	CN-174EX-1
12-5	Liner Red for .045"-1/16"(1.2-1.6mm) 10FT(3.0m)	送丝管3米	CN-415-116-10
	Liner Red for .045"-1/16"(1.2-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-415-116-15
	Liner Red for .045"-1/16"(1.2-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-415-116-25
12-6	Euro Conduit Cap	螺母	CN-174EX-1C
13-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
13-2	Rear Handle American Style	美式把壳	CN-P001075A
13-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
13-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
14	Tweco Connector Plug	TWC连接器	CN-350-174H
15	Miller Connector Plug	ML连接器	CN-350-174MH
15-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
16	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
17	CNML Liner	ML送丝管	CN-MLL
18-1	Power Pin Block	后主体	CN-414-400
18-2	Miller Central Connector	ML连接器	CN-214-1/2200137
18-3	Power Pin Tip	ML 连接器螺母	CN-214-116
18-4	Miller Control Wire Direct Plug	ML控制插头	CN-419
18-5	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
	We can supply any cable connector according to customer request 我们可以根据客户需要制作任何形式的接口		



CN TR 400A

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .025''-1/16''(0.6-1.6mm)




No.	Description	10FT(3.0m)	12FT(3.5m))	15FT(4.5m
	CN-TR400 "C" Handle MIG Torch Euro Connector	CN-4010CE	CN-4012CE	CN-4015CE
	CN-TR400 "C" Handle MIG Torch Miller Connector	CN-4010CM	CN-4012CE	CN-4015CE
	CN-TR400 "C" Handle MIG Torch Tweco Connector	CN-4010CT	CN-4012CT	CN-4015CT
	CN-TR400 "C" Handle MIG Torch Lincoln Connector	CN-4010CL	CN-4012CL	CN-4015CL
	CN-TR400 "T" Handle MIG Torch Euro Connector	CN-4010TE	CN-4012TE	CN-4015TE
	CN-TR400 "T" Handle MIG Torch Miller Connector	CN-4010TM	CN-4012TM	CN-4015TM
	CN-TR400 "T" Handle MIG Torch Tweco Connector	CN-4010TT	CN-4012TT	CN-4015TT
	CN-TR400 "T" Handle MIG Torch Lincoln Connector	CN-4010TL	CN-4012TL	CN-4015TL

1	Swan Neck 45°	弯管	CN-405-45
	Swan Neck 60°	弯管	CN-405-60
2	Neck Insulator	绝缘座	CN-402-11
3	Gas Diffuser (5/16-18Thd)	导电嘴座	CN-404-3
4	Contact Tip .030'' 0.8mm	导电嘴	CN-403-1-30
	Contact Tip .035'' 0.9mm	导电嘴	CN-403-1-35
	Contact Tip .040'' 1.0mm	导电嘴	CN-403-1-40
	Contact Tip .045'' 1.2mm	导电嘴	CN-403-1-45
	Contact Tip .052'' 1.4mm	导电嘴	CN-403-1-52
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-403-1-116
	Contact Tip .078" 2.0 mm	导电嘴	CN-403-1-564
	Contact Tip 3/32" 2.4 mm	导电嘴	CN-403-1-332
5	Nozzle 5/8",1/8" Stick-out,Bottleneck,Copper,1.062",2.63"	喷嘴	CN-401-49-62
	Nozzle 5/8",Flush,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-48-62
	Nozzle 5/8",Flush,Bottleneck,Brass,1.062",2.76"	喷嘴	CN-401-51-62
	Nozzle 5/8",5mm Recess,Bottleneck,Copper,1.062",2.95"	喷嘴	CN-401-50-62
	Nozzle 9/16",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-87-56
	Nozzle 1/2'',1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-6-50
	Nozzle 1/2'',1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-50
	Nozzle 5/8",1/4" Stick-out,Taper,Brass,1.106",2.50"	喷嘴	CN-401-92-62
	Nozzle 5/8",1/8" Stick-out,Taper,Copper,1.062",2.63"	喷嘴	CN-401-81-62
	Nozzle 5/8",1/8" Stick-out,Taper,Brass,1.062",2.63"	喷嘴	CN-401-87-62
	Nozzle 5/8",1/8" Stick-out,Taper,Brass,1.106",2.63"	喷嘴	CN-401-91-62
	Nozzle 5/8",Flush,Taper,Brass,1.062",2.76"	喷嘴	CN-401-88-62
	Nozzle 5/8",1/8" Recess,Taper,Copper,1.062",2.88''	喷嘴	CN-401-6-62
	Nozzle 5/8",1/8" Recess,Taper,Brass,1.106",2.88"	喷嘴	CN-401-71-62
	Nozzle 5/8",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-72-62
	Nozzle 5/8",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-62
	Nozzle 5/8",1/4" Recess,Taper,Brass,1.106",3.00"	喷嘴	CN-401-7-62
	Nozzle 3/4",1/8" Recess,Taper,Copper,1.062",2.88"	喷嘴	CN-401-6-75
	Nozzle 3/4",1/8" Recess,Taper,Brass,1.106",2.88"	喷嘴	CN-401-7-75
	Nozzle 3/4",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-75
	Nozzle 7/8",1/4" Recess,Straight,Brass,1.106",3.00"	喷嘴	CN-401-7-87
6	"T" Series Straight Handle & Spring	"T" 把壳&弹簧	CN-410
7	Trigger Housing	扳机/开关	CN-411-2
8	Cone Nut TR400	锥形螺母	CN-509
9	End Fitting TR400	前接头	CN-408
10	Goose Neck Locating Ring	弯管固定器	CN-407


11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把壳	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner Red for .045"-1/16"(1.2-1.6mm) 10FT(3.0m)	送丝管3米	CN-415-116-10
	Liner Red for .045"-1/16"(1.2-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-415-116-15
	Liner Red for .045"-1/16"(1.2-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-415-116-25
11-6	Euro Conduit Cap	螺母	CN-174EX-1C
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
12-2	Rear Handle American Style	美式把壳	CN-P001075A
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
13	Tweco Connector Plug	TWC连接器	CN-350-174H
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Power Pin Block	后主体	CN-414-400
17-2	Miller Central Connector	ML连接器	CN-214-1/2200137
17-3	Power Pin Tip	ML 连接器螺母	CN-214-116
17-4	Miller Control Wire Direct Plug	ML控制插头	CN-419
17-5	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TR 500A

Rating: 500A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: .040''-1/16''(1.0-1.6mm)




No.	Description	10FT(3.0m)	12FT(3.5m))	15FT(4.5m
	CN-TR500 "C" Handle MIG Torch Euro Connector	CN-5010CE	CN-5012CE	CN-5015CE
	CN-TR500 "C" Handle MIG Torch Miller Connector	CN-5010CM	CN-5012CE	CN-5015CE
	CN-TR500 "C" Handle MIG Torch Tweco Connector	CN-5010CT	CN-5012CT	CN-5015CT
	CN-TR500 "C" Handle MIG Torch Lincoln Connector	CN-5010CL	CN-5012CL	CN-5015CL
	CN-TR500 "T" Handle MIG Torch Euro Connector	CN-5010TE	CN-5012TE	CN-5015TE
	CN-TR500 "T" Handle MIG Torch Miller Connector	CN-5010TM	CN-5012TM	CN-5015TM
	CN-TR500 "T" Handle MIG Torch Tweco Connector	CN-5010TT	CN-5012TT	CN-5015TT
	CN-TR500 "T" Handle MIG Torch Lincoln Connector	CN-5010TL	CN-5012TL	CN-5015TL

1	Swan Neck 45°	弯管	CN-505-45
	Swan Neck 60°	弯管	CN-505-60
2	Neck Insulator	绝缘座	CN-402-11
3	Heavy Duty Retaining Head	导电嘴座	CN-404-20
	Heavy Duty Robotic Retaining Head	导电嘴座	CN-404-30
	Dual Taper Heavy Duty Retaining Head	导电嘴座	CN-404-26
	Dual Taper Heavy Duty Robotic Retaining Head	导电嘴座	CN-404-32
4	Contact Tip .030'' 0.8mm Heavy Duty	导电嘴	CN-403-20-30
	Contact Tip .035'' 0.9mm Heavy Duty	导电嘴	CN-403-20-35
	Contact Tip .040'' 1.0mm Heavy Duty	导电嘴	CN-403-20-40
	Contact Tip .045'' 1.2mm Heavy Duty	导电嘴	CN-403-20-45
	Contact Tip .052'' 1.4mm Heavy Duty	导电嘴	CN-403-20-52
	Contact Tip 1/16'' 1.6mm Heavy Duty	导电嘴	CN-403-20-116
	Contact Tip 5/64'' 2.0mm Heavy Duty	导电嘴	CN-403-20-564
	Contact Tip 3/32'' 2.4mm Heavy Duty	导电嘴	CN-403-20-332
	Contact Tips Heavy Duty Tapered	导电嘴	CN-403-21-XX
5	Nozzle 5/8",1/8" Stick-out,Bottleneck,Copper,1.062",2.63"	喷嘴	CN-401-49-62
	Nozzle 5/8",Flush,Bottleneck,Copper,1.062",2.76"	喷嘴	CN-401-48-62
	Nozzle 5/8",Flush,Bottleneck,Brass,1.062",2.76"	喷嘴	CN-401-51-62
	Nozzle 5/8",5mm Recess,Bottleneck,Copper,1.062",2.95"	喷嘴	CN-401-50-62
	Nozzle 9/16",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-87-56
	Nozzle 1/2'',1/8" Recess,Taper,Copper,1.062",2.88''	喷嘴	CN-401-6-50
	Nozzle 1/2'',1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-50
	Nozzle 5/8",1/4" Stick-out,Taper,Brass,1.106",2.50"	喷嘴	CN-401-92-62
	Nozzle 5/8",1/8" Stick-out,Taper,Copper,1.062",2.63"	喷嘴	CN-401-81-62
	Nozzle 5/8",1/8" Stick-out,Taper,Brass,1.062",2.63"	喷嘴	CN-401-87-62
	Nozzle 5/8",1/8" Stick-out,Taper,Brass,1.106",2.63"	喷嘴	CN-401-91-62
	Nozzle 5/8",Flush,Taper,Brass,1.062",2.76"	喷嘴	CN-401-88-62
	Nozzle 5/8",1/8" Recess,Taper,Copper,1.062",2.88''	喷嘴	CN-401-6-62
	Nozzle 5/8",1/8" Recess,Taper,Brass,1.106",2.88"	喷嘴	CN-401-71-62
	Nozzle 5/8",1/8" Recess,Taper,Brass,1.062",2.88"	喷嘴	CN-401-72-62
	Nozzle 5/8",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-62
	Nozzle 5/8",1/4" Recess,Taper,Brass,1.106",3.00"	喷嘴	CN-401-7-62
	Nozzle 3/4",1/8" Recess,Taper,Copper,1.062",2.88"	喷嘴	CN-401-6-75
	Nozzle 3/4",1/8" Recess,Taper,Brass,1.106",2.88"	喷嘴	CN-401-7-75
	Nozzle 3/4",1/4" Recess,Taper,Copper,1.062",3.00"	喷嘴	CN-401-5-75
	Nozzle 7/8",1/4" Recess,Straight,Brass,1.106",3.00"	喷嘴	CN-401-7-87

6	"T" Series Straight Handle & Spring	"T" 把壳&弹簧	CN-410
7	Trigger Housing	扳机/开关	CN-411-2
8	Cone Nut TR400	锥形螺母	CN-509
9	End Fitting TR400	前接头	CN-408
10	Goose Neck Locating Ring	弯管固定器	CN-407
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
11-2	Euro Rear Handle	欧式后把壳	CN-P001075
11-3	Euro Nut	后锁母	CN-174X-2
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1
11-5	Liner Red for .045"-1/16"(1.2-1.6mm) 10FT(3.0m)	送丝管3米	CN-415-116-10
	Liner Red for .045"-1/16"(1.2-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-415-116-15
	Liner Red for .045"-1/16"(1.2-1.6mm) 25FT(7.5m)	送丝管7.5米	CN-415-116-25
11-6	Euro Conduit Cap	螺母	CN-174EX-1C
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
12-2	Rear Handle American Style	美式把壳	CN-P001075A
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
13	Tweco Connector Plug	TWC连接器	CN-350-174H
14	Miller Connector Plug	ML连接器	CN-350-174MH
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
16	CNML Liner	ML送丝管	CN-MLL
17-1	Power Pin Block	后主体	CN-414-400
17-2	Miller Central Connector	ML连接器	CN-214-1/2200137
17-3	Power Pin Tip	ML 连接器螺母	CN-214-116
17-4	Miller Control Wire Direct Plug	ML控制插头	CN-419
17-5	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN-ATTC LIGHTNING MIG Torch Range

Ratings: 250-550 Amp



CN-ATTC LIGHTNING 250

Cooling Method: Air Cooled

Rating: 250A CO2
150A Mixed Gases

Duty Cycle: 60%

Wire Size: 0.8~1.2mm

CN-ATTC LIGHTNING 350

Cooling Method: Air Cooled

Rating: 350A CO2
210A Mixed Gases

Duty Cycle: 60%

Wire Size: 0.8~1.6mm



CN-ATTC LIGHTNING 450

Cooling Method: Air Cooled

Rating: 450A CO2
270A Mixed Gases

Duty Cycle: 60%

Wire Size: 1.0~1.6mm



CN-ATTC LIGHTNING 550

Cooling Method: Air Cooled

Rating: 550A CO2
330A Mixed Gases

Duty Cycle: 60%

Wire Size: 1.0~2.4mm

CN ATTC LIGHTNING

250、350、450、550AMPS



CN ATTC LIGHTNING

250、350、450、550AMPS

No.	Description	Nozzle	Tip	Gas Diffuser	Shock Washer	Goose Neck
	CN-ATTC LIGHTNING 250A	CN-63-2150	CN-63-11XX	CN-63-3103	CN-63-6202 HD	CN-63-5160
	CN-ATTC LIGHTNING 350A	CN-63-2150	CN-63-11XX	CN-63-3103	CN-63-6202 HD	CN-63-5160
	CN-ATTC LIGHTNING 450A	CN-65-2562	CN-63-11XX	CN-63-3103	CN-63-6202 HD	CN-64-5160
	CN-ATTC LIGHTNING 550A	CN-65-2562	CN-63-11XX	CN-63-3103	CN-63-6202 HD	CN-64-5160
1	Goose Neck 45° 250	45°弯管	CN-62-5145			
	Goose Neck 45° 250-350A	45°弯管	CN-63-5145			
	Goose Neck 60° 250-350A	60°弯管	CN-63-5160			
	Goose Neck 45° 450A	45°弯管	CN-64-5145			
	Goose Neck 60° 450A	60°弯管	CN-64-5160			
	Goose Neck 45° 550A	45°弯管	CN-65-5145			
	Goose Neck 60° 550A	60°弯管	CN-65-5160			
1-1	Goose Neck Flexible	柔性弯管	CN-65-405-FL			
2	Shock Washer	减震垫圈	CN-63-6103 HD			
3	Gas Diffuser Standard	导电嘴座	CN-63-3103			
3-1	Gas Diffuser Robotic Tapered	导电嘴座	CN-63-3103-2			
3-2	Gas Diffuser Heavy Duty Standard For use with 65 Contact Tips	导电嘴座	CN-65-3103			
3-3	Gas Diffuser Heavy Duty Robotic For use with 65 Contact Tips	导电嘴座	CN-65-3103-2			
3-4	Gas Diffuser Thrded For use with 63 Contact Tips/Nozzle Thrded	导电嘴座	CN-63-3116			
4	Contact Tip .030" 0.8mm	导电嘴	CN-63-1130			
	Contact Tip .035" 0.9mm	导电嘴	CN-63-1135			
	Contact Tip .040" 1.0mm	导电嘴	CN-63-1140			
	Contact Tip .045" 1.2mm	导电嘴	CN-63-1145			
	Contact Tip .052" 1.4mm	导电嘴	CN-63-1152			
	Contact Tip 1/16" 1.6mm	导电嘴	CN-63-1162			
	Contact Tip .078" 2.0mm	导电嘴	CN-63-1178			
	Contact Tip 3/32" 2.4mm	导电嘴	CN-63-1193			
	Contact Tip CuCrZr .030" 0.8mm	导电嘴	CN-63-1330			
	Contact Tip CuCrZr .035" 0.9mm	导电嘴	CN-63-1335			
	Contact Tip CuCrZr .040" 1.0mm	导电嘴	CN-63-1340			
	Contact Tip CuCrZr .045" 1.2mm	导电嘴	CN-63-1345			
	Contact Tip CuCrZr .052" 1.4mm	导电嘴	CN-63-1352			
	Contact Tip CuCrZr 1/16" 1.6mm	导电嘴	CN-63-1362			
	Contact Tip CuCrZr .078" 2.0mm	导电嘴	CN-63-1378			
	Contact Tip CuCrZr 3/32" 2.4mm	导电嘴	CN-63-1393			
4-1	Contact Tip Tapered .030" 0.8mm	导电嘴	CN-63-1230			
	Contact Tip Tapered .035" 0.9mm	导电嘴	CN-63-1235			
	Contact Tip Tapered .040" 1.0mm	导电嘴	CN-63-1240			
	Contact Tip Tapered .045" 1.2mm	导电嘴	CN-63-1245			
	Contact Tip Tapered .052" 1.4mm	导电嘴	CN-63-1252			
	Contact Tip Tapered 1/16" 1.6mm	导电嘴	CN-63-1262			
4-2	Contact Tip Extra .030" 0.8mm	导电嘴	CN-65-1130			
	Contact Tip Extra .035" 0.9mm	导电嘴	CN-65-1135			
	Contact Tip Extra .040" 1.0mm	导电嘴	CN-65-1140			
	Contact Tip Extra .045" 1.2mm	导电嘴	CN-65-1145			
	Contact Tip Extra .052" 1.4mm	导电嘴	CN-65-1152			
	Contact Tip Extra 1/16" 1.6mm	导电嘴	CN-65-1162			
	Contact Tip Extra .078" 2.0mm	导电嘴	CN-65-1178			
	Contact Tip Extra 3/32" 2.4mm	导电嘴	CN-65-1193			
	Contact Tip Extra CuCrZr .030" 0.8mm	导电嘴	CN-65-1330			
	Contact Tip Extra CuCrZr .035" 0.9mm	导电嘴	CN-65-1335			
	Contact Tip Extra CuCrZr .040"1.0mm	导电嘴	CN-65-1340			
	Contact Tip Extra CuCrZr .045"1.2mm	导电嘴	CN-65-1345			
	Contact Tip Extra CuCrZr .052"1.4mm	导电嘴	CN-65-1352			
	Contact Tip Extra CuCrZr 1/16" 1.6mm	导电嘴	CN-65-1362			
4-3	Contact Tip Extra Tapered .035" 0.9mm	导电嘴	CN-65-1235			
	Contact Tip Extra Tapered .040" 1.0mm	导电嘴	CN-65-1240			
	Contact Tip Extra Tapered .045" 1.2mm	导电嘴	CN-65-1245			
	Contact Tip Extra Tapered .052" 1.4mm	导电嘴	CN-65-1252			
	Contact Tip Extra Tapered 1/16" 1.6mm	导电嘴	CN-65-1262			
5	Nozzle Copper 3/8" (9.5mm) Flush 2.75"(69.8mm)	喷嘴	CN-63-2138			
	Nozzle Copper 1/2" (12.7mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-63-2150			
	Nozzle Brass Bottleneck 1/2" (12.7mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2950-B			
	Nozzle Copper Bottleneck 1/2" (12.7mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2950			
	Nozzle Brass Bottleneck 1/2" (12.7mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-64-2950			
	Nozzle Copper 5/8" (15.9mm) 1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2162			
	Nozzle Copper 5/8" (15.9mm)1/4" Stickout 2.51"(63.8mm)	喷嘴	CN-63-2762			
	Nozzle Copper 5/8" (15.9mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-63-2662			
	Nozzle Brass 5/8" (15.9mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-63-2662-B			
	Nozzle Copper 3/4" (19.1mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2175			
5-1	Nozzle HD Copper 1/2"(12.7mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-65-2550			
	Nozzle HD Copper 5/8"(15.9mm)1/4" Recess 3.00"(76.2mm)	喷嘴	CN-64-2562			
	Nozzle HD Copper 5/8"(15.9mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-65-2562			
	Nozzle HD Copper 5/8"(15.9mm)Flush 2.75"(69.8mm)	喷嘴	CN-64-2962			
	Nozzle HD Copper Bottleneck 5/8" (15.9mm) 1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-64-2962-S			
	Nozzle HD Copper 5/8"(15.9mm) 1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-65-2662			
	Nozzle HD Brass 5/8"(15.9mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-65-2362			
	Nozzle HD Brass 5/8"(15.9mm) Flush 2.75"(69.8mm)	喷嘴	CN-65-2862			
	Nozzle HD Brass 5/8"(15.9mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-63-2262			
	Nozzle HD Brass 5/8"(15.9mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-63-2362			
	Nozzle HD Brass 3/4"(19.1mm) Flush 2.75"(69.8mm)	喷嘴	CN-65-2875			
	Nozzle HD Brass 3/4" (19.1mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-65-2375			
	Nozzle HD Copper 3/4"(19.1mm)1/4" Recess 3.00"(76.2mm)	喷嘴	CN-64-2575			
	Nozzle HD Copper 3/4"(19.1mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-65-2575			
	Nozzle HD Brass 7/8"(22.2mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-64-2387			
	Nozzle Thrded Copper 3/8" (9.5mm)Flush 2.75"(69.8mm)	喷嘴	CN-63-2138-T			
	Nozzle Thrded Copper 1/2" (12.7mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2150-T			
5-2	Nozzle Thrded Brass Bottleneck 1/2" (12.7mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2950B-T			
	Nozzle Thrded Copper Bottleneck 1/2"(12.7mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-63-2950-T			
	Nozzle Thrded Brass Bottleneck 1/2" (12.7mm) 1/8" Stickout 2.63(66.8mm)	喷嘴	CN-64-2950-T			
	Nozzle Thrded Copper 5/8"(15.9mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-63-2162-T			
	Nozzle Thrded Copper 5/8"(15.9mm) 1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-63-2662-T			
	Nozzle Thrded Brass 5/8"(15.9mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-63-2662-TB			
5-3	Nozzle Thrded HD Copper 5/8"(15.9mm)1/4"Recess 3.00"(76.2mm)	喷嘴	CN-64-2562-T			
	Nozzle Thrded HD Copper 5/8"(15.9mm)1/8" Recess 2.88"(73mm)	喷嘴	CN-65-2562-T			
	Nozzle Thrded HD Copper Bottleneck 5/8"(15.9mm) Flush 2.75"(69.8mm)	喷嘴	CN-64-2962-T			
	Nozzle Thrded HD Copper 5/8" (15.9mm) 1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-65-2662-T			
	Nozzle Thrded HD Brass 5/8"(15.9mm)1/8" Stickout 2.63"(66.8mm)	喷嘴	CN-65-2362-T			
	Nozzle Thrded HD Brass 3/4"(19.1mm) 1/8" Recess 2.88"(73mm)	喷嘴	CN-65-2375-T			
	Nozzle Thrded HD Copper 3/4"(19.1mm)1/8"Recess 2.88"(73mm)	喷嘴	CN-65-2575-T			
6	"T" Series Straight Handle & Spring	前把壳	CN- 410			
7	Trigger Housing	扳机	CN-411-2			
8	Cone Nut	锥形螺母				
9	End Fitting	前接头				
10	Body For Gooseneck	弯管连接器	CN- 65-407			
	Euro-Kwik Style Rear Connector					
11-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213			
11-2	Euro Rear Handle	欧式把壳	CN-P001075			
11-3	Euro Nut	后锁母	CN-174X-2			
11-4	Euro Connector Tweco Style	后主体	CN-174EX-1			
11-5	Liner for .040"-.045"(1.0-1.2mm)10FT(3.0m)	送丝管3米	CN-42-4045-10			
	Liner for .040"-.045"(1.0-1.2mm)12FT(3.5m)	送丝管3.5米	CN-42-4045-12			
	Liner for .040"-.045"(1.0-1.2mm)15FT(4.5m)	送丝管4.5米	CN-42-4045-15			
11-6	Euro Conduit Cap	螺母	CN-174EX-1C			
	Economical Model Style Rear Connector					
12-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A			
12-2	Rear Handle American Style	美式把壳	CN-P001075A			
12-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ			
12-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354			
13	Tweco Connector Plug	TWC连接器	CN-176SH			
14	Miller Connector Plug	ML连接器	CN-350-174MH			
14-1	Wire Guide Assembly Only	ML螺母	CN-174M-N			
15	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15			
16	CNML Liner	ML送丝管	CN-MLL			
	Original Style Rear Connector					
17-1	Power Pin Block	后主体	CN-414-400			
17-2	Miller Central Connector	ML连接器	CN-214-1/2200137			
17-3	Power Pin Tip	ML 连接器螺母	CN-214-116			
17-4	Miller Control Wire Direct Plug	ML控制插头	CN-419			
17-5	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354			


We can supply any cable connector according to customer request


我们可以根据客户需要制作任何形式的接口


气保焊枪 MIG Welding Torches

CN ATTC LIGHTNING

Nozzles Reference Chart








CN PROFAX Choice FC250A

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 80%
Wire Size: .025"-.045"(0.6-1.2mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-PROFAX Choice FC250A MG Torch Tweco Connector	FC250-3035-10	FC250-3035-12	FC250-3035-15
	CN-PROFAX Choice FC250A MIG Torch Miller Connector	FC250M-3035-10	FC250M-3035-12	FC250M-3035-15
	CN-PROFAX Choice FC250A MIG Torch Lincoln Connect	FC250LP-3035-10	FC250LP-3035-12	FC250LP-3035-15
	CN-PROFAX Choice FC250A MIG Torch Euro Connector	FC250X-3035-10	FC250X-3035-12	FC250X-3035-15
1	PROFAX "Choice" FC250 Gooseneck 45°	45°弯管		CN-62FC45HD
	PROFAX "Choice" FC250 Gooseneck 60°	60°弯管		CN-62FC60HD
2	H.D. Shock Washer	喷嘴绝缘器		CN-66SW
3	Gas Diffuser	导电嘴座		CN-FC55
4	17S-30 Contact Tip .030" 0.8mm	导电嘴		CN-17S-30
	17S-35 Contact Tip .035" 0.9mm	导电嘴		CN-17S-35
	17S-40 Contact Tip .040"1.0mm	导电嘴		CN-17S-40
	17S-45 Contact Tip .045" 1.2mm	导电嘴		CN-17S-45
	17S-52 Contact Tip .052" 1.4mm	导电嘴		CN-17S-52
	17S-116 Contact Tip 1/16" 1.6mm	导电嘴		CN-17S-116
	17S-564 Contact Tip 5/64" 2.0mm	导电嘴		CN-17S-564
	17S-332 Contact Tip 3/32" 2.4mm	导电嘴		CN-17S-332
	17S-764 Contact Tip 7/64" 2.8mm	导电嘴		CN-17S-764
	17AS-364 Contact Tip 3/64" AL1.2mm	导电嘴		CN-17AS-364
	17AS-116 Contact Tip1/16" AL1.6mm	导电嘴		CN-17AS-116
4-1	17ST-35 Contact Tip .035" 0.9mm Tapered	导电嘴		CN-17ST-35
	17ST-40 Contact Tip .040" 1.0mm Tapered	导电嘴		CN-17ST-40
	17ST-45 Contact Tip .045" 1.2mm Tapered	导电嘴		CN-17ST-45
	17ST-52 Contact Tip .052" 1.4mm Tapered	导电嘴		CN-17ST-52
	17ST-116 Contact Tip 1/16" 1.6mm Tapered	导电嘴		CN-17ST-116
4-2	17SLT-35 Contact Tip .035" 0.9mm Tapered	导电嘴		CN-17SLT-35
	17SLT-40 Contact Tip .040" 1.0mm Tapered	导电嘴		CN-17SLT-40
	17SLT-45 Contact Tip .045" 1.2mm Tapered	导电嘴		CN-17SLT-45
	17SLT-52 Contact Tip .052" 1.4mm Tapered	导电嘴		CN-17SLT-52
	17SLT-116 Contact Tip 1/16" 1.6mm Tapered	导电嘴		CN-17SLT-116
5	Nozzle Heavy Duty 1/2" ø12.7*73mm	喷嘴		CN-27S50
	Nozzle Heavy Duty 5/8" ø15.9*73mm	喷嘴		CN-27S62
	Nozzle Heavy Duty 3/4" ø19.5*73mm	喷嘴		CN-27S75
5-1	Nozzle Heavy Duty Bottleneck 1/2" ø12.7*73mm	喷嘴		CN-27T50HD
5-2	Nozzle Heavy Duty Gas Lens 1/2" ø12.7*73mm	喷嘴		CN-27S50GL
	Nozzle Heavy Duty Gas Lens 5/8" ø15.9*73mm	喷嘴		CN-27S62GL
	Nozzle Heavy Duty Gas Lens 3/4" ø19.5*73mm	喷嘴		CN-27S75GL
5-3	Nozzle Tapered 3/8" ø9.5*71.4mm	喷嘴		CN-27TC38
	Nozzle Brass Tapered 3/8" ø9.5*71.4mm	喷嘴		CN-27T38
	Nozzle 1/2" ø12.7*73mm	喷嘴		CN-27K50
	Nozzle 5/8" ø15.9*73mm	喷嘴		CN-27K62
5-4	Nozzle Bottleneck 1/2" ø12.7*73mm	喷嘴		CN-27T50
6	Front Handle	前把壳		CN-MS84
7	Trigger Blade Assembly	挂钩		CN-ELC94-BL
8	Trigger	开关芯		CN-ELC94
9	Front Strain Relief Spring	前弹簧		CN-MS144
	Euro-Kwik Style Rear Connector			
10-1	Rear Strain Relief Spring	欧式弹簧		CN-P102213
10-2	Euro Rear Handle	欧式把壳		CN-P001075
10-3	Euro Nut	后锁母		CN-174X-2
10-4	Euro Connector Tweco Style	后主体		CN-174EX-1
10-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米		CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米		CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米		CN-42-4045-15
10-6	Euro Conduit Cap	螺母		CN-174EX-1C
	Economical Model Style Rear Connector			
11-2	Rear Strain Relief Spring	美式弹簧		CN-P102213A
11-2	Rear Handle American Style	美式把壳		CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头		CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头		CN-35SP-354
12	Tweco Connector Plug	TWC连接器		CN-176SH
13	Miller Connector Plug	ML连接器		CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母		CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管		CN-42-3035-15
15	CNML Liner	ML送丝管		CN-MLL
	Original Style Rear Connector			
16-1	Rear Strain Relief Spring	LN后弹簧		CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳		CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头		CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头		CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管		CN-AK353
17	Lincoln Connector Plug	LN连接器		CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PROFAX Choice FC400A

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 80%
Wire Size: .030''-1/16''(0.8-1.6mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-PROFAX Choice FC400A MG Torch Tweco Connector	FC400-3545-10	FC400-3545-12	FC400-3545-15
	CN-PROFAX Choice FC400A MIG Torch Miller Connector	FCM400-3545-10	FC400M-3545-12	FC400M-3545-15
	CN-PROFAX Choice FC400A MIG Torch Lincoln Connect	FCLP400-3545-10	FC400LP-3545-12	FC400LP-3545-15
	CN-PROFAX Choice FC400A MIG Torch Euro Connector	FCX400-3545-10	FC400X-3545-12	FC400X-3545-15
1	PROFAX "Choice" FC250 Gooseneck 45°	45°弯管		CN-64FC45HD
	PROFAX "Choice" FC250 Gooseneck 60°	60°弯管		CN-64FC60HD
2	H.D. Shock Washer	喷嘴绝缘器		CN-17SW
3	Gas Diffuser	导电嘴座		CN-FC57
4	17S-30 Contact Tip .030" 0.8mm	导电嘴		CN-17S-30
	17S-35 Contact Tip .035" 0.9mm	导电嘴		CN-17S-35
	17S-40 Contact Tip .040"1.0mm	导电嘴		CN-17S-40
	17S-45 Contact Tip .045" 1.2mm	导电嘴		CN-17S-45
	17S-52 Contact Tip .052" 1.4mm	导电嘴		CN-17S-52
	17S-116 Contact Tip 1/16" 1.6mm	导电嘴		CN-17S-116
	17S-564 Contact Tip 5/64" 2.0mm	导电嘴		CN-17S-564
	17S-332 Contact Tip 3/32" 2.4mm	导电嘴		CN-17S-332
	17S-764 Contact Tip 7/64" 2.8mm	导电嘴		CN-17S-764
	17AS-364 Contact Tip 3/64" AL1.2mm	导电嘴		CN-17AS-364
	17AS-116 Contact Tip1/16" AL1.6mm	导电嘴		CN-17AS-116
4-1	17ST-35 Contact Tip .035" 0.9mm Tapered	导电嘴		CN-17ST-35
	17ST-40 Contact Tip .040" 1.0mm Tapered	导电嘴		CN-17ST-40
	17ST-45 Contact Tip .045" 1.2mm Tapered	导电嘴		CN-17ST-45
	17ST-52 Contact Tip .052" 1.4mm Tapered	导电嘴		CN-17ST-52
	17ST-116 Contact Tip 1/16" 1.6mm Tapered	导电嘴		CN-17ST-116
4-2	17SLT-35 Contact Tip .035" 0.9mm Tapered	导电嘴		CN-17SLT-35
	17SLT-40 Contact Tip .040" 1.0mm Tapered	导电嘴		CN-17SLT-40
	17SLT-45 Contact Tip .045" 1.2mm Tapered	导电嘴		CN-17SLT-45
	17SLT-52 Contact Tip .052" 1.4mm Tapered	导电嘴		CN-17SLT-52
	17SLT-116 Contact Tip 1/16" 1.6mm Tapered	导电嘴		CN-17SLT-116
5	Nozzle Heavy Duty 1/2" ø12.7*73mm	喷嘴		CN-27S50
	Nozzle Heavy Duty 5/8" ø15.9*73mm	喷嘴		CN-27S62
	Nozzle Heavy Duty 3/4" ø19.5*73mm	喷嘴		CN-27S75
5-1	Nozzle Heavy Duty Bottleneck 1/2" ø12.7*73mm	喷嘴		CN-27T50HD
5-2	Nozzle Heavy Duty Gas Lens 1/2" ø12.7*73mm	喷嘴		CN-27S50GL
	Nozzle Heavy Duty Gas Lens 5/8" ø15.9*73mm	喷嘴		CN-27S62GL
	Nozzle Heavy Duty Gas Lens 3/4" ø19.5*73mm	喷嘴		CN-27S75GL
5-3	Nozzle Tapered 3/8" ø9.5*71.4mm	喷嘴		CN-27TC38
	Nozzle Brass Tapered 3/8" ø9.5*71.4mm	喷嘴		CN-27T38
	Nozzle 1/2" ø12.7*73mm	喷嘴		CN-27K50
	Nozzle 5/8" ø15.9*73mm	喷嘴		CN-27K62
5-4	Nozzle Bottleneck 1/2" ø12.7*73mm	喷嘴		CN-27T50
6	Front Handle	前把壳		CN-MS84
7	Trigger Blade Assembly	挂钩		CN-ELC94-BL
8	Trigger	开关芯		CN-ELC94
9	Front Strain Relief Spring	前弹簧		CN-MS144
	Euro-Kwik Style Rear Connector			
10-1	Rear Strain Relief Spring	欧式弹簧		CN-P102213
10-2	Euro Rear Handle	欧式把壳		CN-P001075
10-3	Euro Nut	后锁母		CN-174X-2
10-4	Euro Connector Tweco Style	后主体		CN-174EX-1
10-5	Liner for .052"-1/16"(1.3-1.6mm)10FT(3.0m)	送丝管3米		CN-44-116-10
	Liner for .052"-1/16"(1.3-1.6mm)12FT(3.5m)	送丝管3.5米		CN-44-116-12
	Liner for .052"-1/16"(1.3-1.6mm)15FT(4.5m)	送丝管4.5米		CN-44-116-15
10-6	Euro Conduit Cap	螺母		CN-174EX-1C
	Economical Model Style Rear Connector			
11-2	Rear Strain Relief Spring	美式弹簧		CN-P102213A
11-2	Rear Handle American Style	美式把壳		CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头		CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头		CN-35SP-354
12	Tweco Connector Plug	TWC连接器		CN-176SH
13	Miller Connector Plug	ML连接器		CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母		CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管		CN-42-3035-15
15	CNML Liner	ML送丝管		CN-MLL
	Original Style Rear Connector			
16-1	Rear Strain Relief Spring	LN后弹簧		CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳		CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头		CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头		CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管		CN-AK353
17	Lincoln Connector Plug	LN连接器		CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PROFAX 250A Heavy Duty

Rating: 200A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: .025"-.045"(0.6-1.2mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-PROFAX 250A Heavy Duty MIG Torch Tweco Connector	HD250-3035-10	HD250-3035-12	HD250-3035-15
	CN-PROFAX 250A Heavy Duty MIG Torch Miller Connector	HD250M-3035-10	HD250M-3035-12	HD250M-3035-15
	CN-PROFAX 250A Heavy Duty MIG Torch Lincoln Connector	HD250LP-3035-10	HD250LP-3035-12	HD250LP-3035-15
	CN-PROFAX 250A Heavy Duty MIG Torch Euro Connector	HD250X3035-10	HD250X-3035-12	HD250X-3035-15

1	Heavy Duty Jacketed Conductor Tube 45°	45°弯管	CN-63-45HDJ
	Heavy Duty Jacketed Conductor Tube 60°	60°弯管	CN-63-60HDJ
2	H.D. Shock Washer	喷嘴绝缘器	CN-17SW
3	Gas Diffuser	导电嘴座	CN-52HD
4	17S-30 Contact Tip .030" 0.8mm	导电嘴	CN-17S-30
	17S-35 Contact Tip .035" 0.9mm	导电嘴	CN-17S-35
	17S-40 Contact Tip .040"1.0mm	导电嘴	CN-17S-40
	17S-45 Contact Tip .045" 1.2mm	导电嘴	CN-17S-45
	17S-52 Contact Tip .052" 1.4mm	导电嘴	CN-17S-52
	17S-116 Contact Tip 1/16" 1.6mm	导电嘴	CN-17S-116
	17S-564 Contact Tip 5/64" 2.0mm	导电嘴	CN-17S-564
	17S-332 Contact Tip 3/32" 2.4mm	导电嘴	CN-17S-332
	17S-764 Contact Tip 7/64" 2.8mm	导电嘴	CN-17S-764
	17AS-364 Contact Tip 3/64" AL1.2mm	导电嘴	CN-17AS-364
	17AS-116 Contact Tip1/16" AL1.6mm	导电嘴	CN-17AS-116
4-1	17ST-35 Contact Tip .035" 0.9mm Tapered	导电嘴	CN-17ST-35
	17ST-40 Contact Tip .040" 1.0mm Tapered	导电嘴	CN-17ST-40
	17ST-45 Contact Tip .045" 1.2mm Tapered	导电嘴	CN-17ST-45
	17ST-52 Contact Tip .052" 1.4mm Tapered	导电嘴	CN-17ST-52
	17ST-116 Contact Tip 1/16" 1.6mm Tapered	导电嘴	CN-17ST-116
4-2	17SLT-35 Contact Tip .035" 0.9mm Tapered	导电嘴	CN-17SLT-35
	17SLT-40 Contact Tip .040" 1.0mm Tapered	导电嘴	CN-17SLT-40
	17SLT-45 Contact Tip .045" 1.2mm Tapered	导电嘴	CN-17SLT-45
	17SLT-52 Contact Tip .052" 1.4mm Tapered	导电嘴	CN-17SLT-52
	17SLT-116 Contact Tip 1/16" 1.6mm Tapered	导电嘴	CN-17SLT-116
5	Nozzle Heavy Duty 1/2" ø12.7*73mm	喷嘴	CN-27S50
	Nozzle Heavy Duty 5/8" ø15.9*73mm	喷嘴	CN-27S62
	Nozzle Heavy Duty 3/4" ø19.5*73mm	喷嘴	CN-27S75
5-1	Nozzle Heavy Duty Bottleneck 1/2" ø12.7*73mm	喷嘴	CN-27T50HD
5-2	Nozzle Heavy Duty Gas Lens 1/2" ø12.7*73mm	喷嘴	CN-27S50GL
	Nozzle Heavy Duty Gas Lens 5/8" ø15.9*73mm	喷嘴	CN-27S62GL
	Nozzle Heavy Duty Gas Lens 3/4" ø19.5*73mm	喷嘴	CN-27S75GL
5-3	Nozzle Tapered 3/8" ø9.5*71.4mm	喷嘴	CN-27TC38
	Nozzle Brass Tapered 3/8" ø9.5*71.4mm	喷嘴	CN-27T38
	Nozzle 1/2" ø12.7*73mm	喷嘴	CN-27K50
	Nozzle 5/8" ø15.9*73mm	喷嘴	CN-27K62


5-4	Nozzle Bottleneck 1/2" ø12.7*73mm	喷嘴	CN-27T50
6	Front Handle	前把壳	CN-MS84
7	Trigger Blade Assembly	挂钩	CN-ELC94-BL
8	Front Cable Assembly	前电缆组件	CN-102
9	Front Strain Relief Spring	前弹簧	CN-MS144
	Euro-Kwik Style Rear Connector		
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner for .040"-.045"(1.0-1.2mm)10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm)12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm)15FT(4.5m)	送丝管4.5米	CN-42-4045-15
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
	Economical Model Style Rear Connector		
11-2	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-35SP-354
12	Tweco Connector Plug	TWC连接器	CN-176SH
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
	Original Style Rear Connector		
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN RF15

Rating: 180A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description		Order
	CN-RF15 Welding Torch 3m		CN-002.D659
	CN-RF15 Welding Torch 4m		CN-002.D660
	CN-RF15 Welding Torch 5m		CN-002.D661
1	Swan Neck	弯管	CN-002.D656
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-012.D106
3	Tip Holder M6*51	导电嘴座	CN-004.D624
4	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
5	Nozzle Conical ø14mm*67mm	喷嘴	CN-145.D012
	Nozzle Conical ø16mm*70mm	喷嘴	CN-145.D011
	Nozzle Cylindrical ø18mm*69mm	喷嘴	CN-145.D014
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN RF25

Rating: 250A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-RF25 Welding Torch 3m		CN-004.D804
	CN-RF25 Welding Torch 4m		CN-004.D805
	CN-RF25 Welding Torch 5m		CN-004.D806
1	Swan Neck	弯管	CN-004.D801
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-012.D106
3	Tip Holder M6*51	导电嘴座	CN-004.D624
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Auminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip¡E-CU Auminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact TipiE-CU Auminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Auminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Auminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø14mm*67mm	喷嘴	CN-145.D012
	Nozzle Conical ø16mm*70mm	喷嘴	CN-145.D011
	Nozzle Cylindrical ø18mm*69mm	喷嘴	CN-145.D014
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN RF26

Rating: 315A CO_2
250A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-RF26 Welding Torch 3m		CN-018.D908
	CN-RF26 Welding Torch 4m		CN-018.D909
	CN-RF26 Welding Torch 5m		CN-018.D910
1	Swan Neck	弯管	CN-018.D911
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-018.0873
3	Tip Holder M6*52	导电嘴座	CN-014.D870
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0m	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Auminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Auminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Auminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Auminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Auminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø16mm*69mm	喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN RF36

Rating: 360A CO_2
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-RF36 Welding Torch 3m		CN-014.H221
	CN-RF36 Welding Torch 4m		CN-014.H222
	CN-RF36 Welding Torch 5m		CN-014.H223
1	Swan Neck	弯管	CN-014.H227
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-018.D873
3	Tip Holder M6*52	导电嘴座	CN-014.D870
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0m	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Auminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact TipiE-CU Auminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Auminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Auminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Auminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø16mm*69mm	喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Stee| Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0044
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN RF45

Rating: 450A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.4mm




No.	Description		Order
	CN-RF45 Welding Torch 3m		CN-017.D041
	CN-RF45 Welding Torch 4m		CN-017.D042
	CN-RF45 Welding Torch 5m		CN-017.D043
1	Swan Neck	弯管	CN-017.D047S
2	Spacer	绝缘座	CN-016.D141
3	Tip Holder M8*65mm	导电嘴座	CN-016.D155
	Tip Holder M8*55mm	导电嘴座	CN-016.D025
	Nut For Tip Holder M8*55mm	导电嘴座螺母	CN-016.DNUT
	Tip Holder M10*60mm	导电嘴座	CN-016.D156
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Conical ø13mm*85mm	喷嘴	CN-145.D243
	Nozzle Conical ø16mm*85mm	喷嘴	CN-145.D244
	Nozzle Conical ø19mm*85mm	喷嘴	CN-145.D245
6	Front Handle	前把壳	CN-180.D078S
7	Switch	开关	CN-185.0031L
8	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010B
9	Rear Handle & Support Spring	后把壳	CN-501.2248
10	Rear Connector Nut	后锁母	CN-500.0213L
11	Euro Central Connector	欧式后主体	CN-501.D342
12	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米	CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米	CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米	CN-124.D118
13	Liner Positioner Nut M14x1	螺母	CN-501.D537

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND 200A

Rating: 200A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.2mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-BND200 MIG Torch Euro Connector	BND20010E	BND20012E	BND20015E
	CN-BND200 MIG Torch Miller Connector	BND20010M	BND20012M	BND20015M
	CN-BND200 MIG Torch Tweco Connector	BND20010T	BND20012T	BND20015T
	CN-BND200 MIG Torch Lincoln Connector	BND20010L	BND20012L	BND20015L

1	Swan Neck	弯管	CN-4786
2	Insulator	绝缘座	CN-4323R
3	Gas Diffusor	导电嘴座(深)	CN-4235
4	Gas Diffusor	导电嘴座(浅)	CN-4335
5	Contact Tip .023'' 0.6mm Long 50.8mm	导电嘴	CN-1597
	Contact Tip .030'' 0.8mm Long 50.8mm	导电嘴	CN-1588
	Contact Tip .035'' 0.9mm Long 50.8mm	导电嘴	CN-1589
	Contact Tip .039'' 1.0mm Long 50.8mm	导电嘴	CN-1596
	Contact Tip .045'' 1.2mm Long 50.8mm	导电嘴	CN-1590
	Contact Tip .052'' 1.4mm Long 50.8mm	导电嘴	CN-1598
	Contact Tip 1/16'' 1.6mm Long 50.8mm	导电嘴	CN-1591
6	Contact tip tapered . 023" 0.6mm Long 50.8mm	导电嘴	CN-4284
	Contact tip tapered . 030" 0.8mm Long 50.8mm	导电嘴	CN-4285
	Contact tip tapered . 035" 0.9mm Long 50.8mm	导电嘴	CN-4281
	Contact tip tapered . 039" 1.0mm Long 50.8mm	导电嘴	CN-4299
	Contact tip tapered . 045" 1.2mm Long 50.8mm	导电嘴	CN-4282
	Contact tip tapered . 052" 1.4mm Long 50.8mm	导电嘴	CN-4283
	Contact tip tapered 1/16'' 1.6mm Long 50.8mm	导电嘴	CN-4280
7	Contact Tip .023'' 0.6mm Short 31.8mm	导电嘴	CN-7497
	Contact Tip .030'' 0.8mm Short 31.8mm	导电嘴	CN-7488
	Contact Tip .035'' 0.9mm Short 31.8mm	导电嘴	CN-7489
	Contact Tip .039'' 1.0mm Short 31.8mm	导电嘴	CN-7496*
	Contact Tip .045'' 1.2mm Short 31.8mm	导电嘴	CN-7490
	Contact Tip .052'' 1.4mm Short 31.8mm	导电嘴	CN-7498
	Contact Tip 1/16'' 1.6mm Short 31.8mm	导电嘴	CN-7491
8	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4395A
8-1	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4295
8-2	Brass Nozzle 1/2" 12.7mm	黄铜喷嘴	CN-4392
8-3	Copper Nozzle 5/8" 15.9mm	紫铜喷嘴	CN-4393
8-4	Copper Nozzle 1/2" 12.7mm	紫铜喷嘴	CN-4394
8-5	Brass Nozzle 5/8" 15.9mm	黄铜喷嘴	CN-4391
9	Insulator	绝缘座	CN-4780
10	Front Handle	前把壳	CN-1880198
11	Switch	开关	CN-5662
12	Hook	挂钩	CN-1790002
13	End fitting	前接头	CN-4313B
14	Cone nut	锥形螺母	CN-4305
15	Spring	弹簧	CN-2520042
16-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
16-2	Euro Rear Handle	欧式后把壳	CN-P001075
16-3	Euro Nut	后锁母	CN-174X-2
16-4	Euro Connector Tweco Style	后主体	CN-174EX-1
16-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
16-6	Euro Conduit Cap	螺母	CN-174EX-1C
17-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
17-2	Rear Handle American Style	美式把壳	CN-P001075A
17-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
17-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
18	Tweco Connector Plug	TWC连接器	CN-350-174H
19	Miller Connector Plug	ML连接器	CN-350-174MH
19-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
20	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
21	CNML Liner	ML送丝管	CN-MLL
22-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
22-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
22-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
22-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
22-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
23	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN BND 300/350A

Rating: 300/350A CO_2
250A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-BND300 MIG Torch Euro Connector	BND30010E	BND30012E	BND30015E
	CN-BND300 MIG Torch Miller Connector	BND30010M	BND30012M	BND30015M
	CN-BND300 MIG Torch Tweco Connector	BND30010T	BND30012T	BND30015T
	CN-BND300 MIG Torch Lincoln Connector	BND30010L	BND30012L	BND30015L

1	Swan Neck	弯管	CN-4790
2	Insulator	绝缘座	CN-4323R
3	Gas Diffusor	导电嘴座(深)	CN-4235
4	Gas Diffusor	导电嘴座(浅)	CN-4335
5	Contact Tip .023'' 0.6mm Long 50.8mm	导电嘴	CN-1597
	Contact Tip .030'' 0.8mm Long 50.8mm	导电嘴	CN-1588
	Contact Tip .035'' 0.9mm Long 50.8mm	导电嘴	CN-1589
	Contact Tip .039'' 1.0mm Long 50.8mm	导电嘴	CN-1596
	Contact Tip .045'' 1.2mm Long 50.8mm	导电嘴	CN-1590
	Contact Tip .052'' 1.4mm Long 50.8mm	导电嘴	CN-1598
	Contact Tip 1/16'' 1.6mm Long 50.8mm	导电嘴	CN-1591
6	Contact tip tapered . 023" 0.6mm Long 50.8mm	导电嘴	CN-4284
	Contact tip tapered . 030" 0.8mm Long 50.8mm	导电嘴	CN-4285
	Contact tip tapered . 035" 0.9mm Long 50.8mm	导电嘴	CN-4281
	Contact tip tapered . 039" 1.0mm Long 50.8mm	导电嘴	CN-4299
	Contact tip tapered . 045" 1.2mm Long 50.8mm	导电嘴	CN-4282
	Contact tip tapered . 052" 1.4mm Long 50.8mm	导电嘴	CN-4283
	Contact tip tapered 1/16'' 1.6mm Long 50.8mm	导电嘴	CN-4280
7	Contact Tip .023'' 0.6mm Short 31.8mm	导电嘴	CN-7497
	Contact Tip .030'' 0.8mm Short 31.8mm	导电嘴	CN-7488
	Contact Tip .035'' 0.9mm Short 31.8mm	导电嘴	CN-7489
	Contact Tip .039'' 1.0mm Short 31.8mm	导电嘴	CN-7496*
	Contact Tip .045'' 1.2mm Short 31.8mm	导电嘴	CN-7490
	Contact Tip .052'' 1.4mm Short 31.8mm	导电嘴	CN-7498
	Contact Tip 1/16'' 1.6mm Short 31.8mm	导电嘴	CN-7491
8	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4395A
8-1	Brass Nozzle 3/8" 9.5mm	黄铜喷嘴	CN-4295
8-2	Brass Nozzle 1/2" 12.7mm	黄铜喷嘴	CN-4392
8-3	Copper Nozzle 5/8" 15.9mm	紫铜喷嘴	CN-4393
8-4	Copper Nozzle 1/2" 12.7mm	紫铜喷嘴	CN-4394
8-5	Brass Nozzle 5/8" 15.9mm	黄铜喷嘴	CN-4391
9	Insulator	绝缘座	CN-4780
10	Front Handle	前把壳	CN-1880198
11	Switch	开关	CN-5662
12	Hook	挂钩	CN-1790002
13	End fitting	前接头	CN-4313B
14	Cone nut	锥形螺母	CN-4305
15	Spring	弹簧	CN-2520042
16-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
16-2	Euro Rear Handle	欧式后把壳	CN-P001075
16-3	Euro Nut	后锁母	CN-174X-2
16-4	Euro Connector Tweco Style	后主体	CN-174EX-1
16-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
16-6	Euro Conduit Cap	螺母	CN-174EX-1C
17-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
17-2	Rear Handle American Style	美式把壳	CN-P001075A
17-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
17-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
18	Tweco Connector Plug	TWC连接器	CN-350-174H
19	Miller Connector Plug	ML连接器	CN-350-174MH
19-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
20	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
21	CNML Liner	ML送丝管	CN-MLL
22-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
22-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
22-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
22-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
22-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
23	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN BND 400A

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.6mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-BND400 MIG Torch Euro Connector	BND40010E	BND40012E	BND40015E
	CN-BND400 MIG Torch Miller Connector	BND40010M	BND40012M	BND40015M
	CN-BND400 MIG Torch Tweco Connector	BND40010T	BND40012T	BND40015T
	CN-BND400 MIG Torch Lincoln Connector	BND40010L	BND40012L	BND40015L

1	Swan Neck	弯管	CN-4794
2	Insulator	绝缘座	CN-4423R
3	Gas Diffusor	导电嘴座(深)	CN-4635
	Gas Diffusor	导电嘴座(浅)	CN-4435
4	Contact Tip .023" 0.6mm Long 50.8mm	导电嘴	CN-1597
	Contact Tip .030" 0.8mm Long 50.8mm	导电嘴	CN-1588
	Contact Tip .035" 0.9mm Long 50.8mm	导电嘴	CN-1589
	Contact Tip .039" 1.0mm Long 50.8mm	导电嘴	CN-1596
	Contact Tip .045" 1.2mm Long 50.8mm	导电嘴	CN-1590
	Contact Tip .052" 1.4mm Long 50.8mm	导电嘴	CN-1598
	Contact Tip 1/16" 1.6mm Long 50.8mm	导电嘴	CN-1591
	Contact tip tapered . 023" 0.6mm Long 50.8mm	导电嘴	CN-4284
	Contact tip tapered . 030" 0.8mm Long 50.8mm	导电嘴	CN-4285
	Contact tip tapered . 035" 0.9mm Long 50.8mm	导电嘴	CN-4281
	Contact tip tapered . 039" 1.0mm Long 50.8mm	导电嘴	CN-4299
	Contact tip tapered . 045" 1.2mm Long 50.8mm	导电嘴	CN-4282
	Contact tip tapered . 052" 1.4mm Long 50.8mm	导电嘴	CN-4283
	Contact tip tapered 1/16" 1.6mm Long 50.8mm	导电嘴	CN-4280
	Contact Tip .023" 0.6mm Short 31.8mm	导电嘴	CN-7497
	Contact Tip .030" 0.8mm Short 31.8mm	导电嘴	CN-7488
	Contact Tip .035" 0.9mm Short 31.8mm	导电嘴	CN-7489
	Contact Tip .039" 1.0mm Short 31.8mm	导电嘴	CN-7496*
	Contact Tip .045" 1.2mm Short 31.8mm	导电嘴	CN-7490
	Contact Tip .052" 1.4mm Short 31.8mm	导电嘴	CN-7498
	Contact Tip 1/16" 1.6mm Short 31.8mm	导电嘴	CN-7491
5	Nozzle Copper 3/4" 19mm	紫铜喷嘴	CN-4591
5-1	Nozzle Copper 9/16" 14.3mm	紫铜喷嘴	CN-4592
5-2	Nozzle Brass 3/4" 19mm	黄铜喷嘴	CN-4491
5-3	Nozzle Brass 9/16" 14.3mm	黄铜喷嘴	CN-4492
6	Front Handle	前把壳	CN-1880198
7	Switch	开关	CN-5662
8	Hook	挂钩	CN-1790002
9	Insulator	绝缘座	CN-4780
10	End fitting	前接头	CN-4313B
11	Cone nut	锥形螺母	CN-4305
12	Spring	前弹簧	CN-2520042


13-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
13-2	Euro Rear Handle	欧式后把壳	CN-P001075
13-3	Euro Nut	后锁母	CN-174X-2
13-4	Euro Connector Tweco Style	后主体	CN-174EX-1
13-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
13-6	Euro Conduit Cap	螺母	CN-174EX-1C
14-4	Rear Strain Relief Spring	美式弹簧	CN-P102213A
14-2	Rear Handle American Style	美式把壳	CN-P001075A
14-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
14-3	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
15	Tweco Connector Plug	TWC连接器	CN-350-174H
16	Miller Connector Plug	ML连接器	CN-350-174MH
16-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
17	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
18	CNML Liner	ML送丝管	CN-MLL
19-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
19-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
19-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
19-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
19-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
20	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q20 200A

Rating: 200A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-Q200 MIG Torch Euro Connector	Q2010AB8DEC	Q2012AB8DEC	Q2015AB8DEC
	CN-Q200 MIG Torch Miler Connector	Q2010AB8DMC	Q2012AB8DMC	Q2015AB8DMC
	CN-Q200 MIG Torch Tweco Connector	Q2010AB8DTC	Q2012AB8DTC	Q2015AB8DTC
	CN-Q200 MIG Torchn Lincoln Connector	Q2010AB8DLC	Q2012AB8DLC	Q2015AB8DLC

1	Swan Neck	弯管	CN-QT2-45
2	Insulator	绝缘座	CN-4523R
3	Gas Diffusor	导电嘴座	CN-DS-1
4	Contact Tip .023" 0.6mm	导电嘴	CN-TT023
	Contact Tip .030" 0.8mm	导电嘴	CN-TT030
	Contact Tip .035" 0.9mm	导电嘴	CN-TT035
	Contact Tip .039" 1.0mm	导电嘴	CN-TT039
	Contact Tip .045" 1.2mm	导电嘴	CN-TT045
	Contact Tip .052" 1.4mm	导电嘴	CN-TT052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-TT062
5	Contact Tip .023" 0.6mm	导电嘴	CN-T023
	Contact Tip .030" 0.8mm	导电嘴	CN-T030
	Contact Tip .035" 0.9mm	导电嘴	CN-T035
	Contact Tip .039" 1.0mm	导电嘴	CN-T039
	Contact Tip .045" 1.2mm	导电嘴	CN-T045
	Contact Tip .052" 1.4mm	导电嘴	CN-T052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-T062
	Contact Tip 5/64" 2.0mm	导电嘴	CN-T078
	Contact Tip 3/32" 2.4mm	导电嘴	CN-T094
	Contact Tip 7/64" 2.8mm	导电嘴	CN-T109
	Contact Tip 1/8" 3.2mm	导电嘴	CN-T125
6	Nozzle,3/8" I.D.,flush brass	黄铜喷嘴	CN-NST-3800B
	Nozzle,3/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NST-3818B
	Nozzle,3/8" I.D.,1/8" extension brass	黄铜喷嘴	CN-NST-38XTB
6-1	Nozzle,1/2" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-1218C
	Nozzle,1/2" I.D.,flush brass	黄铜喷嘴	CN-NS-1200B
	Nozzle,1/2" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-1218B
	Nozzle,5/8" I.D.,flush copper	紫铜喷嘴	CN-NS-5800C
	Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-5818C
	Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-NS-5814C
	Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-NS-5800B
	Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-5818B
	Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-NS-5814B
7	Front Handle	前把壳	CN-1880198
8	Switch	开关	CN-5662
9	Hook	挂钩	CN-1790002


10	Nut Cover	螺母盖	CN-1840057
11	End fitting	前接头	CN-4313B
12	Cone nut	锥形螺母	CN-4305
13	Spring	前弹簧	CN-2520042
14-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
14-2	Euro Rear Handle	欧式后把壳	CN-P001075
14-3	Euro Nut	后锁母	CN-174X-2
14-4	Euro Connector Tweco Style	后主体	CN-174EX-1
14-5	Liner for .040"-.045"(1.0-1.2mm) 10FT(3.0m)	送丝管3米	CN-42-4045-10
	Liner for .040"-.045"(1.0-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-42-4045-12
	Liner for .040"-.045"(1.0-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-42-4045-15
14-6	Euro Conduit Cap	螺母	CN-174EX-1C
15-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
15-2	Rear Handle American Style	美式把壳	CN-P001075A
15-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
15-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
16	Tweco Connector Plug	TWC连接器	CN-350-174H
17	Miller Connector Plug	ML连接器	CN-350-174MH
17-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
18	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	CNML Liner	ML送丝管	CN-MLL
20-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
20-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
20-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
20-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
20-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
21	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q30 300A


Rating: 300A CO_2
250A Mixed Gases
Duty Cycle: 60%
Wire Size: .025''-.045''(0.6-1.2mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-Q300A "B" Series Curved Handle MIG Torch Euro Connector	Q3010AE8EEC	Q3012AE8EEC	Q3015AE8EEC
	CN-Q300A "B" Series Curved Handle MIG Torch Miler Connector	Q3010AE8EMC	Q3012AE8EMC	Q3015AE8EMC
	CN-Q300A "B" Series Curved Handle MIG Torch Tweco Connector	Q3010AE8ETC	Q3012AE8ETC	Q3015AE8ETC
	CN-Q300A "B" Series Curved Handle MIG Torch Lincoln Connector	Q3010AE8ELC	Q3012AE8ELC	Q3015AE8ELC


1	Swan Neck	弯管	CN-QT3-45
	Swan neck 60°	弯管	CN-QT3-60
1-1	Swan Neck Flexible	柔性弯管	CN-QT-F6
2	Insulator	绝缘座	CN-4323R
3	Gas Diffusor	导电嘴座	CN-DS-1
4	Contact Tip .023" 0.6mm	导电嘴	CN-TT023
	Contact Tip .030" 0.8mm	导电嘴	CN-TT030
	Contact Tip .035" 0.9mm	导电嘴	CN-TT035
	Contact Tip .039" 1.0mm	导电嘴	CN-TT039
	Contact Tip .045" 1.2mm	导电嘴	CN-TT045
	Contact Tip .052" 1.4mm	导电嘴	CN-TT052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-TT062
5	Contact Tip .023" 0.6mm	导电嘴	CN-T023
	Contact Tip .030" 0.8mm	导电嘴	CN-T030
	Contact Tip .035" 0.9mm	导电嘴	CN-T035
	Contact Tip .039" 1.0mm	导电嘴	CN-T039
	Contact Tip .045" 1.2mm	导电嘴	CN-T045
	Contact Tip .052" 1.4mm	导电嘴	CN-T052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-T062
	Contact Tip 5/64" 2.0mm	导电嘴	CN-T078
	Contact Tip 3/32" 2.4mm	导电嘴	CN-T094
	Contact Tip 7/64" 2.8mm	导电嘴	CN-T109
	Contact Tip 1/8" 3.2mm	导电嘴	CN-T125
6	Nozzle,3/8" I.D.,flush brass	黄铜喷嘴	CN-NST-3800B
	Nozzle,3/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NST-3818B
	Nozzle,3/8" I.D.,1/8" extension brass	黄铜喷嘴	CN-NST-38XTB
6-1	Nozzle,1/2" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-1218C
	Nozzle,1/2" I.D.,flush brass	黄铜喷嘴	CN-NS-1200B
	Nozzle,1/2" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-1218B
	Nozzle,5/8" I.D.,flush copper	紫铜喷嘴	CN-NS-5800C
	Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-NS-5818C
	Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-NS-5814C
	Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-NS-5800B
	Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-NS-5818B
	Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-NS-5814B
7	Front Handle	前把壳	CN-1880198
8	Switch	开关	CN-5662
9	Hook	挂钩	CN-1790002
10	Nut Cover	螺母盖	CN-1840057
11	End fitting	前接头	CN-4313B
12	Cone nut	锥形螺母	CN-4305
13	Spring	前弹簧	CN-2520042
14-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
14-2	Euro Rear Handle	欧式后把壳	CN-P001075
14-3	Euro Nut	后锁母	CN-174X-2
14-4	Euro Connector Tweco Style	后主体	CN-174EX-1
14-5	Liner White for .035"-.045" (0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-43110
	Liner White for .035"-.045" (0.9-1.2mm) 15FT(4.5m)	送丝管3.5米	CN-43115
	Liner White for .035"-.045" (0.9-1.2mm) 25FT(7.5m)	送丝管4.5米	CN-43125
14-6	Euro Conduit Cap	螺母	CN-174EX-1C
15-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
15-2	Rear Handle American Style	美式把壳	CN-P001075A
15-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
15-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
16	Tweco Connector Plug	TWC连接器	CN-350-174H
17	Miller Connector Plug	ML连接器	CN-350-174MH
17-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
18	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
19	CNML Liner	ML送丝管	CN-MLL
20-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
20-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
20-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
20-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
20-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
21	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q40 400A


Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: .025''-1/16''(0.6-1.6mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-Q400A "B" Series Curved Handle MIG Torch Euro Connector	Q4010AE8EEC	Q4012AE8EEC	Q4015AE8EEC
	CN-Q400A "B" Series Curved Handle MIG Torch Miler Connector	Q4010AE8EMC	Q4012AE8EMC	Q4015AE8EMC
	CN-Q400A "B" Series Curved Handle MG Torch Tweco Connector	Q4010AE8ETC	Q4012AE8ETC	Q4015AE8ETC
	CN-Q400A "B" Series Curved Handle MIG Torch Lincoln Connector	Q4010AE8ELC	Q4012AE8ELC	Q4015AE8ELC


1	Swan neck 45°	弯管	CN-QT3-45
	Swan neck 60°	弯管	CN-QT3-60
1-1	Swan Neck Flexible (166.8mm)	柔性弯管	CN-QT-F-6
2	Insulator	绝缘座	CN-4423R
B-1	Gas Diffusor	导电嘴座	CN-D-1
4	Contact Tip .023" 0.6mm	导电嘴	CN-T-023
	Contact Tip .030" 0.8mm	导电嘴	CN-T-030
	Contact Tip .035" 0.9mm	导电嘴	CN-T-035
	Contact Tip .039" 1.0mm	导电嘴	CN-T-039
	Contact Tip .045" 1.2mm	导电嘴	CN-T-045
	Contact Tip .052" 1.4mm	导电嘴	CN-T-052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-T-062
	Contact Tip 5/64" 2.0mm	导电嘴	CN-T-078
	Contact Tip 3/32" 2.4mm	导电嘴	CN-T-094
5	Nozzle,3/4" I.D.,flush copper	紫铜喷嘴	CN-N3400C
	Nozzle,3/4" I.D.,1/8" recess copper	紫铜喷嘴	CN-N3418C
	Nozzle,3/4" I.D.,1/4" recess copper	紫铜喷嘴	CN-N3414C
	Nozzle,3/4" I.D.,flush brass	黄铜喷嘴	CN-N3400B
	Nozzle,3/4" I.D.,1/8" recess brass	黄铜喷嘴	CN-N3418B
	Nozzle,3/4" I.D.,1/4" recess brass	黄铜喷嘴	CN-N3414B
	Nozzle,5/8" I.D.flush copper	紫铜喷嘴	CN-N5800C
	Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-N5818C
	Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-N5814C
	Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-N5800B
	Nozzle,5/8" 1.D.,1/8" recess brass	黄铜喷嘴	CN-N5818B
	Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-N5814B
6	Nut Cover	螺母盖	CN-1840057
7	Front Handle	前把壳	CN-1880198
8	Switch	开关	CN-5662
9	Hook	挂钩	CN-1790002
10	End fitting	前接头	CN-4313B
11	Cone nut	锥形螺母	CN-4305
12	Spring	前弹簧	CN-2520042
13-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
13-2	Euro Rear Handle	欧式后把壳	CN-P001075
13-3	Euro Nut	后锁母	CN-174X-2
13-4	Euro Connector Tweco Style	后主体	CN-174EX-1
13-5	Liner White for .035"-.045" (0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-43110
	Liner White for .035"-.045" (0.9-1.2mm) 15FT(4.5m)	送丝管3.5米	CN-43115
	Liner White for .035"-.045" (0.9-1.2mm) 25FT(7.5m)	送丝管4.5米	CN-43125
13-6	Euro Conduit Cap	螺母	CN-174EX-1C
14-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
14-2	Rear Handle American Style	美式把壳	CN-P001075A
14-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
14-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
15	Tweco Connector Plug	TWC连接器	CN-350-174H
16	Miller Connector Plug	ML连接器	CN-350-174MH
16-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
17	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
18	CNML Liner	ML送丝管	CN-MLL
19-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
19-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
19-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
19-4	Lincoln Control Wire Direct Plug	ML控制插头	CN-LAK-354
19-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
20	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q50 500A

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 60%
Wire Size: .035''-3/32''(0.9-2.4mm)



No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-Q50 500A"B" Series Curved Handle MIG Torch Euro Connector	Q5010AE8IEC	Q5012AE8IEC	Q5015AH8IEC
	CN-Q50 500A"B" Series Curved Handle MIG Torch Miller Connector	Q5010AE8IMC	Q5012AH8IMC	Q5015AH8IMC
	CN-Q50 500A"B" Series Curved Handle MIG Torch Tweco Connector	Q5010AE8ITC	Q5012AH8ITC	Q5015AH8ITC
	CN-Q50 500A"B" Series Curved Handle MIG Torch Lincoln Connector	Q5010AE8ILC	Q5012AH8ILC	Q5015AH8ILC


1	Swan neck 45°	弯管	CN-QT5-45
	Swan neck 60°	弯管	CN-QT5-60
2	Insulator	绝缘座	CN-10012
3	Gas Diffusor	导电嘴座	CN-D-1
4	Contact Tip .023'' 0.6mm	导电嘴	CN-T-023
	Contact Tip .030'' 0.8mm	导电嘴	CN-T-030
	Contact Tip .035'' 0.9mm	导电嘴	CN-T-035
	Contact Tip .039'' 1.0mm	导电嘴	CN-T-039
	Contact Tip .045'' 1.2mm	导电嘴	CN-T-045
	Contact Tip .052'' 1.4mm	导电嘴	CN-T-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-T-062
	Contact Tip 5/64'' 2.0mm	导电嘴	CN-T-078
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-T-094
4-1	Contact Tip .030" 0.8mm	导电嘴	CN-TT-030
	Contact Tip .035" 0.9mm	导电嘴	CN-TT-035
	Contact Tip .039"1.0mm	导电嘴	CN-TT-039
	Contact Tip .045" 1.2mm	导电嘴	CN-TT-045
	Contact Tip .052" 1.4mm	导电嘴	CN-TT-052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-TT-062
	Contact Tip 5/64" 2.0mm	导电嘴	CN-TT-078
5	Nozzle,3/4" I.D.,flush copper	紫铜喷嘴	CN-N3400C
	Nozzle,3/4" I.D.,1/8" recess copper	紫铜喷嘴	CN-N3418C
	Nozzle,3/4" I.D.,1/4" recess copper	紫铜喷嘴	CN-N3414C
	Nozzle,3/4" I.D.,flush brass	黄铜喷嘴	CN-N3400B
	Nozzle,3/4" I.D.,1/8" recess brass	黄铜喷嘴	CN-N3418B
	Nozzle,3/4" I.D.,1/4" recess brass	黄铜喷嘴	CN-N3414B
	Nozzle,5/8" I.D.flush copper	紫铜喷嘴	CN-N5800C
	Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-N5818C
	Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-N5814C
	Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-N5800B
	Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-N5818B
	Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-N5814B
5-1	Nozzle 3/8" 9.5mm Flush Copper	紫铜喷嘴	CN-NT-3800C
6	Nut Cover	螺母盖	CN-1840057
7	Front Handle	前把壳	CN-1880198
8	Switch	开关	CN-5662
9	Hook	挂钩	CN-1790002
10	End fitting	前接头	CN-4313B
11	Cone nut	锥形螺母	CN-4305
12	Spring	前弹簧	CN-2520042
13-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
13-2	Euro Rear Handle	欧式后把壳	CN-P001075
13-3	Euro Nut	后锁母	CN-174X-2
13-4	Euro Connector Tweco Style	后主体	CN-174EX-1
13-5	Liner Blue for 1/16"-5/64" (1.6-2.0mm) 10FT(3.0m)	送丝管3米	CN-44310
	Liner Blue for 1/16"-5/64" (1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-44315
	Liner Blue for 1/16"-5/64" (1.6-2.0mm) 25FT(7.5m)	送丝管7.5米	CN-44325
13-6	Euro Conduit Cap	螺母	CN-174EX-1C
14-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
14-2	Rear Handle American Style	美式把壳	CN-P001075A
14-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
14-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
15	Tweco Connector Plug	TWC连接器	CN-350-174H
16	Miller Connector Plug	ML连接器	CN-350-174MH
16-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
17	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
18	CNML Liner	ML送丝管	CN-MLL
19-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
19-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
19-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
19-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
19-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
20	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN BND Q60 600A


Rating: 600A CO_2
550A Mixed Gases
Duty Cycle: 60%
Wire Size: .045''-1/8''(1.2-3.2mm)




No.	Description	10ft(3.0m)	12ft(3.5m)	15ft(4.5m)
	CN-Q60 600A"O" Series Curved Handle MIG Torch Euro Connector	Q6010GH8IEC	Q6012GH8IEC	Q6015GH8IEC
	CN-Q60 600A"O" " Series Curved Handle MIG Torch Miller Connector	Q6010GH8IMC	Q6012GH8IMC	Q6015GH8IMC
	CN-Q60 600A"O" Series Curved Handle MIG Torch Tweco Connector	Q6010GH8ITC	Q6012GH8ITC	Q6015GH8ITC
	CN-Q60 600A"O" Series Curved Handle MIG Torch Lincoln Connector	Q6010GH8ILC	Q6012GH8ILC	Q6015GH8ILC

1	Swan neck 45°	弯管	CN-QT5-45
	Swan neck 60°	弯管	CN-QT5-60
2	Insulator	绝缘座	CN-10012
3	Gas Diffusor	导电嘴座	CN-D-1
4	Contact Tip .023'' 0.6mm	导电嘴	CN-T-023
	Contact Tip .030'' 0.8mm	导电嘴	CN-T-030
	Contact Tip .035'' 0.9mm	导电嘴	CN-T-035
	Contact Tip .039'' 1.0mm	导电嘴	CN-T-039
	Contact Tip .045'' 1.2mm	导电嘴	CN-T-045
	Contact Tip .052'' 1.4mm	导电嘴	CN-T-052
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-T-062
	Contact Tip 5/64'' 2.0mm	导电嘴	CN-T-078
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-T-094
4-1	Contact Tip .030" 0.8mm	导电嘴	CN-TT-030
	Contact Tip .035" 0.9mm	导电嘴	CN-TT-035
	Contact Tip .039"1.0mm	导电嘴	CN-TT-039
	Contact Tip .045" 1.2mm	导电嘴	CN-TT-045
	Contact Tip .052" 1.4mm	导电嘴	CN-TT-052
	Contact Tip 1/16" 1.6mm	导电嘴	CN-TT-062
	Contact Tip 5/64" 2.0mm	导电嘴	CN-TT-078
5	Nozzle,3/4" I.D.,flush copper	紫铜喷嘴	CN-N3400C
	Nozzle,3/4" I.D.,1/8" recess copper	紫铜喷嘴	CN-N3418C
	Nozzle,3/4" I.D.,1/4" recess copper	紫铜喷嘴	CN-N3414C
	Nozzle,3/4" I.D.,flush brass	黄铜喷嘴	CN-N3400B
	Nozzle,3/4" I.D.,1/8" recess brass	黄铜喷嘴	CN-N3418B
	Nozzle,3/4" I.D.,1/4" recess brass	黄铜喷嘴	CN-N3414B
	Nozzle,5/8" I.D.flush copper	紫铜喷嘴	CN-N5800C
	Nozzle,5/8" I.D.,1/8" recess copper	紫铜喷嘴	CN-N5818C
	Nozzle,5/8" I.D.,1/4" recess copper	紫铜喷嘴	CN-N5814C
	Nozzle,5/8" I.D.,flush brass	黄铜喷嘴	CN-N5800B
	Nozzle,5/8" I.D.,1/8" recess brass	黄铜喷嘴	CN-N5818B
	Nozzle,5/8" I.D.,1/4" recess brass	黄铜喷嘴	CN-N5814B
5-1	Nozzle 3/8" 9.5mm Flush Copper	紫铜喷嘴	CN-NT-3800C
6	Nut Cover	螺母盖	CN-1840057
7	"O" Series Curved Handle	前把壳	CN-1880220
8	Switch	开关	CN-177488H
9	Rubber Sheathing	橡胶保护套	CN-Spring
10-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
10-2	Euro Rear Handle	欧式后把壳	CN-P001075
10-3	Euro Nut	后锁母	CN-174X-2
10-4	Euro Connector Tweco Style	后主体	CN-174EX-1
10-5	Liner Grey for .078"-3/32" (2.0-2.4mm) 10FT(3.0m)	送丝管3米	CN-45410
	Liner Grey for .078"-3/32" (2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-45415
	Liner Grey for .078"-3/32" (2.0-2.4mm) 25FT(7.5m	送丝管7.5米	CN-45425
10-6	Euro Conduit Cap	螺母	CN-174EX-1C
11-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
11-2	Rear Handle American Style	美式把壳	CN-P001075A
11-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
11-4	Lincoln Control Wire & Plug	LN控制插头	CN-MS354-DSM
12	Tweco Connector Plug	TWC连接器	CN-350-174H
13	Miller Connector Plug	ML连接器	CN-350-174MH
13-1	Wire Guide Assembly Only	ML螺母	CN-174M-N
14	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
15	CNML Liner	ML送丝管	CN-MLL
16-1	Rear Strain Relief Spring	LN后弹簧	CN-235RSSR
16-2	Rear Case Direct Plug Style	LN后把壳	CN-M6RC
16-3	Miller Control Wire Direct Plug	ML控制插头	CN-MSAK-354
16-4	Lincoln Control Wire Direct Plug	LN控制插头	CN-LAK-354
16-5	Gas Hose With Clamp	带喉箍气管	CN-AK353
17	Lincoln Connector Plug	LN连接器	CN-350-174LH

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN BND-Consumables



No.	Description	Order
1	Insulator /Tweco 300&400; Spray Master 450;Lincolne Magnum 300&400	CN-10012
2	Insulator /Bernard BTB Torch	CN-4623R
3	Large Thread-On Diffuser	CN-D-A1
4	Large Slip-On Diffuser	CN-D-A2
5	Small Thread-On Diffuser	CN-DS-A1
6	Small Slip-On Diffuser	CN-DS-A2
7	Contact Tip .023" (0.6mm)	CN-T-A023CH
	Contact Tip .030" (0.8mm)	CN-T-A030CH
	Contact Tip .035" (0.9mm)	CN-T-A035CH
	Contact Tip .039" (1.0mm)	CN-T-A039CH
	Contact Tip .045" (1.2mm)	CN-T-A045CH
	Contact Tip .052" (1.4mm)	CN-T-A052CH
	Contact Tip 1/16" (1.6mm)	CN-T-A062CH
	Contact Tip .072" (1.8mm)	CN-T-A072CH
	Contact Tip 5/64" (2.0mm)	CN-T-A078CH
	Contact Tip 3/32" (2.4mm)	CN-T-A094CH
	Contact Tip 7/64" (2.8mm)	CN-T-A109CH
	Contact Tip 1/8" (3.2mm)	CN-T-A125CH
8	Contact Tip Long Tapered .023" (0.6mm)	CN-TT-A023CH
	Contact Tip Long Tapered .030" (0.8mm)	CN-TT-A030CH
	Contact Tip Long Tapered .035" (0.9mm)	CN-TT-A035CH
	Contact Tip Long Tapered .039" (1.0mm)	CN-TT-A039CH
	Contact Tip Long Tapered .045" (1.2mm)	CN-TT-A045CH
	Contact Tip Long Tapered .052" (1.4mm)	CN-TT-A052CH
	Contact Tip Long Tapered 1/16" (1.6mm)	CN-TT-A062CH
9	Nozzle 3/4" Bore, Flush, Copper ø19*70	CN-N-A3400C
	Nozzle 3/4" Bore, 1/8" Recess, Copper ø19*73.2	CN-N-A3418C
	Nozzle 3/4" Bore, 1/4" Recess, Copper ø19*76.4	CN-N-A3414C
	Nozzle 3/4" Bore, 1/8" Recess, Brass ø19*73.2	CN-N-A3418B
	Nozzle 3/4" Bore, 1/4" Recess, Brass ø19*76.4	CN-N-A3414B
10	Nozzle 5/8" Bore, Flush, Copper ø15.9*70	CN-N-A5800C
	Nozzle 5/8" Bore, 1/8" Recess, Copper ø15.9*73.2	CN-N-A5818C
	Nozzle 5/8" Bore, 1/4" Recess, Copper ø5.9*76.4	CN-N-A5814C
	Nozzle 5/8" Bore, 1/8" Recess, Brass ø15.9*73.2	CN-N-A5818B
	Nozzle 5/8" Bore, 1/4" Recess, Brass ø15.9*76.4	CN-N-A5814B
11	Nozzle 3/8" Bore, Flush, Copper ø9.6*89	CN-NT-A3800C
12	Nozzle 5/8" Bore, Flush, Copper ø15.9*73	CN-NS-A5800C
	Nozzle 5/8" Bore, 1/8" Recess, Copper ø15.9*69.8	CN-NS-A5818C
	Nozzle 5/8" Bore, Flush, Brass ø15.9*73	CN-NS-A5800B
	Nozzle 5/8" Bore, 1/8" Recess, Brass ø15.9*69.8	CN-NS-A5818B
13	Nozzle 1/2" Bore, 1/8" Recess, Copper ø12.7*69.8	CN-NS-A1218C
	Nozzle 1/2" Bore, Flush, Brass ø12.7*73	CN-NS-A1200B
	Nozzle 1/2" Bore, 1/8" Recess, Brass ø12.7*69.8	CN-NS-A1218B
14	Nozzle 3/8" Bore, Flush, Brass ø9.6*86	CN-NST-A3800B
	Nozzle 3/8" Bore, 1/8" Recess, Brass ø9.6*89	CN-NST-A3818B
	Nozzle 3/8" Bore, 1/8" Extension, Brass ø9.6*83	CN-NST-A38XTB
15	Nozzle 1/2" Bore, 1/8" Recess, Brass ø12.7*89	CN-NST-A1218B


CN BND- Quik Tip Consumable



No.	Description	Order
1	Insulator	CN-4423R
2	Quik Tip Diffuser 36.7mm	CN-D114Q
3	Quik Tip Diffuser 39.8mm	CN-D118Q
4	Quik Tip Diffuser 43mm	CN-D1FQ
5	Contact Tip .023'' 0.6mm	CN-T1023
	Contact Tip .030'' 0.8mm	CN-T1030
	Contact Tip .035'' 0.9mm	CN-T1035
	Contact Tip .039'' 1.0mm	CN-T1039
	Contact Tip .045'' 1.2mm	CN-T1045
	Contact Tip .052'' 1.4mm	CN-T1052
	Contact Tip 1/16'' 1.6mm	CN-T1116
	Contact Tip .068'' 1.7mm	CN-T1068
	Contact Tip .072'' 1.9mm	CN-T1072
	Contact Tip 5/64'' 2.0mm	CN-T1564
	Contact Tip 3/32'' 2.4mm	CN-T1332
	Contact Tip 7/64'' 2.8mm	CN-T1764
	Contact Tip 1/8'' 3.2mm	CN-T1118
6	Contact Tip Long Tapered .023'' 0.6mm	CN-T2023
	Contact Tip Long Tapered .030'' 0.8mm	CN-T2030
	Contact Tip Long Tapered .035'' 0.9mm	CN-T2035
	Contact Tip Long Tapered .039'' 1.0mm	CN-T2039
	Contact Tip Long Tapered .045'' 1.2mm	CN-T2045
	Contact Tip Long Tapered .052'' 1.4mm	CN-T2052
	Contact Tip Long Tapered 1/16'' 1.6mm	CN-T2116
7	Nozzle Heavy Duty Copper 3/4" ø19*59.5	CN-N1C34HQ
8	Nozzle Heavy Duty Copper 5/8" ø15.9*59.5	CN-N1C58HQ
9	Nozzle Copper 3/4" ø19*60.7	CN-N1C34Q
	Nozzle Brass 3/4" ø19*60.7	CN-N1B34Q
10	Nozzle Copper 5/8" ø15.9*60.7	CN-N1C58Q
	Nozzle Brass 5/8" ø15.9*60.7	CN-N1B58Q
11	Nozzle Copper 1/2" ø12.7*60.7	CN-N1C12Q
12	Nozzle Copper 1/2" ø12.7*72.6	CN-N2C12HQ
13	Nozzle Copper 3/8" ø9.5*72.6	CN-N2C38HQ
14	Nozzle Body Quik Tip	CN-N-HDQ
15	Nozzle 3/4" ,1/8" Recess, Copper ø19*26	CN-3418
	Nozzle 5/8" ,1/8" Recess, Copper ø15.9*26	CN-5818


CN M10 100AMP

Rating: 100A CO_2
60A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~0.9mm




No.	Description		Order
	CN-M-10 MIG Torch 10FT(3.0m)		CN-195605
	CN-M-100 MIG Torch 10FT(3.0m)		CN-248282
1	Swan Neck	弯管	CN-169718
2	Contact Tip Adapter	导电嘴座	CN-169716
3	Contact Tip .023" 0.6mm	导电嘴	CN-087299
	Contact Tip .030" 0.8mm	导电嘴	CN-000067
	Contact Tip .035" 0.9mm	导电嘴	CN-000068
	Contact Tip .045" 1.2mm	导电嘴	CN-000069
4	Nozzle Conical 1/2" 12.7mm	喷嘴	CN-169715
4-1	Nozzle Flux Cored	喷嘴	CN-226190
5	Front Handle	前把壳	CN-95G2209
6	Switch	开关	CN-95185.00315
7-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
7-2	Euro Rear Handle	欧式后把壳	CN-P001075
7-3	Euro Nut	后锁母	CN-174X-2
7-4	Euro Connector Tweco Style	后主体	CN-174EX-1
7-5	Liner for 0.6-0.8mm 3m	送丝管3米	CN-124.0011
7-6	Euro Conduit Cap	螺母	CN-174EX-1C
8-1	Rear Strain Relief Spring	美式弹簧	CN-9S285507
8-2	Rear Handle American Style	美式把壳	CN-9S285509
8-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
8-4	Control Wire 2-Spaded Lug 6.3mm	控制线端子	CN-35K350-1
9	Tweco Connector Plug	TWC连接器	CN-174EX-2
9-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
10	Miller Connector Plug	ML连接器	CN-350-174MH
10-1	Liner for .023"(0.6mm) 15FT(4.5m)	送丝管4.5米	CN-194010
	Liner for .030"-.035"(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-194011

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN M15 150AMP

Rating: 150A CO_2
90A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~0.9mm




No.	Description		Order
	CN-M-15 MIG Torch 10FT (3.0m)		CN-169589
	CN-M-15 MIG Torch 12FT (3.5m)		CN-168591
	CN-M-15 MIG Torch 15FT (4.5m)		CN-169593
	CN-M-150 MIG Torch 10FT (3.0m)		CN-249039
	CN-M-150 MIG Torch 12FT (3.5m)		CN-249040
	CN-M-150 MIG Torch 15FT (4.5m)		CN-249041
1	Swan Neck	弯管	CN-169718
1-1	Swan Neck Flexible	柔性弯管	CN-169718F
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Contact Tip Adapter	导电嘴座	CN-169716
3	Contact Tip .023" 0.6mm	导电嘴	CN-087299
	Contact Tip .030" 0.8mm	导电嘴	CN-000067
	Contact Tip .035" 0.9mm	导电嘴	CN-000068
	Contact Tip .045" 1.2mm	导电嘴	CN-000069
4	Nozzle Conical 1/2" 12.7mm	喷嘴	CN-169715
4-1	Nozzle Flux Cored	喷嘴	CN-226190
5	Front Handle	前把壳	CN-180.D078
6	Switch	开关	CN-185.0031S
7	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
8-1	Rear Strain Relief Spring	欧式弹簧	CN-P102213
8-2	Euro Rear Handle	欧式后把壳	CN-P001075
8-3	Euro Nut	后锁母	CN-174X-2
8-4	Euro Connector Tweco Style	后主体	CN-174EX-1
8-5	Liner for 0.6-0.8mm 3m	送丝管3米	CN-124.0011
8-6	Euro Conduit Cap	螺母	CN-174EX-1C
9-1	Rear Strain Relief Spring	美式弹簧	CN-9S285507
9-2	Rear Handle American Style	美式把壳	CN-9S285509
9-3	Miller Control Wire & Plug	ML控制插头	CN-MS354-TAJ
9-4	Control Wire 2-Spaded Lug 6.3mm	控制线端子	CN-35K350-1
10	Tweco Connector Plug	TWC连接器	CN-174EX-2
10-1	CNTWC 4.0/1.6-4.5m,0.8-1.2 Liner	TWC送丝管	CN-42-3035-15
11	Miller Connector Plug	ML连接器	CN-350-174MH
11-1	Liner for .030"-.035"(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-194011
	Liner for .035"-.045"(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-194012

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN M25 250AMP

Rating: 250A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-M-25 MIG Torch 10FT (3.0m) 030''-.035'' (0.8-0.9mm)		CN-169594N
	CN-M-25 MIG Torch 12FT (3.5m) 030''-.035'' (0.8-0.9mm)		CN-169596N
	CN-M-25 MIG Torch 15FT (4.5m) 030''-.035'' (0.8-0.9mm)		CN-169598N
	CN-M-25 MIG Torch 15FT (4.5m).035''-.045'' (0.9-1.2mm)		CN-169599N
1	Swan Neck	弯管	CN-169731-E
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Washer Shock	绝缘座	CN-169730
3	Nozzle Adapter	喷嘴适配器	CN-169729
4	Contact Tip Adapter	导电嘴座	CN-169728
5	Contact Tip .023'' 0.6mm	导电嘴	CN-087299
	Contact Tip .030'' 0.8mm	导电嘴	CN-000067
	Contact Tip .035'' 0.9mm	导电嘴	CN-000068
	Contact Tip .045'' 1.2mm	导电嘴	CN-000069
	Contact Tip .052'' 1.3mm	导电嘴	CN-044392
6	Nozzle 1/2'' 12.7mm Flush	喷嘴	CN-200258
	Nozzle 1/2'' 12.7mm Recess 1/8''	喷嘴	CN-169724
	Nozzle 5/8'' 15.9mm Recess 1/8''	喷嘴	CN-169725
	Nozzle 5/8'' 15.9mm Flush	喷嘴	CN-169726
	Nozzle 5/8'' 15.9mm Stickout 1/8''	喷嘴	CN-169727
	Nozzle 3/8'' 9.5mm Recess 1/8''	喷嘴	CN-176243
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
10-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
10-2	Rear Handle American Style	美式把壳	CN-P001075A
10-3	Miller Connector Plug	ML连接器	CN-350-174MH
10-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
10-5	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-194011
	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-194012
10-6	Control Plug Miller	ML控制插头	CN-079878

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN M25 New Air Cooled

Rating: 250A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-M-25 MIG Torch 10FT (3.0m) 030''-.035'' (0.8-0.9mm)		CN-169594N
	CN-M-25 MIG Torch 12FT (3.5m) 030''-.035'' (0.8-0.9mm)		CN-169596N
	CN-M-25 MIG Torch 15FT (4.5m) 030''-.035'' (0.8-0.9mm)		CN-169598N
	CN-M-25 MIG Torch 15FT (4.5m).035''-.045'' (0.9-1.2mm)		CN-169599N
1	Swan Neck	弯管	CN-169731
2	Washer Shock	绝缘座	CN-169730
2-1	AccuLock Insulator	绝缘套	CN-4623R
3	Nozzle Adapter	喷嘴适配器	CN-169729
4	Contact Tip Adapter	导电嘴座	CN-169728
4-1	CNM-25 to AccuLock MDX S Diffuse	导电嘴座-MDXS	CN-1070116
4-2	CNM-25 to AccuLock MDX Diffuser	导电嘴座-MDX	CN-1070117
5	Contact Tip .023" 0.6mm	导电嘴	CN-087299
	Contact Tip .030" 0.8mm	导电嘴	CN-000067
	Contact Tip .035" 0.9mm	导电嘴	CN-000068
	Contact Tip .045" 1.2mm	导电嘴	CN-000069
	Contact Tip .052" 1.3mm	导电嘴	CN-172024
	Contact Tip 1/16" 1.6mm	导电嘴	CN-044392
5-1	Contact Tip .023" 0.6mm	导电嘴	CN-T-M023
	Contact Tip .030" 0.8mm	导电嘴	CN-T-M030
	Contact Tip .035" 0.9mm	导电嘴	CN-T-M035
	Contact Tip .039" 1.0mm	导电嘴	CN-T-M039
	Contact Tip .045" 1.2mm	导电嘴	CN-T-M045
	Contact Tip 3/64" 1.2 mm	导电嘴	CN-T-M047
5-2	Contact Tip AccuLock S .023" 0.6mm	导电嘴	CN-T-A023CH
	Contact Tip AccuLock S .030" 0.8mm	导电嘴	CN-T-A030CH
	Contact Tip AccuLock S .035" 0.9mm	导电嘴	CN-T-A035CH
	Contact Tip AccuLock S .039" 1.0mm	导电嘴	CN-T-A039CH
	Contact Tip AccuLock S .045" 1.2mm	导电嘴	CN-T-A045CH
6	Nozzle 1/2" 12.7mm Flush	导电嘴	CN-200258
	Nozzle 1/2" 12.7mm Recess 1/8"	导电嘴	CN-169724
	Nozzle 5/8" 15.9mm Recess 1/8"	导电嘴	CN-169725
	Nozzle 5/8" 15.9mm Flush	导电嘴	CN-169726
	Nozzle 5/8" 15.9mm Stickout 1/8"	导电嘴	CN-169727
	Nozzle 3/8" 9.5mm Recess 1/8"	导电嘴	CN-176243
6-1	Nozzle 1/2" 12.7mm Flush	导电嘴	CN-N-M1200C
	Nozzle 1/2" 12.7mm Recess 1/8"	导电嘴	CN-N-M1218C
	Nozzle 5/8" 15.9mm Flush	导电嘴	CN-N-M5800C
	Nozzle 5/8" 15.9mm Recess 1/8"	导电嘴	CN-N-M5818C
	Nozzle 5/8" 15.9mm Stickout 1/8"	导电嘴	CN-N-M58XTC
6-2	Nozzle AccuLock S 5/8" 15.9mm Flush	导电嘴	CN-N-A5800CM
	Nozzle AccuLock S 5/8" 15.9mm Recess 1/8"	导电嘴	CN-N-A5818CM
	Nozzle AccuLock S 5/8" 15.9mm Recess 1/4"	导电嘴	CN-N-A5814CM


7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
10-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
10-2	Rear Handle American Style	美式把壳	CN-P001075A
10-3	Miller Connector Plug	ML连接器	CN-350-174MH
10-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
10-5	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-194011
	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-194012
10-6	Control Plug Miller	ML控制插头	CN-079878

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN M40 400AMP

Rating: 400A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.6mm




No.	Description		
	CN-M-40 MIG Torch 10FT (3.0m)		CN-169602
	CN-M-40 MIG Torch 12FT (3.5m)		CN-169604
	CN-M-40 MIG Torch 15FT (4.5m)		CN-169606
1	Swan Neck	弯管	CN-169744
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Washer Shock	绝缘座	CN-169738
3	Nozzle Adapter	喷嘴适配器	CN-169729
4	Contact Tip Adapter	导电嘴座	CN-169728
5	Contact Tip .023'' 0.6mm	导电嘴	CN-087299
	Contact Tip .030'' 0.8mm	导电嘴	CN-000067
	Contact Tip .035'' 0.9mm	导电嘴	CN-000068
	Contact Tip .045'' 1.2mm	导电嘴	CN-000069
	Contact Tip .052'' 1.3mm	导电嘴	CN-044392
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-172024
6	Nozzle 1/2'' 12.7mm Flush	喷嘴	CN-200258
	Nozzle 1/2'' 12.7mm Recess 1/8''	喷嘴	CN-169724
	Nozzle 5/8'' 15.9mm Recess 1/8''	喷嘴	CN-169725
	Nozzle 5/8'' 15.9mm Flush	喷嘴	CN-169726
	Nozzle 5/8'' 15.9mm Stickout 1/8''	喷嘴	CN-169727
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
10-1	Rear Strain Relief Spring	美式弹簧	CN-P102213A
10-2	Rear Handle American Style	美式把壳	CN-P001075A
10-3	Miller Connector Plug	ML连接器	CN-350-174MH
10-4	Wire Guide Assembly Only	ML螺母	CN-174M-N
10-5	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-194012
	Liner for 1/16''-5/65''(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-194013
10-6	Control Plug Miller	ML控制插头	CN-079878

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MDX 100

Rating: 100A CO_2
60A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~0.9mm




No.	Description		Order
	CN-MDX-100 MIG Torch 10FT(3.0m)		CN-1770028
	CN-MDX-100 MIG Torch 12FT(3.5m)		CN-1770029
	CN-MDX-100 MIG Torch 15FT(4.5m)		CN-1770030
1	Swan Neck	弯管	CN-1040087
2	Diffuser AccuLock MDX	导电嘴座	CN-D-M100
3	Contact Tip .023'' 0.6mm	导电嘴	CN-T-M023
	Contact Tip .030'' 0.8mm	导电嘴	CN-T-M030
	Contact Tip .035'' 0.9mm	导电嘴	CN-T-M035
	Contact Tip .045'' 1.2mm	导电嘴	CN-T-M045
	Contact Tip 3/64" 1.2 mm	导电嘴	CN-T-M047
	Contact Tip .052'' 1.3mm	导电嘴	CN-044392
4	Nozzle Copper 1/2'' 12.7mm Flush	喷嘴	CN-NS-M1200C
	Nozzle Brass 1/2'' 12.7mm Flush	喷嘴	CN-NS-M1200B
4-1	Nozzle Gasless	喷嘴	CN-NS-MFLX
5	Front Handle	前把壳	CN-180.D078
6	Switch	开关	CN-185.0031S
7	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
8-1	Rear Handle Support Spring	后弹簧	CN-2520033
8-2	Rear Handle	后把壳	CN-2520100
8-3	Miller Connector Plug	ML连接器	CN-2200169
8-4	Power Pin Cap .030''-.045''(0.8-1.2mm)	ML螺母	CN-2200171
8-5	Liner for .023''(0.6 mm) 10FT(3.0m)	送丝管3米	CN-LM1A-10
	Liner for .030''-.035''(0.8-0.9mm) 10FT(3.0m)	送丝管3米	CN-LM2A-10
	Liner for .035''-.045''(0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-LM3A-10
8-6	Control Plug Miller	ML控制插头	CN-GN2021

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MDX 250

Rating: 250A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-MDX-250 MIG Torch 10FT (3.0m) 030''-.035'' (0.8-0.9mm)		CN-1770035
	CN-MDX-250 MIG Torch 12FT (3.5m) 030''-.035'' (0.8-0.9mm)		CN-1770036
	CN-MDX-250 MIG Torch 15FT (4.5m) 030''-.035'' (0.8-0.9mm)		CN-1770037
	CN-MDX-250 MIG Torch 15FT (4.5m) .035''-.045'' (0.9-1.2mm)		CN-1770038
	CN-MDX-250 S MIG Torch 10FT (3.0m) .035''-.045'' (0.9-1.2mm)		CN-1770041
	CN-MDX-250 S MIG Torch 12FT (3.5m) .035''-.045'' (0.9-1.2mm)		CN-1770042
	CN-MDX-250 S MIG Torch 15FT (4.5m) .035''-.045'' (0.9-1.2mm)		CN-1770043
1	Swan Neck	弯管	CN-1040086
2	AccuLock Insulator	绝缘套	CN-4623R
3	Diffuser AccuLock MDX	导电嘴座	CN-D-M250
3-1	Diffuser AccuLock S	导电嘴座	CN-D-MA250
4	Contact Tip .023" 0.6mm	导电嘴	CN-T-M023
	Contact Tip .030" 0.8mm	导电嘴	CN-T-M030
	Contact Tip .035" 0.9mm	导电嘴	CN-T-M035
	Contact Tip .039" 1.0mm	导电嘴	CN-T-M039
	Contact Tip .045" 1.2mm	导电嘴	CN-T-M045
	Contact Tip 3/64" 1.2 mm	导电嘴	CN-T-M047
4-1	Contact Tip AccuLock S .023" 0.6mm	导电嘴	CN-T-A023CHM
	Contact Tip AccuLock S .030" 0.8mm	导电嘴	CN-T-A030CHM
	Contact Tip AccuLock S .035" 0.9mm	导电嘴	CN-T-A035CHM
	Contact Tip AccuLock S .039" 1.0mm	导电嘴	CN-T-A039CHM
	Contact Tip AccuLock S .045" 1.2mm	导电嘴	CN-T-A045CHM
5	Nozzle 1/2" 12.7mm Flush	喷嘴	CN-N-M1200C
	Nozzle 1/2" 12.7mm Recess 1/8"	喷嘴	CN-N-M1218C
	Nozzle 5/8" 15.9mm Flush	喷嘴	CN-N-M5800C
	Nozzle 5/8" 15.9mm Recess 1/8"	喷嘴	CN-N-M5818C
	Nozzle 5/8" 15.9mm Stickout 1/8"	喷嘴	CN-N-M58XTC
5-1	Nozzle AccuLock S 5/8" 15.9mm Flush	喷嘴	CN-N-A5800CM
	Nozzle AccuLock S 5/8" 15.9mm Recess 1/8"	喷嘴	CN-N-A5818CM
	Nozzle AccuLock S 5/8" 15.9mm Recess 1/4"	喷嘴	CN-N-A5814CM
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Nut Locking	固定锁母	CN-169738
9	Cable Ball Joint & Support Spring Middle	球节支撑体	CN-400.1010M
10-1	Rear Handle Support Spring	后弹簧	CN-2520033
10-2	Rear Handle	后把壳	CN-2520100
10-3	Miller Connector Plug	ML连接器	CN-2200169
10-4	Power Pin Cap .030''-.045''(0.8-1.2mm)	ML螺母	CN-2200171


10-5	Liner for .030''-.035''(0.8-0.9mm) 10FT(3.0m)	送丝管3米	CN-LM2A-10
	Liner for .030''-.035''(0.8-0.9mm) 12FT(3.5m)	送丝管3.5米	CN-LM2A-12
	Liner for .030''-.035''(0.8-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-LM2A-15
	Liner for .035''-.045''(0.9-1.2mm) 10FT(3.0m)	送丝管3米	CN-LM3A-10
	Liner for .035''-.045''(0.9-1.2mm) 12FT(3.5m)	送丝管3.5米	CN-LM3A-12
	Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-LM3A-15
10-6	Control Plug Miller	ML控制插头	CN-GN2021

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN Roughneck C-Series 300A/400A

Rating: 300A CO2/250AMixed Gases,Duty Cycle: 60%
Rating: 400A CO2/350AMixed Gases,Duty Cycle: 60%
Wire Size: .025''-.045''(0.6-1.2mm)
Wire Size: .025''-1/16''(0.6-1.6mm)



No.	Description		Order
	CN-Roughneck C-Series 300A MIG Gun 10FT(3.0m)		CN-194751
	CN-Roughneck C-Series 300A MIG Gun 12FT(3.5m)		CN-194752
	CN-Roughneck C-Series 300A MIG Gun 15FT(4.5m)		CN-194753
	CN-Roughneck C-Series 400A MIG Gun 10FT(3.0m)		CN-194754
	CN-Roughneck C-Series 400A MIG Gun 12FT(3.5m)		CN-194755
	CN-Roughneck C-Series 400A MIG Gun 15FT(4.5m)		CN-194756
1	Roughneck Jacketed 4.5'' in/50	弯管	CN-199625
2	Cover Nut	螺母盖	CN-202292
3	Gas Diffuser Flush 43.2mm	导电嘴座	CN-206196
3-1	Gas Diffuser 1/8'' Tip Recess 40mm	导电嘴座	CN-206195
3-2	Gas Diffuser 1/4'' Tip Recess 36.8mm	导电嘴座	CN-210664
4	Contact Tip Long Tapered .023'' 0.6mm	导电嘴	CN-209024
	Contact Tip Long Tapered .030'' 0.8mm	导电嘴	CN-209025
	Contact Tip Long Tapered .035'' 0.9mm	导电嘴	CN-209026
	Contact Tip Long Tapered .045'' 1.2mm	导电嘴	CN-209027
	Contact Tip Long Tapered 3/64"AL 1.2 mm	导电嘴	CN-209028
	Contact Tip Long Tapered .045'' 1.3mm	导电嘴	CN-209029
	Contact Tip Long Tapered 1/16'' 1.6mm	导电嘴	CN-209030
4-1	Contact Tip .023'' 0.6mm	导电嘴	CN-206184
	Contact Tip .030'' 0.8mm	导电嘴	CN-206185
	Contact Tip .035'' 0.9mm	导电嘴	CN-206186
	Contact Tip .040'' 1.0mm	导电嘴	CN-206187
	Contact Tip .045'' 1.2mm	导电嘴	CN-206188*
	Contact Tip 3/64"AL 1.2 mm	导电嘴	CN-206189
	Contact Tip 1/16'' 1.6mm	导电嘴	CN-206190
	Contact Tip 5/64'' 2.0mm	导电嘴	CN-206192
	Contact Tip 3/32'' 2.4mm	导电嘴	CN-206193
5	Nozzle Brass 1/2'' ø12.7*60.1	喷嘴	CN-199610
	Nozzle Brass 5/8'' ø15.9*60.1	喷嘴	CN-199613
5-1	Nozzle Brass 3/4'' ø19*60.1	喷嘴	CN-199611
	Nozzle Copper 1/2'' ø12.7*60.1	喷嘴	CN-199615
	Nozzle Copper 5/8'' ø15.9*60.1	喷嘴	CN-198855*
	Nozzle Copper 3/4'' ø19*60.1	喷嘴	CN-199616
	Nozzle Brass Heavy Duty 5/8'' ø15.9*60.1	喷嘴	CN-199614
	Nozzle Copper Heavy Duty 5/8'' ø15.9*60.1	喷嘴	CN-199618
	Nozzle Brass Heavy Duty 3/4'' ø19*60.1	喷嘴	CN-199612
	Nozzle Copper Heavy Duty 3/4'' ø19*60.1	喷嘴	CN-199617
5-2	Nozzle Copper Long Tapered 3/8'' ø9.5*72.6	喷嘴	CN-209035
	Nozzle Copper Long Tapered 1/2'' ø12.7*72.6	喷嘴	CN-209036
6	Handle Small Pair Flared P Style	前把壳	CN-199630
7	Switch	开关	CN-177488
8	Rubber Sheathing	电缆支撑体	


9-1	Rear Handle Support Spring	后弹簧	CN-2520033
9-2	Rear Handle	后把壳	CN-2520100
9-3	Miller Connector Plug	ML连接器	CN-2200169
9-4	Power Pin Cap .030''-.045''(0.8-1.2mm)	ML螺母	CN-2200171
9-5	Steel Liner for .023''-.035''(0.6-0.9mm) 15FT(4.5m)	送丝管4.5米	CN-202889
	Steel Liner for .035''-.045''(0.9-1.2mm) 15FT(4.5m)	送丝管4.5米	CN-202890
	Steel Liner for .052''-1/16''(1.3-1.6mm) 15FT(4.5m)	送丝管4.5米	CN-202891
	Steel Liner for 1/16''-5/65''(1.6-2.0mm) 15FT(4.5m)	送丝管4.5米	CN-202892
	Steel Liner for 5/65''-3/32''(2.0-2.4mm) 15FT(4.5m)	送丝管4.5米	CN-202893
	Steel Liner for 7/64''-1/8''(2.8-3.2mm) 15FT(4.5m)	送丝管4.5米	CN-202894
9-6	Control Plug Miller	ML控制插头	CN-079878

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 14AK

Rating: 150A CO_2
130A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description		Order
	CN-MB 14AK Gas Valve MIG Welding Torch 2.0m		CN-14AKT20
	CN-MB 14AK Gas Valve MIG Welding Torch 2.5m		CN-14AKT25
	CN-MB 14AK Gas Valve MIG Welding Torch 3.0m		CN-14AKT30
1	Swan Neck	弯管	CN-002.0009M
2	Head Insulator	绝缘套	CN-002.0050
3	Tip Holder M6*34mm	导电嘴座	CN-002.0078S
4	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
5	Nozzle Cylindrical ø16*53	柱形喷嘴	CN-145.0041
	Nozzie Conical ø12*53	锥型喷嘴	CN-145.0075
	Tapered Nozzle ø9.5*53	尖形喷嘴	CN-145.0123
	Spot Nozzle	点焊喷嘴	CN-145.0168
6	Front Handle	前把壳	CN-180.D078M
7	Gas Valve	气阀	CN-002.0017
8	Electricity& Liner Connector	电缆接头	
9	Cable Assembly	电缆组件	
10	Blue Steel Liner 0.6-0.8mm 2.0m		CN-124.0001
	Blue Steel Liner 0.6-0.8mm 2.5m		CN-124.0002
	Blue Steel Liner 0.6-0.8mm 3.0m		CN-124.0003

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 15AK

Rating: 180A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm




No.	Description		Order
	15AK 3m Welding Torch		CN-002.0449
	15AK 4m Welding Torch		CN-002.0450
	15AK 5m Welding Torch		CN-002.0451
1	Swan Neck	弯管	CN-002.0009
1-1	Flexible Swan Neck	柔性弯管	CN-002.0029
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Contact Tip Holder	导电嘴座	CN-002.0078
3	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
4	Nozzle Cylindrical ø16*53	柱形喷嘴	CN-145.0041
4-1	Nozzie Conlcal ø12*53	锥型喷嘴	CN-145.0075
4-2	Tapered Nozzle ø9.5*53	尖形喷嘴	CN-145.0123
4-3	Spot Nozzle	点焊喷嘴	CN-145.0168
5	Front Handle	前把壳	CN-180.D078
6	Switch	开关	CN-185.0031S
7	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
8	Rear Handle & Support Spring	后把壳	CN-501.2248X
9	Rear Conneclor Nut	后锁母	CN-500.0213X
10	Euro Central Connecloe KZ.2	后主体	CN-501.0003
11	Blue Steel Liner 0.6-0.8mm 3m	送丝管3米	CN-124.0011
	Blue Steel Liner 0.6-0.8mm 4m	送丝管4米	CN-124.0012
	Blue Steel Liner 0.6-0.8mm 5m	送丝管5米	CN-124.0015
12	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 24KD

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	24KD 3m Welding Torch		CN-012.0103
	24KD 4m Welding Torch		CN-012.0104
	24KD 5m Welding Torch		CN-012.0105
1	Swan Neck	弯管	CN-012.0001
1-1	Swan Neck Flexible	柔性弯管	CN-012.0001F
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffuser DMC	分流器	CN-012.0183
	Gas Diffuser Ceramic	分流器	CN-012.0183C
3	Tip Holder M6*26	导电嘴座	CN-142.0003
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Conlact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Conlact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Cylindrical Nozzle ND17.0	柱形喷嘴	CN-145.0047
5-1	Conical Nozzle ND12.5	锥形喷嘴	CN-145.0080
5-2	Tapered Nozzle ND10.0	尖形喷嘴	CN-145.0128
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 25AK

Rating: 230A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	25AK 3m Welding Torch		CN-004.0510
	25AK 4m Welding Torch		CN-004.0511
	25AK 5m Welding Torch		CN-004.0512
1	Swan Neck	弯管	CN-004.0012
1-1	Swan Neck Flexible	柔性弯管	CN-004.0032
2	Plastic Nut	塑料固定件	CN-400.0044
3	Tip Holder M6*35	导电嘴座	CN-142.0001
	Tip Holder M8*35	导电嘴座	CN-142.0001M8
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Conlact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Conlact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Cylindrical ø18*57	柱形喷嘴	CN-145.0042
5-1	Nozzle Conical ø15*57	锥形喷嘴	CN-145.0076
5-2	Nozzle Tapered ø11.5*57	尖形喷嘴	CN-145.0124
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 26KD

Rating: 270A CO_2
240A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	26KD 3m Welding Torch		CN-018.0062
	26KD 4m Welding Torch		CN-018.0063
	26KD 5m Welding Torch		CN-018.0064
1	Swan Neck	弯管	CN-018.0001
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffuser DMC	分流器	CN-018.0116
	Gas Diffuser Ceramic	陶瓷分流器	CN-018.0141
3	Contact Tip Holder M6*22	导电嘴座	CN-142.0007
	Contact Tip Holder M8*22	导电嘴座	CN-142.0082
	Contact Tip Holder M6*25	导电嘴座	CN-142.0012
	Contact Tip Holder M8*25	导电嘴座	CN-140.0026
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Cylindrical ø20*76	柱形喷嘴	CN-145.0051
5-1	Nozzle Conical ø16*76	锥形喷嘴	CN-145.0085
5-2	Nozzle Tapered ø14*76	尖形喷嘴	CN-145.0132
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X

11	Euro Central Connector KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 36KD

Rating: 300A CO_2
270A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	36KD 3m Welding Torch		CN-014.0334
	36KD 4m Welding Torch		CN-014.0335
	36KD 5m Welding Torch		CN-014.0336
1	Swan Neck	弯管	CN-014.0006
1-1	Swan Neck Flexible	柔性弯管	CN-014.0006F
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffuser DC	分流器	CN-014.0261
3	Contact Tip Holder M6*28	导电嘴座	CN-142.0005
	Contact Tip Holder M6*32	导电嘴座	CN-142.0011
4	Contact Tip Holder M8*28	导电嘴座	CN-142.0020
	Contact Tip Holder M8*34	导电嘴座	CN-142.0024
5	Contact Tip E-CU M8*30*0.8mm	导电嘴座	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0045
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-141.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-145.0033
6	Nozzle Cylindrical ø19*84	柱形喷嘴	CN-145.0045
6-1	Nozzle Conical ø16*84	锥形喷嘴	CN-145.0078
6-2	Nozzle Tapered ø12*84	尖形喷嘴	CN-145.0126

7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
10	Rear Handle & Support Spring	后把壳	CN-501.2248X
11	Rear Connector Nut	后锁母	CN-500.0213X
12	Euro Central Connector KZ-2	后主体	CN-501.0003
13	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0043
14	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 40KD

Rating: 350A CO_2
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.4mm



No.	Description		Order
	40KD 3m Welding Torch		CN-015.0029
	40KD 4m Welding Torch		CN-015.0032
	40KD 5m Welding Torch		CN-015.0034
1	Swan Neck	弯管	CN-015.0001
2	Gas Diffuser DC	分流器	CN-015.0021
	Gas Diffuser Ceramic	分流器	CN-015.0023
3	Contact Tip Holder M8*43	导电嘴座	CN-142.0021
	Contact Tip Holder M8*47 (Long)	导电嘴座	CN-142.0025
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0045
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-141.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-145.0033
5	Nozzle Cylindrical ø21*90	柱形喷嘴	CN-145.0046
5-1	Nozzle Conical ø18*90	锥形喷嘴	CN-145.0079
5-2	Nozzle Tapered ø14*90	尖形喷嘴	CN-145.0127
6	Front Handle	前把壳	CN-180.0029
7	Switch	开关	CN-400.0032

8	Cable Ball Joint & Support Spring Big	前弹簧	CN-400.1010B
9	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
10	Rear Handle	后把壳	CN-501.2248
11	Rear Connector Nut	后锁母	CN-500.0213L
12	Euro Central Connector KZ-2	后主体	CN-501.0003
13	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0044
	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 240D


Rating: 300A CO_2
270A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-240D Water Cooled Welding Torch 3m		CN-023.0077
	CN-240D Water Cooled Welding Torch 4m		CN-023.0078
	CN-240D Water Cooled Welding Torch 5m		CN-023.0079
1	Swan Neck	弯管	CN-023.0001
2	Gas Diffuser DMC	分流器	CN-012.0183
	Gas Diffuser Ceramic	分流器	CN-012.0183C
3	Tip Holder M6*26	导电嘴座	CN-142.0003
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Conlact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Conlact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Cylindrical Nozzle ø17*63.5	柱形喷嘴	CN-145.0047
5-1	Conical Nozzle ø12.5*63.5	锥形喷嘴	CN-145.0080
5-2	Tapered Nozzle ø10*63.5	尖形喷嘴	CN-145.0128
6	Front Handle	前把壳	CN-180.D078
7	Swich	开关	CN-185.0031S
8	Cable Ball Joint & Support Sping Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423


10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-500.0342
12	Pug Nipple ND 5mm	出水快插	CN-501.0114
13	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-109.0052
14	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-103.0018
15	Adaplor hut M33x2	后锁母	CN-500.0213
16	Gas Hose Red ø5*8 Units:100m	红色气管	CN-109.0040
17	Hose Clamp ø8.0mm	喉箍	CN-171.0002
18	Central Adaplor WZ-2	后主体	CN-501.0015
19	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 3m	送丝管3米	CN-122.0031
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 4m	送丝管4米	CN-122.0036
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 5m	送丝管5米	CN-122.0039
20	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN 401D/501D/HD511

Rating: 400A/500A CO_2
350A/450A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm/1.0~1.6mm




No.	Description		Order
	CN-401D Water Cooled Welding Torch 3m		CN-033.0107
	CN-401D Water Cooled Welding Torch 4m		CN-033.0108
	CN-401D Water Cooled Welding Torch 5m		CN-033.0109
	CN-501D Water Cooled Welding Torch 3m		CN-034.0160
	CN-501D Water Cooled Welding Torch 4m		CN-034.0161
	CN-501D Water Cooled Welding Torch 5m		CN-034.0162
	CNHD511 Expert Plus Water Cooled Welding Torch 3m		CN-134P431030
	CNHD511 Expert Plus Water Cooled Welding Torch 4m		CN-134P431040
	CNHD511 Expert Plus Water Cooled Welding Torch 5m		CN-134P431050
1	CN401D Swan Neck	401D弯管	CN-033.0001
	CN501D Swan Neck	501D弯管	CN-033.0277
1-1	CNHD511 Swan Neck	HD511弯管	CN-HD034.0001
2	Insulalor	绝缘垫片	CN-030.0019
3	Contact Tip Holder M6*25mm	导电嘴座	CN-142.0008
	Contact Tip Holder M6*29mm	导电嘴座	CN-142.0013
	Contact Tip Holder M8*25mm	导电嘴座	CN-142.0022
	Contact Tip Holder M8*29mm	导电嘴座	CN-142.0027
4	Gas Diffusor	分流器	CN-034.0926.0
5	Gas Diffusor White DMC	分流器	CN-030.0145
	Gas Diffusor Ceramic	陶瓷分流器	CN-030.0190
	Gas Diffusor Long Life	长寿命分流器	CN-030.0037
	Gas Diffusor Black	黑色分流器	CN-030.0029
6	Contact Tip Holder M8 HD	导电嘴座	CN-142.0271.0
7	Conatct Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Conatct Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip CuCrZr M8*30*3.2mm	导电嘴	CN-140.0681
8	Cylindrical Nozzle ND20*76	柱形喷嘴	CN-145.0051
8-1	Conical Nozzle ND16.0*76	锥形喷嘴	CN-145.0085
8-2	Tapered Nozzle ND14.0*76	尖形喷嘴	CN-145.0132
9	Front Handle	前把壳	CN-180.D078
10	Swich	开关	CN-185.0031S
11	Cable Ball Joint & Support Sping Water	球节支撑体	CN-500.0233
12	Fastener Cap Red	红色胶套	CN-501.2423
13	Fastener Cap Blue	蓝色胶套	CN-501.2424
14	Rear Handle Water	后把壳	CN-500.0342
15	Pug Nipple ND 5mm	出水快插	CN-501.0114
16	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-109.0052
17	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-103.0018
18	Adaptor Nut M33x2	后锁母	CN-500.0213
19	Gas Hose Red ø5*8 Units:100m	红色气管	CN-109.0052
20	Hose Clamp ø8.0mm	喉箍	CN-171.0012
21	Central Adaptor WZ-2	后主体	CN-501.0015
22	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 3m	送丝管3米	CN-122.0031
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 4m	送丝管4米	CN-122.0036
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 5m	送丝管5米	CN-122.0039
23	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN AUT501D

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm



No.	Description		Order
1	CN-AUT501D Swan Neck 0° /167	0°弯管	CN-934.0001
	CN-AUT501D Swan Neck 45°/X135/Y82	45°弯管	CN-934.0002
2	Insulalor	绝缘垫片	CN-030.0019
3	Contact Tip Holder M6*25mm	导电嘴座	CN-142.0008
	Contact Tip Holder M6*29mm	导电嘴座	CN-142.0013
	Contact Tip Holder M8*25mm	导电嘴座	CN-142.0022
	Contact Tip Holder M8*29mm	导电嘴座	CN-142.0027
4	Gas Diffusor White DMC	分流器	CN-030.0145
	Gas Diffusor Ceramic	陶瓷分流器	CN-030.0190
	Gas Diffusor Long Life	长寿命分流器	CN-030.0037
	Gas Diffusor Black	黑色分流器	CN-030.0029
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
6	Cylindrical Nozzle ND20*76	柱形喷嘴	CN-145.0051
6-1	Conical Nozzle ND16.0*76	锥形喷嘴	CN-145.0085
6-2	Tapered Nozzle ND14.0*76	尖形喷嘴	CN-145.0132
7	CN-Handle Tube AUT	自动焊把壳	CN-180.0001

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




OTC Type Connector

KR Type Connector

EURO Type Connector


CN MIG/MAG Machine Swan Necks




	Order	Description
	CN-934.0001	CN-AUT501D Swan Neck 0° /Y167
	CN-934.0002	CN-AUT501D Swan Neck 45° /X135/Y82
	CN-904.0003	CN-AUT25KD Fixed Swan Neck 0°/ Y140
	CN-904.0004	CN-AUT25KD Fixed Swan Neck 45°/ X125/Y80
	CN-912.0001	CN-AUT24KD Fixed Swan Neck 0°/ Y154
	CN-912.0002	CN-AUT24KD Fixed Swan Neck 45°/ X125/Y80
	CN-923.0001	CN-AUT240D Fixed Swan Neck 0°/ Y185
	CN-923.0002	CN-AUT240D Fixed Swan Neck 45°/ X125/Y80
	CN-914.0002	CN-AUT36KD Fixed Swan Neck 0°/ Y185
	CN-914.0003	CN-AUT36KD Fixed Swan Neck 45°/ X145/Y95
	CN-180.0001	CN-Handle Tube AUT

CN MIG/MAG Lengthen Swan Necks






Order	Description
CN-034.0001	CN-501D Swan Neck Standard L180mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L181-250mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L251-350mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L351-450mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L451-550mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L551-650mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L651-750mm
CN-034.0001.XXX	CN-501D Lengthen Swan Neck L751-850mm

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN Dual water-cooled 501D

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm





No.	Description		Order
1	CN-AUT501D Swan Neck 0° /167	0°弯管	CN-934.0001
	CN-AUT501D Swan Neck 45°/X135/Y82	45°弯管	CN-934.0002
2	Insulalor	绝缘垫片	CN-030.0019
3	Contact Tip Holder M6*25mm	导电嘴座	CN-142.0008
	Contact Tip Holder M6*29mm	导电嘴座	CN-142.0013
	Contact Tip Holder M8*25mm	导电嘴座	CN-142.0022
	Contact Tip Holder M8*29mm	导电嘴座	CN-142.0027
4	Gas Diffusor White DMC	分流器	CN-030.0145
	Gas Diffusor Ceramic	陶瓷分流器	CN-030.0190
	Gas Diffusor Long Life	长寿命分流器	CN-030.0037
	Gas Diffusor Black	黑色分流器	CN-030.0029
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
6	Dual water-cooled protective case	双水冷保护套	CN-345P012H31
7	Cylindrical Nozzle ND20*76	喷嘴	CN-345P012H30
8	CN-Handle Tube AUT	自动焊把壳	CN-180.0001

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


OTC Type Connector

KR Type Connector

EURO Type Connector


CN 610D

Rating: 650ACO2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.6~3.2mm




No.	Description		Order
	CN-RB610D Water Cooled Welding Torch 3m		CN-035.0037
	CN-RB610D Water Cooled Welding Torch 4m		CN-035.0025
	CN-RB610D Water Cooled Welding Torch 5m		CN-035.0013
1	Swan Neck	弯管	CN-035.0001
2	Gas Diffuser DMC	绝缘座	CN-013.0030
3	Contact Tip Holder M10*40mm	导电嘴座	CN-142.0032
4	Contact Tip E-CU M10*35*1.0mm	导电嘴	CN-140.1542
	Contact Tip E-CU M10*35*1.2mm	导电嘴	CN-140.1543
	Contact Tip E-CU M10*35*1.6mm	导电嘴	CN-140.1544
	Contact Tip E-CU M10*35*2.0mm	导电嘴	CN-140.3520
	Contact Tip E-CU M10*35*2.4mm	导电嘴	CN-140.3524
	Contact Tip E-CU M10*35*2.8mm	导电嘴	CN-140.3528
	Contact Tip CuCrZr M10*35*1.0mm	导电嘴	CN-140.0348
	Contact Tip CuCrZr M10*35*1.2mm	导电嘴	CN-140.0481
	Contact Tip CuCrZr M10*35*1.4mm	导电嘴	CN-140.0547
	Contact Tip CuCrZr M10*35*1.6mm	导电嘴	CN-140.0616
	Contact Tip CuCrZr M10*35*2.0mm	导电嘴	CN-140.0665
	Contact Tip CuCrZr M10*35*2.4mm	导电嘴	CN-140.0698
	Contact Tip CuCrZr M10*35*2.8mm	导电嘴	CN-140.0712
	Contact Tip CuCrZr M10*35*3.2mm	导电嘴	CN-140.0734
5	Nozzle Conical ø20*90	锥形喷嘴	CN-145.0081
	Nozzle Cylindrical ø23*90	柱形喷嘴	CN-145.0048
6	Front Handle	前把壳	CN-180.0029
7	Switch	开关	CN-400.0032
7-1	Switch Blade	开关芯	CN-400.0049
8	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-500.0342
12	Pug Nipple ND 5mm	出水快插	CN-501.0114
13	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-109.0052
14	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-103.0018
15	Adaptor Nut M33x2	后锁母	CN-500.0213
16	Gas Hose Red ø5*8 Units:100m	红色气管	CN-109.0040
17	Hose Clamp ø8.7mm	喉箍	CN-171.0002
18	Central Adaplor WZ-2	后主体	CN-501.0077
19	Guide Spiral Liner Blank 3.5/7.0 ø2.4mm 3m	送丝管3米	CN-122.0079
	Guide Spiral Liner Blank 3.5/7.0 ø2.4mm 4m	送丝管4米	CN-122.0080
	Guide Spiral Liner Blank 3.5/7.0 ø2.4mm 5m	送丝管5米	CN-122.0082
20	Liner Positioner Nut M14x1	螺母	CN-501.0129

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN 61GD

Rating: 500A CO2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.6~3.2mm




No.	Description		Order
	CN-RB61GD Welding Torch 3m		CN-013.0053
	CN-RB61GD Welding Torch 4m		CN-013.0054
	CN-RB61GD Welding Torch 5m		CN-013.0055
1	Swan Neck	弯管	CN-013.0001
2	Gas Diffuser DMC	分流器	CN-013.0030
3	Contact Tip Holder M10*40mm	导电嘴座	CN-142.0032
4	Contact Tip E-CU M10*35*1.0mm	导电嘴	CN-140.1542
	Contact Tip E-CU M10*35*1.2mm	导电嘴	CN-140.1543
	Contact Tip E-CU M10*35*1.6mm	导电嘴	CN-140.1544
	Contact Tip E-CU M10*35*2.0mm	导电嘴	CN-140.3520
	Contact Tip E-CU M10*35*2.4mm	导电嘴	CN-140.3524
	Contact Tip E-CU M10*35*2.8mm	导电嘴	CN-140.3528
	Contact Tip CuCrZr M10*35*1.0mm	导电嘴	CN-140.0348
	Contact Tip CuCrZr M10*35*1.2mm	导电嘴	CN-140.0481
	Contact Tip CuCrZr M10*35*1.4mm	导电嘴	CN-140.0547
	Contact Tip CuCrZr M10*35*1.6mm	导电嘴	CN-140.0616
	Contact Tip CuCrZr M10*35*2.0mm	导电嘴	CN-140.0665
	Contact Tip CuCrZr M10*35*2.4mm	导电嘴	CN-140.0698
	Contact Tip CuCrZr M10*35*2.8mm	导电嘴	CN-140.0712
	Contact Tip CuCrZr M10*35*3.2mm	导电嘴	CN-140.0734
5	Nozzle Conical ø20*90	喷嘴	CN-145.0081
	Nozzle Cyindrical ø23*90	喷嘴	CN-145.0048
6	Handle	把壳	CN-180.0029
7	Switch	开关	CN-400.0032
7-1	Switch Blade	开关垫片	CN-400.0049
8	Gas Hose Red ø5*8 Units:100m	气管	CN-109.0400
8-1	Hose Clamp ø9.5mm	喉箍	CN-171.0003
9	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10	Rear Handle	后把壳	CN-501.2248
11	Rear Connector Nut	后锁母	CN-500.0213L
12	Euro Central Connector	后主体	CN-501.0054
13	Guide Spiral Liner Blank 3.5/7.0 ø2.4mm 3m	送丝管3米	CN-122.0079
	Guide Spiral Liner Blank 3.5/7.0 ø2.4mm 4m	送丝管4米	CN-122.0080
	Guide Spiral Liner Blank 3.5/7.0 ø2.4mm 5m	送丝管5米	CN-122.0082
14	Liner Positioner Nut M14x1	后螺母	CN-501.0129

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN ABI WT340

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-ABIMIG WT340 Water Cooled Welding Torch Push-button Short 3m		CN-788.0041
	CN-ABIMIG WT340 Water Cooled Welding Torch Push-button Short 4m		CN-788.0042
	CN-ABIMIG WT340 Water Cooled Welding Torch Push-button Short 5m		CN-788.0043
	CN-ABIMIG WT340 Water Cooled Welding Torch Push-button Long 3m		CN-766.0116
	CN-ABIMIG WT340 Water Cooled Welding Torch Push-button Long 4m		CN-766.0117
	CN-ABIMIG WT340 Water Cooled Welding Torch Push-button Long 5m		CN-766.0118
1	CN-ABIMIG WT340 Swan Neck	弯管	CN-033.0378
1-1	Insulator	绝缘垫片	CN-023.0122
2	Contact Tip Holder M6*24mm	导电嘴座	CN-142.0241
	Contact Tip Holder M6*26mm	导电嘴座	CN-142.0242
	Contact Tip Holder CuCrZr M6*26mm	导电嘴座	CN-142.0274
3	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
4	Spatter Protector For Gas Nozzle ø10 ø17*23	玻纤管	CN-146.0082
	Spatter Protector For Gas Nozzle ø12.5/17 ø17*27	玻纤管	CN-146.0081
5	Gas Nozzle Galvanized Conical ø10*62	喷嘴	CN-145.0739
	Gas Nozzle Galvanized Conical ø12.5*62	喷嘴	CN-145.0737
	Gas Nozzle Galvanized Cylindrica ø17*62	喷嘴	CN-145.0740
6	Handle With Long Trigger	长前把壳	CN-180.0164
	Handle With Short Trigger	短前把壳	CN-180.0165
7	Push-button Short	短开关	CN-185.0135
	Push-button Long	加长卡关	CN-185.D118
8	Neck Liner 2.0/4.4 Pink ø0.8-1.2mm L=280mm	枪径送丝管	CN-123.D097
	Neck Liner 1.8/4.4 Brass ø0.8-1.2mm L=280mm	枪径送丝管	CN-120.D145
	Neck Liner PTFE 1.5/4.0 Blue ø0.8-1.2mm L=280mm	枪径送丝管	CN-126.D001
9	Insulating Bush	绝缘管套	CN-033.D182
10	Torch Body M23x1.5	弯管主体	CN-033.D167
11	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
12	Rear Handle Water	后把壳	CN-500.0342
13	Water Hose Blue ø5*8	蓝色水管	CN-109.0057
	Hose Clamp ø9.0mm	喉箍	CN-173.0001
14	Coolant Returnn Hose Red ø5*8 L=0.6m	红色气管	CN-103.0116
14-1	Hose Clamp ø11.8mm	喉箍	CN-173.0012
15	Fastener Cap Red	红色堵头	CN-501.2423
16	Fastener Cap Blue	蓝色堵头	CN-501.2424
17	Plug Nipple ND 5mm	出水快插	CN-501.0114
18	Adaptor Nut M33x2	后锁母	CN-500.0213
19	Central connector WZ-2 M10x1	后主体	CN-501.D743
20	Liner Steel Insulated 2.0/4.5 Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-124.0111
	Liner Steel insulated 2.0/4.5 Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-124.0112
	Liner Steel insulated 2.0/4.5 Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-124.0113
21	Liner Positioner Nut M10x1		CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN ABI WT440

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-ABIMIG WT440 Water Cooled Welding Torch Push-button Short 3m		CN-788.0044
	CN-ABIMIG WT440 Water Cooled Welding Torch Push-button Short 4m		CN-788.0045
	CN-ABIMIG WT440 Water Cooled Welding Torch Push-button Short 5m		CN-788.0046
	CN-ABIMIG WT440 Water Cooled Welding Torch Push-button Long 3m		CN-766.0119
	CN-ABIMIG WT440 Water Cooled Welding Torch Push-button Long 4m		CN-766.0120
	CN-ABIMIG WT440 Water Cooled Welding Torch Push-button Long 5m		CN-766.0121
1	CN-ABIMIG WT440 Swan Neck	弯管	CN-788.0005
1-1	Insulator	绝缘垫片	CN-023.0122
2	Contact Tip Holder M8*26mm	导电嘴座	CN-142.0252
	Contact Tip Holder M8*28mm	导电嘴座	CN-142.0253
	Contact Tip Holder M8*31mm	导电嘴座	CN-142.0243
	Contact Tip Holder CuCrZr M8*29.5mm	导电嘴座	CN-142.0262
3	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
4	Spatter Protector For Gas Nozzle ø12 ø18*25	玻纤管	CN-146.0083
	Spatter Protector For Gas Nozzle ø14.5/18 ø18*33	玻纤管	CN-146.D003
5	Gas Nozzle Galvanized Conical ø12*66	喷嘴	CN-145.0745
	Gas Nozzle Galvanized Conical ø14.5*66	喷嘴	CN-146.0083
	Gas Nozzle Galvanized Cylindrica ø18*66	喷嘴	CN-146.D003
6	Handle With Long Trigger	长前把壳	CN-180.0164
	Handle With Short Trigger	短前把壳	CN-180.0165
7	Push-button Short	短开关	CN-185.0135
	Push-button Long	加长卡关	CN-185.D118
8	Neck Liner 2.4/4.5 Blue ø1.4-1.6mm L=280mm	枪径送丝管	CN-123.D098
	Neck Liner 2.2/4.4 Brass ø1.2-1.4mm L=280mm	枪径送丝管	CN-120.D146
	Neck Liner PTFE 2.0/4.0 Red ø1.0-1.2mm L=280mm	枪径送丝管	CN-126.D002
	Neck Liner PTFE 2.7/4.7 Yellow ø1.4-1.6mmL=280mm	枪径送丝管	CN-126.D003
9	Insulating Bush	绝缘管套	CN-033.D182
10	Torch Body M23x1.5	弯管主体	CN-033.D167
11	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
12	Rear Handle Water	后把壳	CN-500.0342
13	Water Hose Blue ø5*8	蓝色水管	CN-109.0057
	Hose Clamp ø9.0mm	喉箍	CN-173.0001
14	Coolant Returnn Hose Red ø5*8 L=0.6m	红色气管	CN-103.0116
14-1	Hose Clamp ø11.8mm	喉箍	CN-173.0012
15	Fastener Cap Red	红色堵头	CN-501.2423
16	Fastener Cap Blue	蓝色堵头	CN-501.2424
17	Plug Nipple ND 5mm	出水快插	CN-501.0114
18	Adaptor Nut M33x2	后锁母	CN-500.0213
19	Central connector WZ-2 M10x1	后主体	CN-501.D743
20	Liner Steel Insulated 2.0/4.5 Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-124.0111
	Liner Steel insulated 2.0/4.5 Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-124.0112
	Liner Steel insulated 2.0/4.5 Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-124.0113
21	Liner Positioner Nut M10x1	定位螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN ABI WT540


Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm



No.	Description		Order
	CN-ABIMIG WT540 Water Cooled Welding Torch Push-button Short 3m		CN-788.0047
	CN-ABIMIG WT540 Water Cooled Welding Torch Push-button Short 4m		CN-788.0048
	CN-ABIMIG WT540 Water Cooled Welding Torch Push-button Short 5m		CN-788.0049
	CN-ABIMIG WT540 Water Cooled Welding Torch Push-button Long 3m		CN-766.0122
	CN-ABIMIG WT540 Water Cooled Welding Torch Push-button Long 4m		CN-766.0123
	CN-ABIMIG WT540 Water Cooled Welding Torch Push-button Long 5m		CN-766.0124
1	CN-ABIMIG WT540 Swan Neck	弯管	CN-788.0026
1-1	Insulator	绝缘垫片	CN-023.0122
2	Contact Tip Holder M8*25mm	导电嘴座	CN-142.0239
	Contact Tip Holder M8*27mm	导电嘴座	CN-142.0240
	Contact Tip Holder M8*28.5mm	导电嘴座	CN-142.0241
	Contact Tip Holder CuCrZr M8*25mm	导电嘴座	CN-142.0284
	Contact Tip Holder CuCrZr M8*27mm	导电嘴座	CN-142.0248
	Contact Tip Holder CuCrZr M8*28.5mm	导电嘴座	CN-142.0261
3	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
4	Spatter Protector For Gas Nozzle ø20*28	玻纤管	CN-146.0080
5	Gas Nozzle Galvanized Conical ø14*66	喷嘴	CN-145.0741
	Gas Nozzle Galvanized Conical ø16*66	喷嘴	CN-145.0735
	Gas Nozzle Galvanized Cylindrica ø20*66	喷嘴	CN-145.0742
6	Handle With Long Trigger	长前把壳	CN-180.0164
	Handle With Short Trigger	短前把壳	CN-180.0165
7	Push-button Short	短开关	CN-185.0135
	Push-button Long	加长卡关	CN-185.D118
8	Neck Liner 2.4/4.5 Blue ø1.4-1.6mm L=280mm	枪径送丝管	CN-123.D098
	Neck Liner 2.2/4.4 Brass ø1.2-1.4mm L=280mm	枪径送丝管	CN-120.D146
	Neck Liner PTFE 2.0/4.0 Red ø1.0-1.2mm L=280mm	枪径送丝管	CN-126.D002
	Neck Liner PTFE 2.7/4.7 Yellow ø1.4-1.6mmL=280mm	枪径送丝管	CN-126.D003


9	Insulating Bush	绝缘管套	CN-033.D182
10	Torch Body M23x1.5	弯管主体	CN-033.D167
11	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
12	Rear Handle Water	后把壳	CN-500.0342
13	Water Hose Blue ø5*8	蓝色水管	CN-109.0057
	Hose Clamp ø9.0mm	喉箍	CN-173.0001
14	Coolant Returnn Hose Red ø5*8 L=0.6m	红色气管	CN-103.0116
14-1	Hose Clamp ø11.8mm	喉箍	CN-173.0012
15	Fastener Cap Red	红色堵头	CN-501.2423
16	Fastener Cap Blue	蓝色堵头	CN-501.2424
17	Plug Nipple ND 5mm	出水快插	CN-501.0114
18	Adaptor Nut M33x2	后锁母	CN-500.0213
19	Central connector WZ-2 M10x1	后主体	CN-501.D743
20	Liner Steel Insulated 2.5/4.5 Yellow Wire ø1.4-1.6 3m	送丝管3米	CN-124.0114
	Liner Steel Insulated 2.5/4.5 Yellow Wire ø1.4-1.6 4m	送丝管4米	CN-124.0115
	Liner Steel Insulated 2.5/4.5 Yellow Wire ø1.4-1.6 5m	送丝管5米	CN-124.0116
21	Liner Positioner Nut M10x1	定位螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN A155

Rating: 190A CO_2
170A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description		Order
	CN-A155 LW Welding Torch 3m		CN-767.D600
	CN-A155 LW Welding Torch 4m		CN-767.D601
	CN-A155 LW Welding Torch 5m		CN-767.D602
1	Swan Neck	弯管	CN-767.D603
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-767.D607
3	Tip Holder M6*35	导电嘴座	CN-006.D719
4	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
5	Nozzle Conical ø12mm*52mm	喷嘴	CN-145.D001
	Nozzle Conical ø12mm*54mm	喷嘴	CN-145.D004
	Nozzle Cylindrical ø17mm*52mm	喷嘴	CN-145.D003
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Cable Ball Joint & Support Spring Middl	球节支撑体	CN-122.D037
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 0.6-0.9mm 3m	送丝管3米	CN-124.0011
	Red Steel Liner 0.6-0.9mm 4m	送丝管4米	CN-124.0012
	Red Steel Liner 0.6-0.9mm 5m	送丝管5米	CN-124.0015
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN A255

Rating: 250A CO_2
210A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-A255 LW Welding Torch 3m		CN-767.D630
	CN-A255 LW Welding Torch 4m		CN-767.D631
	CN-A255 LW Welding Torch 5m		CN-767.D632
1	Swan Neck	弯管	CN-767.D633
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-767.D637
3	Tip Holder M6*51	导电嘴座	CN-004.D624
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140,0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø14mm*67mm	喷嘴	CN-145.D012
	Nozzle Conical ø16mm*70mm	喷嘴	CN-145.D011
	Nozzle Cylindrical ø18mm*69mm	喷嘴	CN-145.D014
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN A305

Rating: 315A CO_2
270A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-A305 LW Welding Torch 3m		XL767.D690
	CN-A305 LW Welding Torch 4m		XL767.D691
	CN-A305 LW Welding Torch 5m		XL767.D692
1	Swan Neck	弯管	CN-767.D663
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-767.D668
3	Tip Holder	导电嘴座	CN-014.D745
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078
7	Switch	开关	CN-185.0031S
8	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN A355

Rating: 350A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm



No.	Description		Order
	CN-A355 LW Welding Torch 3m		CN-767.D690
	CN-A355 LW Welding Torch 4m		CN-767.D691
	CN-A355 LW Welding Torch 5m		CN-767.D692
1	Swan Neck	弯管	CN-767.D693
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Spacer	绝缘座	CN-767.D668
3	Tip Holder M8*52	导电嘴座	CN-014.D745
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078


7	Switch	开关	CN-185.0031S
8	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
12	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0044
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN A405

Rating: 400A CO_2
340A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm



No.	Description		Order
	CN-A405 LW 3m Welding Torch		CN-767.D720
	CN-A405 LW 4m Welding Torch		CN-767.D721
	CN-A405 LW 5m Welding Torch		CN-767.D722
1	Swan Neck	弯管	CN-767.D723
2	Spacer	绝缘座	CN-767.D729
3	Tip Holder M8*52	导电嘴座	CN-014.D745
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M6*28*2.0mm	导电嘴	CN-141.0033
5	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
6	Front Handle	前把壳	CN-180.D078


7	Switch	开关	CN-185.0031S
8	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
9	Rear Handle & Support Spring	后把壳	CN-501.2248X
10	Rear Connector Nut	后锁母	CN-500.0213X
11	Euro Central Connector KZ-2	后主体	CN-501.D342
12	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米	CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米	CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米	CN-124.D118
13	Liner Positioner Nut M14x1	螺母	CN-501.D537

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN AT155

Rating: 190A CO_2
180A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.0mm



No.	Description		Order
	CN-AT155LW Welding Torch 3m		CN-006.D810
	CN-AT155LW Welding Torch 4m		CN-006.D811
	CN-AT155LW Welding Torch 5m		CN-006.D812
1	Swan Neck	弯管	CN-006.D804
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D607
4	Tip Holder M6*35	导电嘴座	CN-006.D719
	Tip Holder M6*38	导电嘴座	CN-006.D835
5	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
6	Nozzle Conical ø12mm*52mm	喷嘴	CN-145.D001
	Nozzle Conical ø12mm*54mm	喷嘴	CN-145.D004
	Nozzle Cylindrical ø17mm*52mm	喷嘴	CN-145.D003
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 0.8mm	枪颈送丝管	CN-122.D037
	Swan Neck Liner 1.0-1.2mm	枪颈送丝管	CN-122.D038
10	Suport Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X

13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 0.6-0.9mm 3m	送丝管3米	CN-124.0011
	Red Steel Liner 0.6-0.9mm 4m	送丝管4米	CN-124.0012
	Red Steel Liner 0.6-0.9mm 5m	送丝管5米	CN-124.0015
16	Liner Positioner Nut M10x1	螺母	CN-501.0082


We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



气保焊枪 MIG Welding Torches

CN AT255

Rating: 240A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-AT255LW Welding Torch 3m		CN-004.D850
	CN-AT255LW Welding Torch 4m		CN-004.D851
	CN-AT255LW Welding Torch 5m		CN-004.D852
1	Swan Neck	弯管	CN-004.D831
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D607
4	Tip Holder M6*51	导电嘴座	CN-004.D624
	Tip Holder M6*55	导电嘴座	CN-004.D889
5	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0516
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0519
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0020
6	Nozzle Conical ø14mm*67mm	喷嘴	CN-145.D012
	Nozzle Conical ø16mm*70mm	喷嘴	CN-145.D011
	Nozzle Cylindrical ø18mm*69mm	喷嘴	CN-145.D014
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S


9	Swan Neck Liner 1.0-1.2mm	枪颈送丝管	CN-122.D038
10	Suport Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN AT305

Rating: 290A CO_2
260A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-AT305LW Welding Torch 3m		CN-018.D960
	CN-AT305LW Welding Torch 4m		CN-018.D961
	CN-AT305LW Welding Torch 5m		CN-018.D962
1	Swan Neck	弯管	CN-014.H356
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D668
4	Tip Holder	导电嘴座	CN-014.D745
5	Contact Tip E-CU M8*30*0.8mm	导电嘴座	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴座	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
6	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck iner 1.0-1.2mm	枪颈送丝管	CN-122.D038
10	Suport Gat Rotitor	旋转器	CN-014.H354
11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M


12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN AT355

Rating: 340A CO_2
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm



No.	Description		Order
	CN-AT355LW 3m Welding Torch		CN-014.H390
	CN-AT355LW 4m Welding Torch		CN-014.H391
	CN-AT355LW 5m Welding Torch		CN-014.H391
1	Swan Neck	弯管	CN-014.H363
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D668
4	Tip Holder	导电嘴座	CN-014.D745
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
6	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 1.0-1.2mm	枪颈送丝管	CN-122.D038
	Red Steel Liner 1.0-1.2mm 3m	枪颈送丝管	CN-124.0026
10	Suport Gat Rotitor	旋转器	CN-014.H354


11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	欧式后主体	CN-501.0003
15	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
16	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN AT405

Rating: 400A CO_2
370A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm



No.	Description		Order
	CN-AT405LW 3m Welding Torch		CN-015.D070
	CN-AT405LW 4m Welding Torch		CN-015.D071
	CN-AT405LW 5m Welding Torch		CN-015.D072
1	Swan Neck	弯管	CN-015.0082
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-767.D668
4	Tip Holder	导电嘴座	CN-014.D745
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M6*28*2.0mm	导电嘴	CN-141.0033
6	Nozzle Conical ø16mm*69mm	锥形喷嘴	CN-145.D022
	Nozzle Conical ø18mm*72mm	锥形喷嘴	CN-145.D021
	Nozzle Cylindrical ø21mm*72mm	柱形喷嘴	CN-145.D024
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 1.6mm	枪颈送丝管	CN-122.D078
10	Suport Gat Rotitor	旋转器	CN-016.D392


11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	后主体	CN-501.D342
15	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米	CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米	CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米	CN-124.D118
16	Liner Positioner Nut M14x1	螺母	CN-501.D537

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN AT455

Rating: 450A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.4mm



No.	Description		Order
	CN-AT455LW Welding Torch 3m		CN-016.D294
	CN-AT455LW Welding Torch 4m		CN-016.D295
	CN-AT455LW Welding Torch 5m		CN-016.D296
1	Swan Neck	弯管	CN-016.D147
2	Swan Neck Nut M22x1.5	弯管螺母	CN-014.H279
3	Spacer	绝缘座	CN-016.D154
4	Tip Holder M8*65mm	导电嘴座	CN-016.D155
	Tip Holder M10*65mm	导电嘴座	CN-016.D156
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0590
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-140.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-140.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-140.0015
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M6*28*2.0mm	导电嘴	CN-141.0033
6	Nozzle Conical ø13mm*85mm	喷嘴	CN-145.D243
	Nozzle Conical ø16mm*85mm	喷嘴	CN-145.D244
	Nozzle Conical ø19mm*85mm	喷嘴	CN-145.D245
	Nozzle Cylindrical ø24mm*83mm	喷嘴	CN-145.D249
	Nozzle Conical HD Copper ø16mm*85mm	喷嘴	CN-145.D241
	Nozzle Conical HD Copper ø19mm*85mm	喷嘴	CN-145.D242
7	Front Handle	前把壳	CN-180.D078
8	Switch	开关	CN-185.0031S
9	Swan Neck Liner 1.6mm	枪颈送丝管	CN-122.D078
10	Suport Gat Rotitor	旋转器	CN-016.D392

11	Handle Cable Support Ball Joint	球节支撑体	CN-400.1010M
12	Rear Handle & Support Spring	后把壳	CN-501.2248X
13	Rear Connector Nut	后锁母	CN-500.0213X
14	Euro Central Connector KZ-2	后主体	CN-501.D342
15	White Steel Liner 2.2/6.0 ø1.4-1.6mm 3m	送丝管3米	CN-124.D116
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 4m	送丝管4米	CN-124.D117
	White Steel Liner 2.2/6.0 ø1.4-1.6mm 5m	送丝管5米	CN-124.D118
16	Liner Positioner Nut M14x1	螺母	CN-501.D537


We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 15

Rating: 180A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm





No.	Description		Order
	CN-MB EVO 15 Welding Torch 3m		CN-002.0709
	CN-MB EVO 15 Welding Torch 4m		CN-002.0710
	CN-MB EVO 15 Welding Torch 5m		CN-002.0711
1	Swan Neck	弯管	CN-002.0715
2	Tip Holder M6*42	导电嘴座	CN-002.0078
3	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-140.0008
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-140.0059
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-140.0177
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-140.0253
	Contact Tip E-CU M6*25*1.2mm	导电嘴	CN-140.0387
	Contact Tip CuCrZr M6*25*0.6mm	导电嘴	CN-140.0855
	Contact Tip CuCrZr M6*25*0.8mm	导电嘴	CN-140.0062
	Contact Tip CuCrZr M6*25*1.0mm	导电嘴	CN-140.0256
	Contact Tip CuCrZr M6*25*1.2mm	导电嘴	CN-140.0390
	Contact Tip E-CU Aluminum M6*25*0.8mm	导电嘴	CN-141.0002
	Contact Tip E-CU Aluminum M6*25*1.0mm	导电嘴	CN-141.0007
	Contact Tip E-CU Aluminum M6*25*1.2mm	导电嘴	CN-141.0011
4	Nozzle Tapered ø9.5*53	喷嘴	CN-145.0123
	Nozzle Conical ø12*53	喷嘴	CN-145.0075
	Nozzle Cylindrical ø16*53	喷嘴	CN-145.0041
5	Front Handle	前把壳	CN-180.0178
6	Switch	开关	CN-185.0142
7	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
8	Rear Handle	后把壳	CN-501.2248
9	Rear Conneclor Nut	后锁母	CN-500.0213X
10	Euro Central Connecloe KZ-2	后主体	CN-501.0003
11	Blue Steel Liner 0.6-0.8mm 3m	送丝管3米	CN-124.0011
	Blue Steel Liner 0.6-0.8mm 4m	送丝管4米	CN-124.0012
	Blue Steel Liner 0.6-0.8mm 5m	送丝管5米	CN-124.0015
12	Liner Positioner Nut M10x1	螺母	CN-501.0082


We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 24

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm






No.	Description		Order
	CN-MB EVO 24 Welding Torch 3m		CN-012.0368
	CN-MB EVO 24 Welding Torch 4m		CN-012.0369
	CN-MB EVO 24 Welding Torch 5m		CN-012.0370
1	Swan Neck	弯管	CN-012.0374
2	Gas Diffuser DMC	分流器	CN-012.0183
	Gas Diffuser Ceramic	分流器	CN-012.0183C
3	Tip Holder M6*26	导电嘴座	CN-142.0003
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Conlact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Conlact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø10*63.5	喷嘴	CN-145.0128
	Nozzle Conical ø12.5*63.5	喷嘴	CN-145.0080
	Nozzle Cylindrical ø17*63.5	喷嘴	CN-145.0047
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.1010M
9	Rear Handle	后把壳	CN-501.2248R
10	Rear Conneclor Nut	后锁母	CN-500.0213X
11	Euro Central Connecloe KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 25

Rating: 230A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-MB EVO 25 Welding Torch 3m		CN-004.0668
	CN-MB EVO 25 Welding Torch 4m		CN-004.0669
	CN-MB EVO 25 Welding Torch 5m		CN-004.0670
1	Swan Neck	弯管	CN-004.0663
2	Nozzle Spring	喷嘴弹簧	CN-003.0013
3	Tip Holder M6*35	导电嘴座	CN-142.0001
	Tip Holder M8*35	导电嘴座	CN-142.0001M8
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Conlact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Conlact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Tapered ø11.5*57	喷嘴	CN-145.0124
	Nozzle Conical ø15*57	喷嘴	CN-145.0076
	Nozzle Cylindrical ø18*57	喷嘴	CN-145.0042
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.D574
9	Rear Handle	后把壳	CN-501.2248
10	Rear Conneclor Nut	后锁母	CN-500.0213L
11	Euro Central Connecloe KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 26

Rating: 270A CO_2
240A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-MB EVO 26 Welding Torch 3m		CN-018.0208
	CN-MB EVO 26 Welding Torch 4m		CN-018.0209
	CN-MB EVO 26 Welding Torch 5m		CN-018.0210
1	Swan Neck	弯管	CN-018.0214
2	Gas Diffuser DMC	分流器	CN-018.0116
	Gas Diffuser Ceramic	陶瓷分流器	CN-018.0141
3	Contact Tip Holder M6*22	导电嘴座	CN-142.0007
	Contact Tip Holder M8*22	导电嘴座	CN-142.0082
	Contact Tip Holder M6*25	导电嘴座	CN-142.0012
	Contact Tip Holder M8*25	导电嘴座	CN-142.0026
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0397
	Conlact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Conlact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-141.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-141.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-141.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-145.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-145.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Tapered ø14*76	喷嘴	CN-145.0132
	Nozzle Conical ø16*76	喷嘴	CN-145.0085
	Nozzle Cylindrical ø20*76	喷嘴	CN-145.0051
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.D574
9	Rear Handle	后把壳	CN-501.2248R
10	Rear Conneclor Nut	后锁母	CN-500.0213X
11	Euro Central Connecloe KZ-2	后主体	CN-501.0003
12	Red Steel Liner 1.0-1.2mm 3m	送丝管3米	CN-124.0026
	Red Steel Liner 1.0-1.2mm 4m	送丝管4米	CN-124.0031
	Red Steel Liner 1.0-1.2mm 5m	送丝管5米	CN-124.0035
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 36

Rating: 320A CO_2
290A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-MB EVO 36 Welding Torch 3m		CN-014.0526
	CN-MB EVO 36 Welding Torch 4m		CN-014.0527
	CN-MB EVO 36 Welding Torch 5m		CN-014.0528
1	Swan Neck	弯管	CN-014.0518
2	Gas Diffuser DMC	分流器	CN-014.0261
	Gas Diffuser Ceramic	陶瓷分流器	CN-014.0023
3	Contact Tip Holder M6*28	导电嘴座	CN-142.0005
	Contact Tip Holder M6*32	导电嘴座	CN-142.0011
	Contact Tip Holder M8*28	导电嘴座	CN-142.0020
	Contact Tip Holder M8*34	导电嘴座	CN-142.0024
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CucrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Tapered ø12*84	喷嘴	CN-145.0126
	Nozzle Conical ø16*84	喷嘴	CN-145.0078
	Nozzle Cylindrical ø19*84	喷嘴	CN-145.0045
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142


8	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-400.D574
9	Rear Handle	后把壳	CN-501.2248R
10	Rear Conneclor Nut	后锁母	CN-500.0213X
11	Euro Central Connecloe KZ-2	后主体	CN-501.0003
12	Yellow Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-124.0041
	Yellow Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-124.0042
	Yellow Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-124.0044
13	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 240D


Rating: 300A CO_2
270A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-MB EVO 240D Water Cooled Welding Torch 3m		CN-023.0322
	CN-MB EVO 240D Water Cooled Welding Torch 4m		CN-023.0323
	CN-MB EVO 240D Water Cooled Welding Torch 5m		CN-023.0324
1	Swan Neck	弯管	CN-023.0316
2	Gas Diffuser DMC	分流器	CN-012.0183
	Gas Diffuser Ceramic	陶瓷分流器	CN-012.0183C
	Gas diffuser Silicone Rubber	橡胶分流器	CN-012.0243
3	Tip Holder M6*26	导电嘴座	CN-142.0003
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-140.0051
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-140.0169
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-140.0242
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-140.0379
	Contact Tip E-CU M6*28*1.4mm	导电嘴	CN-140.0516
	Contact Tip E-CU M6*28*1.6mm	导电嘴	CN-140.0555
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-140.0054
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-140.0245
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-140.0382
	Contact Tip CuCrZr M6*28*1.4mm	导电嘴	CN-140.0519
	Contact Tip CuCrZr M6*28*1.6mm	导电嘴	CN-140.0558
	Contact Tip E-CU Aluminum M6*28*0.8mm	导电嘴	CN-141.0001
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-141.0006
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-141.0010
	Contact Tip E-CU Aluminum M6*28*1.4mm	导电嘴	CN-141.0019
	Contact Tip E-CU Aluminum M6*28*1.6mm	导电嘴	CN-141.0020
5	Nozzle Conical ø10*63.5	喷嘴	CN-145.0128
	Nozzle Conical ø12.5*63.5	喷嘴	CN-145.0080
	Nozzle Cylindrical ø17*63.5	喷嘴	CN-145.0047
6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424


11	Rear Handle Water	后把壳	CN-500.0342
12	Plug Nipple ND 5mm	出水快插	CN-501.0114
13	Water Hose Blue ø5*8	蓝色水管	CN-109.0052
14	Coolant Return Hose Red ø5*8 L=0.6m	红色水管	CN-103.0116
15	Adaptor Nut M33x2	后锁母	CN-500.0213
16	Hose Clamp ø9.0mm	喉箍	CN-173.0001
17	Wire Conduit 3m	送丝护套管	CN-154.0017
	Wire Conduit 4m	送丝护套管	CN-154.0018
	Wire Conduit 5m	送丝护套管	CN-154.0019
18	Central connector WZ-2 M12x1	后主体	CN-501.2677
19	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 3m	送丝管3米	CN-122.0031
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 4m	送丝管4米	CN-122.0036
	Liner Steel Blank 2.0/4.5 Wire ø1.0-1.2 5m	送丝管5米	CN-122.0039
20	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 401D


Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-MB EVO 401D Water Cooled Welding Torch 3m		CN-033.0387
	CN-MB EVO 401D Water Cooled Welding Torch 4m		CN-033.0388
	CN-MB EVO 401D Water Cooled Welding Torch 5m		CN-033.0389
1	Swan Neck	弯管	CN-033.0378
1-1	Insulator	绝缘垫片	CN-030.0019
2	Contact Tip Holder M6*25	导电嘴座	CN-142.0008
	Contact Tip Holder M8*25	导电嘴座	CN-142.0022
	Contact Tip Holder CuCrZr M8*25	导电嘴座	CN-142.0022Z
	Contact Tip Holder CuCrZr M8*27	导电嘴座	CN-142.0201
3	Gas Diffuser DMC	分流器	CN-030.0145
	Gas Diffuser Ceramic	陶瓷分流器	CN-030.0190
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Cylindrical ø20*76mm	喷嘴	CN-145.0051
	Nozzle Conical ø16*76mm	喷嘴	CN-145.0085
	Nozzle Tapered ø14*76mm	喷嘴	CN-145.0132


6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-500.0342
12	Plug Nipple ND 5mm	出水快插	CN-501.0114
13	Water Hose Blue ø5*8	蓝色水管	CN-109.0052
14	Coolant Return Hose Red ø5*8 L=0.6m	红色水管	CN-103.0116
15	Adaptor Nut M33x2	后锁母	CN-500.0213
16	Hose Clamp ø9.0mm	喉箍	CN-173.0001
17	Wire Conduit 3m	送丝护套管	CN-154.0017
	Wire Conduit 4m	送丝护套管	CN-154.0018
	Wire Conduit 5m	送丝护套管	CN-154.0019
18	Central connector WZ-2 M12x1	后主体	CN-501.2677
19	Liner Steel Blank 2.5/4.5 Wire ø1.6 3m	送丝管3米	CN-122.0056
	Liner Steel Blank 2.5/4.5 Wire ø1.6 4m	送丝管4米	CN-122.0060
	Liner Steel Blank 2.5/4.5 Wire ø1.6 5m	送丝管5米	CN-122.0063
20	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN EVO 501D


Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm



No.	Description		Order
	CN-MB EVO 501D Water Cooled Welding Torch 3m		CN-034.0865
	CN-MB EVO 501D Water Cooled Welding Torch 4m		CN-034.0866
	CN-MB EVO 501D Water Cooled Welding Torch 5m		CN-034.0867
1	Swan Neck	弯管	CN-034.0856
1-1	Insulator	绝缘垫片	CN-030.0019
2	Contact Tip Holder M6*25	导电嘴座	CN-142.0008
	Contact Tip Holder M8*25	导电嘴座	CN-142.0022
	Contact Tip Holder CuCrZr M8*25	导电嘴座	CN-142.0022Z
	Contact Tip Holder CuCrZr M8*27	导电嘴座	CN-142.0201
3	Gas Diffuser DMC	分流器	CN-030.0145
	Gas Diffuser Ceramic	陶瓷分流器	CN-030.0190
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0445
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-140.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-141.0033
5	Nozzle Cylindrical ø20*76mm	喷嘴	CN-145.0051
	Nozzle Conical ø16*76mm	喷嘴	CN-145.0085
	Nozzle Tapered ø14*76mm	喷嘴	CN-145.0132


6	Front Handle	前把壳	CN-180.0178
7	Switch	开关	CN-185.0142
8	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-500.0342
12	Plug Nipple ND 5mm	出水快插	CN-501.0114
13	Water Hose Blue ø5*8	蓝色水管	CN-109.0052
14	Coolant Return Hose Red ø5*8 L=0.6m	红色水管	CN-103.0116
15	Adaptor Nut M33x2	后锁母	CN-500.0213
16	Hose Clamp ø9.0mm	喉箍	CN-173.0001
17	Wire Conduit 3m	送丝护套管	CN-154.0017
	Wire Conduit 4m	送丝护套管	CN-154.0018
	Wire Conduit 5m	送丝护套管	CN-154.0019
18	Central connector WZ-2 M12x1	后主体	CN-501.2677
19	Liner Steel Blank 2.5/4.5 Wire ø1.6 3m	送丝管3米	CN-122.0056
	Liner Steel Blank 2.5/4.5 Wire ø1.6 4m	送丝管4米	CN-122.0060
	Liner Steel Blank 2.5/4.5 Wire ø1.6 5m	送丝管5米	CN-122.0063
20	Liner Positioner Nut M10x1	螺母	CN-501.0082

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MAXI 350

Rating: 350A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-MAXI350 Welding Torch 3m		CN-MA6365
	CN-MAXI350 Welding Torch 4m		CN-MA6366
	CN-MAXI350 Welding Torch 5m		CN-MA6367
1	Swan Neck	弯管	CN-MF0247
2	Spacer	绝缘座	CN-MQ0182
3	Tip Holder	导电嘴座	CN-ME0003
4	Contact tip 1/4-28*38*0.8mm	导电嘴	CN-MD0004-08
	Contact tip 1/4-28*38*0.9mm	导电嘴座	CN-MD0004-09
	Contact tip 1/4-28*38*1.0mm	导电嘴	CN-MD0004-10
	Contact tip 1/4-28*38*1.2mm	导电嘴	CN-MD0004-12
	Contact tip 1/4-28*38*1.4mm	导电嘴	CN-MD0004-14
	Contact tip 1/4-28*38*1.6mm	导电嘴	CN-MD0004-16
	Contact tip 1/4-28*38*2.0mm	导电嘴	CN-MD0004-20
5	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø16*82mm	喷嘴	CN-MC0011
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
6	Front Handle	前把壳	CN-MP0160
7	Switch Long	加长开关	CN-BX0068
8	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010B
9	Rear Handle & Support Spring	后把壳	CN-501.2248
10	Rear Connector Nut	后锁母	CN-500.0213L
11	Euro Central Connector M10*1	欧式后主体	CN-AR0083.M10
12	Steel Liner Red 1.0-1.2mm 3m	送丝管3米	CN-GM0012-3
	Steel Liner Red 1.0-1.2mm 4m	送丝管4米	CN-GM0012-4
	Steel Liner Red 1.0-1.2mm 5m	送丝管5米	CN-GM0012-2
13	Liner Positioner Nut M10x1	螺母	CN-FA0027

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MAXI 450

Rating: 450A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~2.0mm




No.	Description		Order
	CN-MAXI450 Welding Torch 3m		CN-MA6465
	CN-MAXI450 Welding Torch 4m		CN-MA6466
	CN-MAXI450 Welding Torch 5m		CN-MA6467
1	Swan Neck	弯管	CN-MF0086
2	Insulator	绝缘座	CN-MQ0186
3	Tip Holder	导电嘴座	CN-ME0006
4	Contact tip M8*30*1.0mm	导电嘴	CN-MD0005-10
	Contact tip M8*30*1.2mm	导电嘴	CN-MD0005-12
	Contact tip M8*30*1.4mm	导电嘴	CN-MD0005-14
	Contact tip M8*30*1.6mm	导电嘴	CN-MD0005-16
	Contact tip M8*30*2.0mm	导电嘴	CN-MD0005-20
	Contact tip M8*30*2.4mm	导电嘴	CN-MD0005-24
5	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø16*82mm	喷嘴	CN-MC0011
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
6	Front Handle	前把壳	CN-MP0160
7	Switch Long	加长开关	CN-BX0068
8	Cable Ball Joint & Support Spring Big	球节支撑体	CN-400.1010B
9	Rear Handle & Support Spring	后把壳	CN-501.2248
10	Rear Connector Nut	后锁母	CN-500.0213L
11	Euro Central Connector M12*1	欧式后主体	CN-AR0083
12	Steel Liner Black 1.2-1.6mm 3m	送丝管3米	CN-GM0013-3
	Steel Liner Black 1.2-1.6mm 4m	送丝管4米	CN-GM0013-4
	Steel Liner Black 1.2-1.6mm 5m	送丝管5米	CN-GM0013-5
13	Liner Positioner Nut M10x1	螺母	CN-FA0027

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN MAXI 4000

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~2.4mm




No.	Description		Order
	CN-MAXI4000 Water Welding Torch 3m		CN-2343
	CN-MAXI4000 Water Welding Torch 4m		CN-2344
	CN-MAXI4000 Water Welding Torch 5m		CN-2345
1	Swan Neck	弯管	CN-MG0016
2	Tip Holder	导电嘴座	CN-ME0009
3	Contact tip M8*30*1.0mm	导电嘴	CN-MD0005-10
	Contact tip M8*30*1.2mm	导电嘴	CN-MD0005-12
	Contact tip M8*30*1.4mm	导电嘴	CN-MD0005-14
	Contact tip M8*30*1.6mm	导电嘴	CN-MD0005-16
	Contact tip M8*30*2.0mm	导电嘴	CN-MD0005-20
	Contact tip M8*30*2.4mm	导电嘴	CN-MD0005-24
4	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø16*82mm	喷嘴	CN-MC0011
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
5	Front Handle	前把壳	CN-MP0160
6	Switch Long	加长开关	CN-BX0068
7	Swan Neck Holder	弯管支架	CN-MT0072
8	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-BW0328
12	Plug Nipple ND 5mm	出水快插	CN-FA3020
13	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-QB007X
14	Adaptor Nut M33x2	后锁母	CN-BW0480
15	Hose Clamp ø9.5mm	喉箍	CN-F11685
16	Water Outlet Hose Red ø5*8 with Plug	红色水管	CN-MH0272
17	Water Central Adaptor	后主体	CN-AR0102
18	Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-GM0540
	Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-GM0541
	Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-GM0542
19	Liner Positioner Nut MM10x1	螺母	CN-FA0026

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TMAX 300HD

Rating: 300A CO_2
250A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-TMAX 300HD Welding Torch 3m		CN-MA6275
	CN-TMAX 300HD Welding Torch 4m		CN-MA6276
	CN-TMAX 300HD Welding Torch 5m		CN-MA6277
1	Swan Neck	弯管	CN-MF0369
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Insulator	绝缘环	CN-MQ0341
3	Tip Holder M7*33mm	导电嘴座	CN-ME0369
4	Contact Tip Cu M7*36*0.8mm	导电嘴	CN-MD0300-08
	Contact Tip Cu M7*36*0.9mm	导电嘴	CN-MD0300-09
	Contact Tip Cu M7*36*1.0mm	导电嘴	CN-MD0300-10
	Contact Tip Cu M7*36*1.2mm	导电嘴	CN-MD0300-12
	Contact Tip Cu M7*36*1.4mm	导电嘴	CN-MD0300-14
	Contact Tip Cu M7*36*1.6mm	导电嘴	CN-MD0300-16
5	Nozzle ø11*71mm	喷嘴	CN-MC0008
	Nozzle ø14*71mm	喷嘴	CN-MC0009
	Nozzle ø18*71mm	喷嘴	CN-MC0010
	Nozzle ø16*71mm	喷嘴	CN-MC0128
6	Handle Expert	前把壳	CN-MP0160TM
7	Switch	开关	CN-BX0020
8	Cable Ball Joint & Support Spring Big	弹簧支撑体	CN-400.1010B
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Rear Connector Nut	后锁母	CN-500.0213L
12	Euro Central Connector M10*1	后主体	CN-AR0083.M10
13	Steel Liner Red 1.0-1.2mm 3m	送丝管3米	CN-GM0012-3
	Steel Liner Red 1.0-1.2mm 4m	送丝管4米	CN-GM0012-4
	Steel Liner Red 1.0-1.2mm 5m	送丝管5米	CN-GM0012-5
14	Liner Positioner Nut	螺母	CN-FA0027

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TMAX 400

Rating: 450A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-TMAX 400 Welding Torch 3m		CN-MA6385
	CN-TMAX 400 Welding Torch 4m		CN-MA6386
	CN-TMAX 400 Welding Torch 5m		CN-MA6387
1	Swan Neck	弯管	CN-MF0367
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Insulator	绝缘环	CN-MQ0340
3	Tip Holder M9x1*51mm	导电嘴座	CN-ME0367
4	Contact Tip CuCrZr M9X1*38*0,8mm	导电嘴	CN-MD0250-78
	Contact Tip CuCrZr M9X1*38*0.9mm	导电嘴	CN-MD0250-79
	Contact Tip CuCrZr M9X1*38*1.0mm	导电嘴	CN-MD0250-80
	Contact Tip CuCrZr M9X1*38*1.2mm	导电嘴	CN-MD0250-82
	Contact Tip CuCrZr M9X1*38*1.4mm	导电嘴	CN-MD0250-84
	Contact Tip CuCrZr M9X1*38*1.6mm	导电嘴	CN-MD0250-86
	Contact Tip CuCrZr M9X1*38*2.0mm	导电嘴	CN-MD0250-90
	Contact Tip CuCrZr M9X1*38*2.5mm	导电嘴	CN-MD0250-95
5	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø16*82mm	喷嘴	CN-MC0011
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
6	Handle Expert	前把壳	CN-MP0160TM
7	Switch	开关	CN-BX0020
8	Cable Ball Joint & Support Spring Big	弹簧支撑体	CN-400.1010B
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Rear Connector Nut	后锁母	CN-500.0213L
12	Euro Central Connector M10*1	后主体	CN-AR0083.M10
13	Steel Liner Red 1.2-1.6mm 3m	送丝管3米	CN-GM0013-3
	Steel Liner Red 1.2-1.6mm 4m	送丝管4米	CN-GM0013-4
	Steel Liner Red 1.2-1.6mm 5m	送丝管5米	CN-GM0013-5
14	Liner Positioner Nut	螺母	CN-FA0027

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TMAX 500

Rating: 550A CO_2
500A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~2.0mm




No.	Description		Order
	CN-TMAX 500 Welding Torch 3m		CN-MA6485
	CN-TMAX 500 Welding Torch 4m		CN-MA6486
	CN-TMAX 500 Welding Torch 5m		CN-MA6487
1	Swan Neck	弯管	CN-MF0368
2	Insulator	绝缘环	CN-MQ0340
3	Tip Holder Copper M9x1*51mm	导电嘴座	CN-ME0368
4	Contact Tip CuCrZr M9X1*38*0.8mm	导电嘴	CN-MD0250-78
	Contact Tip CuCrZr M9X1*38*0.9mm	导电嘴	CN-MD0250-79
	Contact Tip CuCrZr M9X1*38*1.0mm	导电嘴	CN-MD0250-80
	Contact Tip CuCrZr M9X1*38*1.2mm	导电嘴	CN-MD0250-82
	Contact Tip CuCrZr M9X1*38*1.4mm	导电嘴	CN-MD0250-84
	Contact Tip CuCrZr M9X1*38*1.6mm	导电嘴	CN-MD0250-86
	Contact Tip CuCrZr M9X1*38*2.0mm	导电嘴	CN-MD0250-90
	Contact Tip CuCrZr M9X1*38*2.5mm	导电嘴	CN-MD0250-95
5	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø16*82mm	喷嘴	CN-MC0011
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
6	Handle Expert	前把壳	CN-MP0160
7	Switch	开关	CN-BX0020
8	Cable Ball Joint & Support Spring Big	弹簧支撑体	CN-400.1010B
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-501.2248
11	Rear Connector Nut	后锁母	CN-500.0213L
12	Euro Central Connector M10*1	后主体	CN-AR0083
13	Steel Liner Red 1.2-1.6mm 3m	送丝管3米	CN-GM0013-3
	Steel Liner Red 1.2-1.6mm 4m	送丝管4米	CN-GM0013-4
	Steel Liner Red 1.2-1.6mm 5m	送丝管5米	CN-GM0013-5
14	Liner Positioner Nut	螺母	CN-FA0027

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TMAX 3001HD

Rating: 350A CO_2
300A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-TMAX3001HD Water Welding Torch 3m		CN-2343
	CN-TMAX3001HD Water Welding Torch 4m		CN-2344
	CN-TMAX3001HD Water Welding Torch 5m		CN-2345
1	Swan Neck	弯管	CN-MG0016
2	Insulator	绝缘环	CN-MQ0340
3	Tip Holder	导电嘴座	CN-ME0009
4	Contact tip M8*30*1.0mm	导电嘴	CN-MD0005-10
	Contact tip M8*30*1.2mm	导电嘴	CN-MD0005-12
	Contact tip M8*30*1.4mm	导电嘴	CN-MD0005-14
	Contact tip M8*30*1.6mm	导电嘴	CN-MD0005-16
	Contact tip M8*30*2.0mm	导电嘴	CN-MD0005-20
	Contact tip M8*30*2.4mm	导电嘴	CN-MD0005-24
5	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
6	Front Handle	前把壳	CN-MP0160
7	Switch Long	加长开关	CN-BX0068
8	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-BW0328
12	Plug Nipple ND 5mm	出水快插	CN-FA3020
13	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-QB007X
14	Adaptor Nut M33x2	后锁母	CN-BW0480
15	Hose Clamp ø9.5mm	喉箍	CN-F11685
16	Water Outlet Hose Red ø5*8 with Plug	红色水管	CN-MH0272
17	Water Central Adaptor	后主体	CN-AR0102
18	Steel Liner 1.2-1.6mm 3m	送丝管3米	CN-GM0540
	Steel Liner 1.2-1.6mm 4m	送丝管4米	CN-GM0541
	Steel Liner 1.2-1.6mm 5m	送丝管5米	CN-GM0542
19	Liner Positioner Nut M10x1	螺母	CN-FA0026

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TMAX 4001

Rating: 450A CO_2
400A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.2~2.4mm




No.	Description		Order
	CN-TMAX4001HD Water Welding Torch 3m		CN-MB2423
	CN-TMAX4001HD Water Welding Torch 4m		CN-MB2424
	CN-TMAX4001HD Water Welding Torch 5m		CN-MB2425
1	Swan Neck	弯管	CN-MG0141
2	Tip Holder	绝缘环	CN-MQ0340
3	Tip Holder M9x1*51mm	导电嘴座	CN-ME0141
4	Contact Tip CuCrZr M9X1*38*0.8mm	导电嘴	CN-MD0250-78
	Contact Tip CuCrZr M9X1*38*0.9mm	导电嘴	CN-MD0250-79
	Contact Tip CuCrZr M9X1*38*1.0mm	导电嘴	CN-MD0250-80
	Contact Tip CuCrZr M9X1*38*1.2mm	导电嘴	CN-MD0250-82
	Contact Tip CuCrZr M9X1*38*1.4mm	导电嘴	CN-MD0250-84
	Contact Tip CuCrZr M9X1*38*1.6mm	导电嘴	CN-MD0250-86
	Contact Tip CuCrZr M9X1*38*2.0mm	导电嘴	CN-MD0250-90
	Contact Tip CuCrZr M9X1*38*2.5mm	导电嘴	CN-MD0250-95
5	Nozzle ø14*82mm	喷嘴	CN-MC0298
	Nozzle ø16*82mm	喷嘴	CN-MC0011
	Nozzle ø18*82mm	喷嘴	CN-MC0012
	Nozzle ø20*82mm	喷嘴	CN-MC0013
6	Front Handle	前把壳	CN-MP0160
7	Switch Long	开关	CN-BX0068
8	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
9	Fastener Cap Red	红色胶套	CN-501.2423
10	Fastener Cap Blue	蓝色胶套	CN-501.2424
11	Rear Handle Water	后把壳	CN-BW0328
12	Plug Nipple ND 5mm	出水快插	CN-FA3020
13	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-QB007X
14	Adaptor Nut M33x2	后锁母	CN-BW0480
15	Hose Clamp ø9.5mm	喉箍	CN-F11685
16	Water Outlet Hose Red ø5*8 with Plug	红色水管	CN-MH0272
17	Water Central Adaptor	后主体	CN-AR0102
18	Steel Liner Yellow 1.2-1.6mm 3m	送丝管3米	CN-GM0540
	Steel Liner Yellow 1.2-1.6mm 4m	送丝管4米	CN-GM0541
	Steel Liner Yellow 1.2-1.6mm 5m	送丝管5米	CN-GM0542
19	Liner Positioner Nut MM10x1	螺母	CN-FA0026

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 6G

Rating: 380A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 6G Expert Plus Air Cooled Welding Torch 3m		CN-165P342330
	CN-TBi 6G Expert Plus Air Cooled Welding Torch 4m		CN-165P342340
	CN-TBi 6G Expert Plus Air Cooled Welding Torch 5m		CN-165P342350
1	CN-TBi 6G Swan Neck	弯管	CN-165P101020
1-1	Insulator Washer	绝缘垫片	CN-130P002004
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Contact Tip Holder CuCrZr M8*36	导电嘴座	CN-342P008065
2-1	Contact Tip Holder CuCrZr M10*33	导电嘴座	CN-342P010065
3	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
3-1	Contact Tip E-CU M10*33	导电嘴	CN-340P**1402
	Contact Tip CuCrZr M10*33	导电嘴	CN-343P**3402
4	Gas Diffuser DMC White	分流器	CN-130P002017
	Gas Diffuser DMC Black	分流器	CN-130P002026
	Gas Diffuser Ceramic	分流器	CN-130P002019
5	Nozzle Glass Fiber	玻纤管	CN-346P054860
6	Nozzle Cylindrical ø19*75.5mm	喷嘴	CN-345P021171
	Nozzle Conical ø16*75.5mm	喷嘴	CN-345P022171
	Nozzle Conical ø14*75.5mm	喷嘴	CN-345P023171
7	Handle Expert Plus 6G/8G/8W/9W	前把壳	CN-380P020004
8	Switch	开关	CN-385P021016
9	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
10	Support Spring	后弹簧	CN-600P102213
11	Rear Handle	后把壳	CN-700P001075
12	Adaptor Nut M33x2	后锁母	CN-700P001010
13	Euro Central Connector	后主体	CN-701P001048
14	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-324P254534
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-324P254544
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-324P254554
15	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN TBi 7G

Rating: 340A CO_2
310A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 7G Expert Air Cooled Welding Torch 3m		CN-166P322030
	CN-TBi 7G Expert Air Cooled Welding Torch 4m		CN-166P322040
	CN-TBi 7G Expert Air Cooled Welding Torch 5m		CN-166P322050
1	CN-TBi 7G Swan Neck	弯管	CN-166P101140
1-1	Insulating Washer	绝缘垫片	CN-130P002004
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Contact Tip Holder M6*25	导电嘴座	CN-342P006033
	Contact Tip Holder M8*25	导电嘴座	CN-342P008033
	Contact Tip Holder M8*29	导电嘴座	CN-342P008133
3	Gas Diffuser Ceramic	分流器	CN-130P002019
	Gas Diffuser DMC Black	分流器	CN-130P002026
4	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
5	Nozzle Cylindrical ø19*75.5mm	喷嘴	CN-345P021171
	Nozzle Conical ø16*75.5mm	喷嘴	CN-345P022171
	Nozzle Conical ø14*75.5mm	喷嘴	CN-345P023171
6	Handle Expert	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-324P254534
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-324P254544
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-324P254554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN TBi 7W

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 7W Expert Water Cooled Welding Torch 3m		CN-174P422030
	CN-TBi 7W Expert Water Cooled Welding Torch 4m		CN-174P422040
	CN-TBi 7W Expert Water Cooled Welding Torch 5m		CN-174P422050
	CN-TBi 7W Expert Plus Water Cooled Welding Torch 3m		CN-174P432030
	CN-TBi 7W Expert Plus Water Cooled Welding Torch 4m		CN-174P432040
	CN-TBi 7W Expert Plus Water Cooled Welding Torch 5m		CN-174P432050
1	CN-TBi 7W Swan Neck	弯管	CN-174P101005
2	Insulator Washer	绝缘垫片	CN-130P002004
3	Contact Tip Holder M6*25	导电嘴座	CN-342P006033
	Contact Tip Holder M6*29	导电嘴座	CN-342P006133
	Contact Tip Holder M8*25	导电嘴座	CN-342P008033
	Contact Tip Holder M8*29	导电嘴座	CN-342P008133
4	Gas Diffuser DMC Black	分流器	CN-130P002026
	Gas Diffuser Ceramic	分流器	CN-130P002019
5	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
6	Nozzle Cylindrical ø19*75.5mm	喷嘴	CN-345P021171
	Nozzle Conical ø16*75.5mm	喷嘴	CN-345P022171
	Nozzle Conical ø14*75.5mm	喷嘴	CN-345P023171
7	Handle Expert	前把壳	CN-380P230001
8	Switch	开关	CN-385P021016
9	Cable Ball Joint & Support Sping Water	前球节支撑体	CN-380P23000W
10	Cable Ball Joint & Support Spring	后弹簧支撑体	CN-380P2300WS
11	Fastener Cap Red	红色胶套	CN-7005012423
12	Fastener Cap Blue	蓝色胶套	CN-7005012424
13	Rear Handle Water	后把壳	CN-700P001080
14	Pug Nipple ND 5mm	出水快插	CN-701P002064
15	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-303P070000
16	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-303P07000R
17	Adaptor Nut M33x2	后锁母	CN-700P001010
18	Gas Hose Red ø5*8 Units:100m	红色气管	CN-307P2528*E
19	Hose Clamp ø9.5mm	喉箍	CN-373P100095
20	CN-TBi 7W/9W Central Adaptor(M8*1 Internal thread)	后主体	CN-701P001006
21	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 3m	送丝管3米	CN-322P254534
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 4m	送丝管4米	CN-322P254544
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 5m	送丝管5米	CN-322P254554
22	Liner Positioner Nut M10x1	螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TBi 8W

Rating: 550A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.6~3.2mm




No.	Description		Order
	CN-TBi 8W Expert Plus Water Cooled Welding Torch 3m		CN-172P542530
	CN-TBi 8W Expert Plus Water Cooled Welding Torch 4m		CN-172P542540
	CN-TBi 8W Expert Plus Water Cooled Welding Torch 5m		CN-172P542550
1	CN-TBi 8W Swan Neck	弯管	CN-172P101001
2	Insulator Washer	绝缘垫片	CN-130P002003
3	Contact Tip Holder CuCrZr M8*30	导电嘴座	CN-342P008072
3-1	Contact Tip Holder CuCrZr M10*29	导电嘴座	CN-342P010072
4	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
4-1	Contact Tip E-CU M10*33	导电嘴	CN-340P**1402
	Contact Tip CuCrZr M10*33	导电嘴	CN-343P**3402
5	Nozzle Glass Fiber	玻纤管	CN-346P054860
6	Nozzle Conical Nickel Plated ø16*80.5mm	喷嘴	CN-345P022173
	Nozzle Cylindrical Nickel Plated ø19*80.5mm	喷嘴	CN-345P021071
	Nozzle Conical Nickel Plated ø14*80.5mm	喷嘴	CN-345P022073
	Nozzle Conical ø16*80.5mm HD	喷嘴	CN-345P922271
7	Handle Expert	前把壳	CN-380P230001
8	Switch	开关	CN-385P021016
9	Cable Ball Joint & Support Sping Water	前球节支撑体	CN-380P23000W
10	Cable Ball Joint & Support Spring	后弹簧支撑体	CN-380P2300WS
11	Fastener Cap Red	红色胶套	CN-7005012423
12	Fastener Cap Blue	蓝色胶套	CN-7005012424
13	Rear Handle Water	后把壳	CN-700P001080
14	Pug Nipple ND 5mm	出水快插	CN-701P002064
15	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-303P070000
16	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-303P07000R
17	Adaptor Nut M33x2	后锁母	CN-700P001010
18	Gas Hose Red ø5*8 Units:100m	红色气管	CN-307P2528*E
19	Hose Clamp ø9.5mm	喉箍	CN-373P100095
20	CN-TBi 8W/10W Central Adaptor (M10*1 Internal thread)	后主体	CN-701P001001
21	Liner Steel Blank/Not Insul Steel Liner Wire φ1.6-2.4mm 3m	送丝管3米	CN-322P357034
	Liner Steel Blank/Not Insul Steel Liner Wire φ1.6-2.4mm 4m	送丝管4米	CN-322P357044
	Liner Steel Blank/Not Insul Steel Liner Wire φ1.6-2.4mm 5m	送丝管5米	CN-322P357054
22	Liner Positioner Nut	螺母	CN-701P002083

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 8G

Rating: 430A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.6~3.2mm




No.	Description		Order
	CN-TBi 8G Expert Plus Air Cooled Welding Torch 3m		CN-163P3Y2330
	CN-TBi 8G Expert Plus Air Cooled Welding Torch 4m		CN-163P3Y2340
	CN-TBi 8G Expert Plus Air Cooled Welding Torch 5m		CN-163P3Y2350
1	CN-TBi 8G Swan Neck	弯管	CN-163P101008
1-1	Insulating Washer	绝缘垫片	CN-130P002003
2	Contact Tip Holder CuCrZr M8*30	导电嘴座	CN-342P008072
2-1	Contact Tip Holder CuCrZr M10*29	导电嘴座	CN-342P010072
3	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-340P**3262
3-1	Contact Tip E-CU M10*33	导电嘴	CN-340P**1402
	Contact Tip CuCrZr M10*33	导电嘴	CN-343P**3402
4	Nozzle Glass Fiber	玻纤管	CN-346P054860
5	Nozzle Conical Nickel Plated ø16*80.5mm	喷嘴	CN-345P022173
	Nozzle Cylindrical Nickel Plated ø19*80.5mm	喷嘴	CN-345P021071
	Nozzle Conical Nickel Plated ø14*80.5mm	喷嘴	CN-345P022073
	Nozzle Conical ø16*80.5mm HD	喷嘴	CN-345P922271
6	Handle Expert	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001058
13	Liner Steel Insulation Black Wire ø1.6-2.4mm 3m	送丝管3米	CN-324P357034
	Liner Steel Insulation Black Wire ø1.6-2.4mm 4m	送丝管4米	CN-324P357044
	Liner Steel Insulation Black Wire ø1.6-2.4mm 5m	送丝管5米	CN-324P357054
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002083

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TBi 241W

Rating: 300A CO_2
270A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-TBi 241 Expert Water Cooled Welding Torch 3m		CN-123P421030
	CN-TBi 241 Expert Water Cooled Welding Torch 4m		CN-123P421040
	CN-TBi 241 Expert Water Cooled Welding Torch 5m		CN-123P421050
	CN-TBi 241 Expert Plus Water Cooled Welding Torch 3m		CN-123P431030
	CN-TBi 241 Expert Plus Water Cooled Welding Torch 4m		CN-123P431040
	CN-TBi 241 Expert Plus Water Cooled Welding Torch 5m		CN-123P431050
1	CN-TBi 241 Swan Neck	弯管	CN-123P001001
2	Gas Diffuser DMC	分流器	CN-112P002024
	Gas Diffuser Ceramic	分流器	CN-112P002021
3	Tip Holder M6*26	导电嘴座	CN-342P006012
4	Contact Tip E-CU M6*28	导电嘴	CN-340P**1069
	Contact Tip CuCrZr M6*28	导电嘴	CN-340P**3069
	Contact Tip E-CU Aluminum M6*28	导电嘴	CN-341P**1069
5	Nozzle Cylindrical ø17*63.5	喷嘴	CN-345P011012
	Nozzle Conical ø12.5*63.5	喷嘴	CN-345P012012
	Nozzle Conical ø10*63.5	喷嘴	CN-345P013012
6	Handle Expert	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Cable Ball Joint & Support Sping Water	前球节支撑体	CN-380P23000W
9	Cable Ball Joint & Support Spring	后弹簧支撑体	CN-380P2300WS
10	Fastener Cap Red	红色胶套	CN-7005012423
11	Fastener Cap Blue	蓝色胶套	CN-7005012424
12	Rear Handle Water	后把壳	CN-700P001080
13	Pug Nipple ND 5mm	出水快插	CN-701P002064
14	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-303P070000
15	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-303P07000R
16	Adaptor Nut M33x2	后锁母	CN-700P001010
17	Gas Hose Red ø5*8 Units:100m	红色气管	CN-307P2528*E
18	Hose Clamp ø9.5mm	喉箍	CN-373P100095
19	CN-TBi 7W/9W Central Adaptor(M8*1 Internal thread)	后主体	CN-701P001006
20	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 3m	送丝管3米	CN-322P254534
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 4m	送丝管4米	CN-322P254544
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 5m	送丝管5米	CN-322P254554
21	Liner Positioner Nut M10x1	螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TBi 9W-L

Rating: 550A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 9W-LExpert Plus Water Cooled Welding Torch M8 3m		CN-171P532530
	CN-TBi 9W-LExpert Plus Water Cooled Welding Torch M8 4m		CN-171P532540
	CN-TBi 9W-LExpert Plus Water Cooled Welding Torch M8 5m		CN-171P532550
	CN-TBi 9W-LExpert Plus Water Cooled Welding Torch M10 3m		CN-173P532530
	CN-TBi 9W-LExpert Plus Water Cooled Welding Torch M10 4m		CN-173P532540
	CN-TBi 9W-LExpert Plus Water Cooled Welding Torch M10 5m		CN-173P532550
1	CN-TBi 9W-LSwan Neck	弯管	CN-173P101002
2	Insulator Washer	绝缘垫片	CN-171P102021
3	Contact Tip Holder M10	导电嘴座	CN-342P010071
3-1	Contact Tip Holder M8	导电嘴座	CN-342P008071
4	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
4-1	Contact Tip E-CU M10*33	导电嘴	CN-340P**1402
	Contact Tip CuCrZr M10*33	导电嘴	CN-343P**3402
5	Nozzle Glass Fiber	玻纤管	CN-346P054860
6	Nozzle Conical Nickel Plated ø16*80.5mm	喷嘴	CN-345P022173
	Nozzle Cylindrical Nickel Plated ø19*80.5mm	喷嘴	CN-345P021071
	Nozzle Conical Nickel Plated ø14*80.5mm	喷嘴	CN-345P022073
	Nozzle Conical ø16*80.5mm HD	喷嘴	CN-345P922271
7	Handle Expert	前把壳	CN-380P020004
8	Switch	开关	CN-385P021016
9	Cable Ball Joint & Support Sping Water	前球节支撑体	CN-380P23000W
10	Cable Ball Joint & Support Spring	后弹簧支撑体	CN-380P2300WS
11	Fastener Cap Red	红色胶套	CN-7005012423
12	Fastener Cap Blue	蓝色胶套	CN-7005012424
13	Rear Handle Water	后把壳	CN-700P001080
14	Pug Nipple ND 5mm	出水快插	CN-701P002064
15	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-303P070000
16	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-303P07000R
17	Adaptor Nut M33x2	后锁母	CN-700P001010
18	Gas Hose Red ø5*8 Units:100m	红色气管	CN-307P2528*E
19	Hose Clamp ø9.5mm	喉箍	CN-373P100095
20	CN-TBi 7W/9W Central Adaptor(M8*1 Internal thread)	后主体	CN-701P001006
21	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 3m	送丝管3米	CN-322P254534
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 4m	送丝管4米	CN-322P254544
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 5m	送丝管5米	CN-322P254554
22	Liner Positioner Nut	螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi Pro 153/253 Expert Air Cooled

Rating: CNPRO153 180A CO2/160A Mixed Gases
CNPRO253 230A CO2/210A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-PRO 153 Expert Air Cooled Welding Torch 3m		CN-0407994
	CN-PRO 153 Expert Air Cooled Welding Torch 4m		CN-0408125
	CN-PRO 153 Expert Air Cooled Welding Torch 5m		CN-0408033
	CN-PRO 253 Expert Air Cooled Welding Torch 3m		CN-0407995
	CN-PRO 253 Expert Air Cooled Welding Torch 4m		CN-0408140
	CN-PRO 253 Expert Air Cooled Welding Torch 5m		CN-0408034
1	Tbi PRO 153/253 Swan Neck	弯管	CN-0915264
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Insulating	绝缘环	CN-153P102004
3	Contact Tip Holder M6	导电嘴座	CN-0914731
4	Contact Tip E-CU M6*22*0.8mm	导电嘴	CN-0914663
	Contact Tip E-CU M6*22*0.9mm	导电嘴	CN-0737177
	Contact Tip E-CU M6*22*1.0mm	导电嘴	CN-0914666
	Contact Tip E-CU M6*22*1.2mm	导电嘴	CN-0737018
5	Nozzle Tapered ø15*57	喷嘴	CN-0914686
6	Handle Expert	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-324P204534
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-324P204544
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-324P204554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 150

Rating: 180A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm




No.	Description		Order
	CN-TBi 150 Expert Air Cooled Welding Torch 3m		CN-102P321030
	CN-TBi 150 Expert Air Cooled Welding Torch 4m		CN-102P321040
	CN-TBi 150 Expert Air Cooled Welding Torch 5m		CN-102P321050
1	CN-TBi 150 Swan Neck	弯管	CN-102P001010
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Head Insulator	绝缘套	CN-102P002036
3	Tip Holder	导电嘴座	CN-102P002011
3-1	Spring Support	弹簧	CN-102P002037
4	Contact Tip E-CU M6*25	导电嘴	CN-340P**1073
	Contact Tip CuCrZr M6*25	导电嘴	CN-340P**3073
	Contact Tip E-CU Aluminum M6*25	导电嘴	CN-341P**1073
5	Nozzle Cylindrical ø16*53	绝缘座	CN-345P012002
	Nozzle Conical ø12*53	绝缘座	CN-345P012402
	Nozzle Tapered ø9.5*53	喷嘴	CN-345P013002
6	Front Handle	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Blue Wire ø0.8-1.0mm 3m	送丝管3米	CN-324P154534
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 4m	送丝管4米	CN-324P154544
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 5m	送丝管5米	CN-324P154554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 240

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-TBi 240 Expert Air Cooled Welding Torch 3m		CN-112P321030
	CN-TBi 240 Expert Air Cooled Welding Torch 4m		CN-112P321040
	CN-TBi 240 Expert Air Cooled Welding Torch 5m		CN-112P321050
1	CN-TBi 240 Swan Neck	弯管	CN-112P001013
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffuser DMC	分流器	CN-112P002024
	Gas Diffuser Ceramic	陶瓷分流器	CN-112P002021
3	Tip Holder M6*26	导电嘴座	CN-342P006012
4	Contact Tip E-CU M6*28	导电嘴	CN-340P**1069
	Contact Tip CuCrZr M6*28	导电嘴	CN-340P**3069
	Contact Tip E-CU Aluminum M6*28	导电嘴	CN-341P**1069
5	Nozzle Cylindrical ø17*63.5	喷嘴	CN-345P011012
	Nozzle Conical ø12.5*63.5	喷嘴	CN-345P012012
	Nozzle Conical ø10*63.5	喷嘴	CN-345P013012
6	Front Handle	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Blue Wire ø0.8-1.0mm 3m	送丝管3米	CN-324P154534
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 4m	送丝管4米	CN-324P154544
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 5m	送丝管5米	CN-324P154554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 250

Rating: 230A CO_2
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-TBi 250 Expert Air Cooled Welding Torch 3m		CN-104P321030
	CN-TBi 250 Expert Air Cooled Welding Torch 4m		CN-104P321040
	CN-TBi 250 Expert Air Cooled Welding Torch 5m		CN-104P321050
1	CN-TBi 250 Swan Neck	弯管	CN-104P001008
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Nozzle Spring	分流器	CN-103P002006
3	Tip Holder M6*35	导电嘴座	CN-342P006003
	Tip Holder M8*35	导电嘴座	CN-342P008003
4	Contact Tip E-CU M6*28	导电嘴	CN-340P**1069
	Contact Tip CuCrZr M6*28	导电嘴	CN-340P**3069
	Contact Tip E-CU Aluminum M6*28	导电嘴	CN-341P**1069
5	Nozzle Cylindrical ø18*57	喷嘴	CN-345P011303
5-1	Nozzle Conical ø15*57	喷嘴	CN-345P012303
5-2	Nozzle Tapered ø11.5*57	喷嘴	CN-345P013003
6	Front Handle	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Blue Wire ø0.8-1.0mm 3m	送丝管3米	CN-324P154534
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 4m	送丝管4米	CN-324P154544
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 5m	送丝管5米	CN-324P154554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 260

Rating: 270A CO_2
240A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-TBi 260 Expert Air Cooled Welding Torch 3m		CN-118P321030
	CN-TBi 260 Expert Air Cooled Welding Torch 4m		CN-118P321040
	CN-TBi 260 Expert Air Cooled Welding Torch 5m		CN-118P321050
1	CN-TBi 260 Swan Neck	弯管	CN-118P001020
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffuser DMC Black	分流器	CN-118P002021
3	Contact Tip Holder M6*22	导电嘴座	CN-342P006018
	Contact Tip Holder M8*22	导电嘴座	CN-342P008018
	Contact Tip Holder M6*25	导电嘴座	CN-342P006118
4	Contact Tip E-CU M6*28	导电嘴	CN-340P**1069
	Contact Tip CuCrZr M6*28	导电嘴	CN-340P**3069
	Contact Tip E-CU Aluminum M6*28	导电嘴	CN-341P**1069
5	Nozzle Cylindrical ø20*76	喷嘴	CN-345P011030
5-1	Nozzle Conical ø16*76	喷嘴	CN-345P012030
5-2	Nozzle Tapered ø14*76	喷嘴	CN-345P013030
6	Front Handle	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Blue Wire ø0.8-1.0mm 3m	送丝管3米	CN-324P154534
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 4m	送丝管4米	CN-324P154544
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 5m	送丝管5米	CN-324P154554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 360

Rating: 320A CO_2
290A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-TBi 360 Expert Air Cooled Welding Torch 3m		CN-114P321030
	CN-TBi 360 Expert Air Cooled Welding Torch 4m		CN-114P321040
	CN-TBi 360 Expert Air Cooled Welding Torch 5m		CN-114P321050
1	CN-TBi 360 Swan Neck	弯管	CN-114P001001
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffuser DMC	分流器	CN-114P002007
	Gas Diffuser Ceramic	分流器	CN-114P002005
3	Contact Tip Holder M6*28	导电嘴座	CN-342P006014
	Contact Tip Holder M6*32	导电嘴座	CN-342P006114
	Contact Tip Holder M8*28	导电嘴座	CN-342P008014
	Contact Tip Holder M8*34	导电嘴座	CN-342P008114
4	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
5	Nozzle Cylindrical ø20*84	喷嘴	CN-345P011010
	Nozzle Conical ø16*84	喷嘴	CN-345P012010
	Nozzle Tapered ø12*84	喷嘴	CN-345P013010
6	Front Handle	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-324P254534
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-324P254544
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-324P254554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi 380

Rating: 380A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 380 Expert Plus Air Cooled Welding Torch 3m		CN-917P331330
	CN-TBi 380 Expert Plus Air Cooled Welding Torch 4m		CN-917P331340
	CN-TBi 380 Expert Plus Air Cooled Welding Torch 5m		CN-917P331350
1	CN-TBi 380 Swan Neck	弯管	CN-917P001001
1-1	Insulator Washer	绝缘座	CN-130P002004
1-2	Plastic Nut	塑料固定件	CN-400.0044
2	Contact Tip Holder M8*36	导电嘴座	CN-342P054884
3	Gas Diffuser DMC	分流器	CN-130P002026
	Gas Diffuser Ceramic	分流器	CN-130P002019
4	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
5	Nozzle Cylindrical ø20*76	喷嘴	CN-345P011030
	Nozzle Conical ø16*76	喷嘴	CN-345P012030
	Nozzle Tapered ø14*76	喷嘴	CN-345P013030
6	Front Handle	前把壳	CN-380P020005
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-324P254534
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-324P254544
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-324P254554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TBi 411

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 7W Expert Water Cooled Welding Torch 3m		CN-174P422030
	CN-TBi 7W Expert Water Cooled Welding Torch 4m		CN-174P422040
	CN-TBi 7W Expert Water Cooled Welding Torch 5m		CN-174P422050
	CN-TBi 7W Expert Plus Water Cooled Welding Torch 3m		CN-174P432030
	CN-TBi 7W Expert Plus Water Cooled Welding Torch 4m		CN-174P432040
	CN-TBi 7W Expert Plus Water Cooled Welding Torch 5m		CN-174P432050
1	CN-TBi 7W Swan Neck	弯管	CN-174P101005
2	Insulator Washer	绝缘垫片	CN-130P002004
3	Contact Tip Holder M6*25	导电嘴座	CN-342P006033
	Contact Tip Holder M6*29	导电嘴座	CN-342P006133
	Contact Tip Holder M8*25	导电嘴座	CN-342P008033
	Contact Tip Holder M8*29	导电嘴座	CN-342P008133
4	Gas Diffuser DMC Black	分流器	CN-130P002026
	Gas Diffuser Ceramic	分流器	CN-130P002019
5	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
6	Nozzle Cylindrical ø19*75.5mm	喷嘴	CN-345P021171
	Nozzle Conical ø16*75.5mm	喷嘴	CN-345P022171
	Nozzle Conical ø14*75.5mm	喷嘴	CN-345P023171
7	Handle Expert	前把壳	CN-380P230001
8	Switch	开关	CN-385P021016
9	Cable Ball Joint & Support Sping Water	前球节支撑体	CN-380P23000W
10	Cable Ball Joint & Support Spring	后弹簧支撑体	CN-380P2300WS
11	Fastener Cap Red	红色胶套	CN-7005012423
12	Fastener Cap Blue	蓝色胶套	CN-7005012424
13	Rear Handle Water	后把壳	CN-700P001080
14	Pug Nipple ND 5mm	出水快插	CN-701P002064
15	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-303P070000
16	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-303P07000R
17	Adaptor Nut M33x2	后锁母	CN-700P001010
18	Gas Hose Red ø5*8 Units:100m	红色气管	CN-307P2528*E
19	Hose Clamp ø9.5mm	喉箍	CN-373P100095
20	CN-TBi 7W/9W Central Adaptor(M8*1 Internal thread)	后主体	CN-701P001006
21	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 3m	送丝管3米	CN-322P254534
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 4m	送丝管4米	CN-322P254544
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 5m	送丝管5米	CN-322P254554
22	Liner Positioner Nut M10x1	螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN TBi 511

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-TBi 511 Expert Water Cooled Welding Torch 3m		CN-134P421030
	CN-TBi 511 Expert Water Cooled Welding Torch 4m		CN-134P421040
	CN-TBi 511 Expert Water Cooled Welding Torch 5m		CN-134P421050
	CN-TBi 511 Expert Plus Water Cooled Welding Torch 3m		CN-134P431030
	CN-TBi 511 Expert Plus Water Cooled Welding Torch 4m		CN-134P431040
	CN-TBi 511 Expert Plus Water Cooled Welding Torch 5m		CN-134P431050
1	CN-TBi 511 Swan Neck	弯管	CN-134P001001
2	Insulator Washer	绝缘垫片	CN-130P002004
3	Contact Tip Holder M8*25	导电嘴座	CN-342P008033
	Contact Tip Holder M8*29	导电嘴座	CN-342P008133
	Contact Tip Holder M6*25	导电嘴座	CN-342P006033
	Contact Tip Holder M6*29	导电嘴座	CN-342P006133
4	Gas Diffuser DMC Black	分流器	CN-130P002026
	Gas Diffuser Ceramic	分流器	CN-130P002019
5	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
	Contact Tip E-CU M6*28	导电嘴	CN-340P**1069
	Contact Tip CuCrZr M6*28	导电嘴	CN-340P**3069
	Contact Tip E-CU Aluminum M6*28	导电嘴	CN-341P**1069
6	Nozzle Cylindrical ø20*76	喷嘴	CN-345P011030
	Nozzle Conical ø16*76	喷嘴	CN-345P012030
	Nozzle Tapered ø14*76	喷嘴	CN-345P013030
7	Handle Expert	前把壳	CN-380P230001
8	Switch	开关	CN-385P021016
9	Cable Ball Joint & Support Sping Water	前球节支撑体	CN-380P23000W
10	Cable Ball Joint & Support Spring	后弹簧支撑体	CN-380P2300WS
11	Fastener Cap Red	红色胶套	CN-7005012423
12	Fastener Cap Blue	蓝色胶套	CN-7005012424
13	Rear Handle Water	后把壳	CN-700P001080
14	Pug Nipple ND 5mm	出水快插	CN-701P002064
15	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-303P070000
16	Water Outiet Hose Red ø5*8 With Plug Nipple	红色水管	CN-303P07000R
17	Adaptor Nut M33x2	后锁母	CN-700P001010
18	Gas Hose Red ø5*8 Units:100m	红色气管	CN-307P2528*E
19	Hose Clamp ø9.5mm	喉箍	CN-373P100095
20	Wate Euro Central Connecto	后主体	CN-701P001049
21	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 3m	送丝管3米	CN-322P254534
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 4m	送丝管4米	CN-322P254544
	Liner Steel Blank/Not Insul Steel Liner Wire ø1.2-1.6mm 5m	送丝管5米	CN-322P254554
22	Liner Positioner Nut M10x1	螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi Pro 353/453 Expert Air Cooled

Rating: CNPRO353 300A CO2/280A Mixed Gases
CNPRO453 360A CO2/360A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PRO 353 Expert Air Cooled Welding Torch 3m		CN-0407996
	CN-PRO 353 Expert Air Cooled Welding Torch 4m		CN-0408141
	CN-PRO 353 Expert Air Cooled Welding Torch 5m		CN-0408035
	CN-PRO 453 Expert Air Cooled Welding Torch 3m		CN-0407997
	CN-PRO 453 Expert Air Cooled Welding Torch 4m		CN-0408143
	CN-PRO 453 Expert Air Cooled Welding Torch 5m		CN-0408036
1	Tbi PRO 353/453 Swan Neck	弯管	CN-0914824
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Insulating	绝缘环	CN-353P102004
3	Contact Tip Holder M8	导电嘴座	CN-0914690
	Contact Tip Holder M6	导电嘴座	CN-0914731
4	Contact Tip E-CU M6*28	导电嘴	CN-340P**1069
	ContactTip CuCrZr M6*28	导电嘴	CN-340P**3069
	Contact Tip E-CU Aluminum M6*28	导电嘴	CN-341P*-1069
	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
	Contact Tip CuCrZr M8*30	导电嘴	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-341P**1262
5	Nozzle Tapered ø11*68.5	喷嘴	CN-0915448
	Nozzle Tapered ø15*68.5	喷嘴	CN-0914590
6	Handle Expert	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
9	Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001075
11	Adaptor Nut M33x2	后锁母	CN-700P001010
12	Euro Central Connector	后主体	CN-701P001048
13	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-324P204534
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-324P204544
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-324P204554
14	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN TBi XP 363, XP 463 (-S DR, -L DR)

Rating: CNXP 363 340ACO2/310AMixed Gases
CNXP 463 380ACO2/350AMixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	XP363-LDR(Rotatable Neck) Air Cooled Welding Torch 3m		CN-145P32A030
	XP363-LDR(Rotatable Neck) Air Cooled Welding Torch 4m		CN-145P32A040
	XP363-LDR(Rotatable Neck) Air Cooled Welding Torch 5m		CN-145P32A050
	XP363-S DR(Rotatable Neck) Air Cooled Welding Torch 3m		CN-145P329030
	XP363-S DR(Rotatable Neck) Air Cooled Welding Torch 4m		CN-145P329040
	XP363-S DR(Rotatable Neck) Air Cooled Welding Torch 5m		CN-145P329050
	XP463-LDR(Rotatable Neck) Air Cooled Welding Torch 3m		CN-145P322030
	XP463-LDR(Rotatable Neck) Air Cooled Welding Torch 4m		CN-145P322040
	XP463-LDR(Rotatable Neck) Air Cooled Welding Torch 5m		CN-145P322050
	XP463-S DR(Rotatable Neck) Air Cooled Welding Torch 3m		CN-145P321030
	XP463-S DR(Rotatable Neck) Air Cooled Welding Torch 4m		CN-145P321040
	XP463-S DR(Rotatable Neck) Air Cooled Welding Torch 5m		CN-145P321050
1	XP 363/463-S DR 50° Rotatable Neck	弯管	CN-145P101001
	XP 363/463-L DR 50° Rotatable Neck	弯管	CN-145P101002
2	Insulating	绝缘环	CN-145P102004
3	Contact Tip CuCrZr M8*30	导电嘴座	CN-340P**3262
	Contact Tip E-CU Aluminum M8*30	导电嘴座	CN-341P**1262
	Contact Tip Holder M8	导电嘴座	CN-145P102008
4	Contact Tip E-CU M8*30	导电嘴	CN-340P**1262
5	Nozzle Cylindrica ø20*68.5	喷嘴	CN-345P021045
	Nozzle Tapered ø15*68.5	喷嘴	CN-345P022045
	Nozzle Tapered ø11*68.5	喷嘴	CN-345P023045
6	Handle Expert	前把壳	CN-380P230001
7	Switch	开关	CN-385P021016
8	Clamping Block XP	前固定块	CN-145P102003
9	Rear Handle Support Spring	弹簧支撑体	CN-380P23000G
10	Support Spring	后弹簧	CN-600P102213
11	Rear Handle	后把壳	CN-700P001075
12	Adaptor Nut M33x2	后锁母	CN-700P001010
13	Euro Central Connector	后主体	CN-701P001048
14	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-324P204534
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-324P204544
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-324P204554
15	Liner Positioner Nut M10x1	钢衬套螺母	CN-701P002091

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PLUS 505

Rating: 550A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PLUS 505 Water Cooled Welding Torch 3m		CN-MB7933
	CN-PLUS 505 Water Cooled Welding Torch 4m		CN-MB7934
	CN-PLUS 505 Water Cooled Welding Torch 5m		CN-MB7935
1	Swan Neck	弯管	CN-MG0105
2	Insulator	绝缘环	CN-FB2320
3	Nozzle Socket	喷嘴座	CN-MT0209
4	Tip Holder M9x1*23.5mm	导电嘴座	CN-ME0345
5	Gas Diffuser DMC	分流器	CN-ME0089
	Gas Diffuser Ceramic	分流器	CN-ME0589
6	Contact Tip CuCrZr M9X1*38*0.8mm	导电嘴	CN-MD0250-78
	Contact Tip CuCrZr M9X1*38*0.9mm	导电嘴	CN-MD0250-79
	Contact Tip CuCrZr M9X1*38*1.0mm	导电嘴	CN-MD0250-80
	Contact Tip CuCrZr M9X1*38*1.2mm	导电嘴	CN-MD0250-82
	Contact Tip CuCrZr M9X1*38*1.4mm	导电嘴	CN-MD0250-84
	Contact Tip CuCrZr M9X1*38*1.6mm	导电嘴	CN-MD0250-86
	Contact Tip CuCrZr M9X1*38*2.0mm	导电嘴	CN-MD0250-90
	Contact Tip CuCrZr M9X1*38*2.5mm	导电嘴	CN-MD0250-95
7	Nozzle Adaptor	喷嘴适配器	CN-FA1110
8	Nozzle ø16*80mm	喷嘴	CN-MC0345
	Nozzle ø14*80mm	喷嘴	CN-MC0346
	Nozzle ø19*80mm	喷嘴	CN-MC0347
9	Handle Expert	前把壳	CN-MP0160TM
10	Switch	开关	CN-185.0031S
11	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
12	Rear Handle Water	后把壳	CN-BW0328
13	Fastener Cap Red	红色胶套	CN-501.2423
14	Fastener Cap Blue	蓝色胶套	CN-501.2424
15	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-QB007X
16	Gas Hose Red ø5*8 Units:100m	红色气管	CN-QB008X
17	Hose Clamp ø8.7mm	喉箍	CN-F11683
18	Outer Cover ø25x1.5 Units:20m	外盖管	CN-MQ020X
19	Plug Nipple ND 5mm	水速通	CN-FA3020
20	Adaptor Nut M33x2	后锁母	CN-BW0480
21	Wire Conduit For 3m	送丝管外管3米	CN-QB0072
	Wire Conduit For 4m	送丝管外管4米	CN-QB0073
	Wire Conduit For 5m	送丝管外管5米	CN-QB0074
22	Central Adaptor WZ-2	后主体	CN-AR0052

23	Liner Steel Blank 2.5/4.5 Wire ø1.6 3m	送丝管3米	CN-GM0530
	Liner Steel Blank 2.5/4.5 Wire ø1.6 4m	送丝管4米	CN-GM0531
	Liner Steel Blank 2.5/4.5 Wire ø1.6 5m	送丝管5米	CN-GM0532
24	Liner Positioner Nut M10x1	螺母	CN-FA0026

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN PLUS 555

Rating: 550A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~2.4mm




No.	Description		Order
	CN-PLUS 555 Water Cooled Welding Torch 3m		CN-MB7943
	CN-PLUS 555 Water Cooled Welding Torch 4m		CN-MB7944
	CN-PLUS 555 Water Cooled Welding Torch 5m		CN-MB7945
1	Swan Neck	弯管	CN-MG0095
2	Insulator	绝缘环	CN-FB1278
3	Nozzle Socket	喷嘴座	CN-MT0208
4	Contact Tip Holder Copper M8*25mm	导电嘴座	CN-ME0402
4-1	Contact Tip Holder M8*25mm	导电嘴座	CN-ME0400
5	Gas Diffuser DMC White	分流器	CN-ME0079
	Gas Diffuser DMC Black	分流器	CN-ME0074
	Gas Diffuser Ceramic	分流器	CN-ME0579
6	Contact Tip Cu M8*30	导电嘴	CN-MD0005-XX
	Contact Tip CuCrZr M8*30	导电嘴	CN-MD0005-XX
	Contact Tip E-CU Aluminum M8*30	导电嘴	CN-MD0005-XX
7	Nozzle Conical Quick Release ø16*76	喷嘴	CN-MC0568
	Nozzle Tapered ø14*76	喷嘴	CN-MC0290
	Nozzle Conical ø16*76	喷嘴	CN-MC0568
	Nozzle Cylindrical ø20*76	喷嘴	CN-MC0291
8	Handle Expert	前把壳	CN-MP0160TM
9	Switch	开关	CN-185.0031S
10	Cable Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
11	Rear Handle Water	后把壳	CN-BW0328
12	Fastener Cap Red	红色胶套	CN-501.2423
13	Fastener Cap Blue	蓝色胶套	CN-501.2424
14	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-QB007X
15	Gas Hose Red ø5*8 Units:100m	红色气管	CN-QB008X
16	Hose Clamp ø8.7mm	喉箍	CN-F11683
17	Outer Cover ø25x1.5 Units:20m	外盖管	CN-MQ020X
18	Plug Nipple ND 5mm	水速通	CN-FA3020
19	Adaptor Nut M33x2	后锁母	CN-BW0480
20	Wire Conduit For 3m	送丝管外管3米	CN-QB0072
	Wire Conduit For 4m	送丝管外管4米	CN-QB0073
	Wire Conduit For 5m	送丝管外管5米	CN-QB0074
21	Central Adaptor WZ-2	后主体	CN-AR0052
22	Liner Steel Blank 2.5/4.5 Wire ø1.6 3m	送丝管3米	CN-GM0530
	Liner Steel Blank 2.5/4.5 Wire ø1.6 4m	送丝管4米	CN-GM0531
	Liner Steel Blank 2.5/4.5 Wire ø1.6 5m	送丝管5米	CN-GM0532
23	Liner Positioner Nut M10x1	螺母	CN-FA0026

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN PSF 260

Rating: 250A CO_2
225A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description		Order
	CN-PSF260 Air Cooled MIG Welding Torch 3m		CN-0700.025.020
	CN-PSF260 Air Cooled MIG Welding Torch 4m		CN-0700.025.021
	CN-PSF260 Air Cooled MIG Welding Torch 5m		CN-0700.025.022
1	CN-PSF 260 Swan Neck	弯管	CN-0700.025.000
1-1	Plastic Nut	锁紧螺母	CN-0700.025.908
2	Tip Adapter M6	导电嘴座	CN-0366.394.001
3	Contact Tip M6*27*0.6mm	导电嘴	CN-0468.500.001
	Contact Tip M6*27*0.8mm	导电嘴	CN-0468.500.003
	Contact Tip M6*27*0.9mm	导电嘴	CN-0468.500.004
	Contact Tip M6*27*1.0mm	导电嘴	CN-0468.500.005
4	Nozzle Insulation Bushing	玻纤管	CN-0366.397.001
5	Nozzle ø14mm	喷嘴	CN-0458.464.881
6	Handle Expert Mini	迷你前把壳	CN-0700.025.900
7	Switch	开关	CN-0700.025.903
8	Support Spring Handle Expert Mini	电缆支撑体	CN-600P.102.253
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.101
13	Liner Steel Insulation Blue Wire ø0.8-1.0mm 3m	送丝管3米	CN-0700.200.085
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 4m	送丝管4米	CN-0700.200.086
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 5m	送丝管5米	CN-0700.025.800
14	Liner Positioner Nut M10x1	螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN PSF 315

Rating: 315A CO_2
285A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-PSF315 Air Cooled MIG Welding Torch 3.0m		CN-0366.100.882
	CN-PSF315 Air Cooled MIG Welding Torch 4.5m		CN-0366.100.883
1	Swan Neck	弯管	CN-0700.025.001
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Tip Adapter M6	导电嘴座	CN-0366.394.001
3	Contact Tip M6*27*0.8mm	导电嘴	CN-0468.500.003
	Contact Tip M6*27*0.9mm	导电嘴	CN-0468.500.004
	Contact Tip M6*27*1.0mm	导电嘴	CN-0468.500.005
	Contact Tip M6*27*1.2mm	导电嘴	CN-0468.500.006
	Contact Tip M6*27*1.4mm	导电嘴	CN-0468.500.008
	Contact Tip M6*27*1.6mm	导电嘴	CN-0468.500.009
4	Nozzle Insulation Bushing	玻纤管	CN-0458.471.003
5	Nozzle ø16mm	喷嘴	CN-0458.464.882
6	Handle Expert Plus	前把壳	CN-0700.025.905
7	Switch	开关	CN-0700.025.903
8	Cable Support	电缆支撑体	CN-0700.025.90G
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.101
13	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-0700.200.087
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-0700 200 088
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-0700 025 801
14	Liner Positioner Nut M10x1	螺母	CN-0700 200 098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN PSF 415

Rating: 380A CO_2
325A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm



No.	Description		Order
	CN-PSF415 Air Cooled MIG Welding Torch 3m		CN-0700.025.040
	CN-PSF415 Air Cooled MIG Welding Torch 4m		CN-0700.025.041
	CN-PSF415 Air Cooled MIG Welding Torch 5m		CN-0700.025.042
1	Swan Neck	弯管	CN-0700.025.002
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Tip Adapter M8	导电嘴座	CN-0460.819.001
3	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468 502 003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
4	Nozzle Insulation Bushing	玻纤管	CN-0458.471.004
5	Nozzle ø17mm	喷嘴	CN-0458.464.883
6	Handle Expert Plus	前把壳	CN-0700.025.905
7	Switch	开关	CN-0700.025.903
8	Cable Support	电缆支撑体	CN-0700.025.90G
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	m后主体	CN-0700.200.101
13	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-0700.025.802
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-0700.025.803
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-0700.025.804
14	Liner Positioner Nut M10x1	螺母	CN-0700 200 098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PSF 515

Rating: 500A CO_2
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2~2.0mm




No.	Description		Order
	CN-PSF515 Air Cooled MIG Welding Torch 3m		CN-0700.025.050
	CN-PSF515 Air Cooled MIG Welding Torch 4m		CN-0700.025.051
	CN-PSF515 Air Cooled MIG Welding Torch 5m		CN-0700.025.052
1	Swan Neck	弯管	CN-0700.025.003
2	Tip Adapter M8	导电嘴座	CN-0366.395.001
3	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468 502 003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
4	Nozzle Insulation Bushing	玻纤管	CN-0458.471.004
5	Nozzle ø18mm	喷嘴	CN-0458.464.884
6	Handle Expert Plus	前把壳	CN-0700.025.905
7	Switch	开关	CN-0700.025.903
8	Cable Support	电缆支撑体	CN-0700.025.90G
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.101
13	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-0700.025.802
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-0700.025.803
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-0700.025.804
14	Liner Positioner Nut M10x1	螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PSF 420W

Rating: 450A CO_2
400A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-PSF420W Water Cooled MIG Welding Torch 3m		CN-0700.025.060
	CN-PSF420W Water Cooled MIG Welding Torch 4m		CN-0700.025.061
	CN-PSF420W Water Cooled MIG Welding Torch 5m		CN-0700.025.062
1	CN-PSF420W Swan Neck	弯管	CN-0700.025.004
2	Insulation Washer	绝缘环	CN-0458.874.001
3	Tip Adapter M8	导电嘴座	CN-0460.819.001
4	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468.502.003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
5	Nozzle Insulation Bushing	玻纤管	CN-0458.471.003
6	Nozzle ø16mm	喷嘴	CN-0458.464.882
7	Handle Expert Plus	前把壳	CN-0700.025.905
8	Switch	开关	CN-0700.025.903
9	Cable Ball Joint & Support Spring	球节支撑体	CN-0700.020.907
10	Fastener Cap Red	红色堵头	CN-0705.012.423
11	Fastener Cap Blue	蓝色堵头	CN-0705.012.424
12	Plug Nipple ND 5mm	水速通	CN-0700.025.973
13	Water Hose Red ø5*8	红色水管	CN-0700.025.99R
14	Water Hose Blue ø5*8	蓝色水管	CN-0700.025.994
15	Rear Handle Water	后把壳	CN-0700.025.971
16	Adaptor Nut M33x2	后锁母	CN-0700.025.951
17	Gas Hose Black ø4*7	气管	CN-0700.025.993
17-1	Hose Clamp ø8.7mm	喉箍	CN-0700.025.974
18	Water Euro Central Connector	后主体	CN-0700.025.970
19	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-0700.200.087
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-0700.200.088
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-0700.025.801
20	Water Euro Central Connector M10x1	后螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PSF 520W

Rating: 520A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PSF520W Water Cooled MIG Welding Torch 3m		CN-0700.025.070
	CN-PSF520W Water Cooled MIG Welding Torch 4m		CN-0700.025.071
	CN-PSF520W Water Cooled MIG Welding Torch 5m		CN-0700.025.072
1	CN-PSF520W Swan Neck	弯管	CN-0700.025.005
2	Insulation Washer	绝缘环	CN-0458.874.001
3	Tip Adapter M8	导电嘴座	CN-0460.819.001
4	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468.502.003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
5	Nozzle Insulation Bushing	玻纤管	CN-0458.471.004
6	Nozzle ø17mm	喷嘴	CN-0458.464.883
7	Handle Expert Plus	前把壳	CN-0700.025.905
8	Switch	开关	CN-0700.025.903
9	Cable Ball Joint & Support Spring	球节支撑体	CN-0700.020.907
10	Fastener Cap Red	红色堵头	CN-0705.012.423
11	Fastener Cap Blue	蓝色堵头	CN-0705.012.424
12	Plug Nipple ND 5mm	水速通	CN-0700.025.973
13	Water Hose Red ø5*8	红色水管	CN-0700.025.99R
14	Water Hose Blue ø5*8	蓝色水管	CN-0700.025.994
15	Rear Handle Water	后把壳	CN-0700.025.971
16	Adaptor Nut M33x2	后锁母	CN-0700.025.951
17	Gas Hose Black ø4*7	气管	CN-0700.025.993
17-1	Hose Clamp ø8.7mm	喉箍	CN-0700.025.974
18	Water Euro Central Connector	后主体	CN-0700.025.970
19	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-0700.025.802
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-0700.025.803
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-0700.025.804
20	Water Euro Central Connector M10x1	后螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PSF 250

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm




No.	Description		Order
	CN-PSF250 Air Cooled MIG Welding Torch 3.0m		CN-0366.100.882
	CN-PSF250 Air Cooled MIG Welding Torch 4.5m		CN-0366.100.883
1	Swan Neck	弯管	CN-0366.315.880
1-1	Swan Neck Insulation Bushing	弯管绝缘器	CN-0366.397.002
1-2	Plastic Nut	锁紧螺母	CN-0700.025.908
2	Tip Adapter M6	导电嘴座	CN-0366.394.001
3	Contact Tip M6*27*0.6mm	导电嘴	CN-0468.500.001
	Contact Tip M6*27*0.8mm	导电嘴	CN-0468.500.003
	Contact Tip M6*27*0.9mm	导电嘴	CN-0468.500.004
	Contact Tip M6*27*1.0mm	导电嘴	CN-0468.500.005
4	Nozzle Insulation Bushing	玻纤管	CN-0366.397.001
5	Nozzle ø14mm	喷嘴	CN-0458.464.881
6	Handle Expert Mini	迷你前把壳	CN-0700.025.900
7	Switch	开关	CN-0700.025.903
8	Cable Support	电缆支撑体	CN-0459.692.880
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.151
13	Liner Steel Insulation Black Wire 0.9-1.0mm 3.0m	送丝管3米	CN-0366.549.884
	Liner Steel Insulation Black Wire 0.9-1.0mm 4.5m	送丝管4.5米	CN-0366.549.885

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PSF 305

Rating: 300A CO_2
250A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.2mm




No.	Description		Order
	CN-PSF305 Air Cooled MIG Welding Torch 3.0m		CN-0458.401.880
	CN-PSF305 Air Cooled MIG Welding Torch 4.5m		CN-0458.401.881
1	Swan Neck	弯管	CN-0366.388.880
1-1	Swan Neck Insulation Bushing	弯管绝缘器	CN-0366.397.002
1-2	Lock Nut With Screw	锁紧螺母	CN-0458.406.880
2	Tip Adapter M6	导电嘴座	CN-0366.394.001
3	Contact Tip M6*27*0.8mm	导电嘴	CN-0468.500.003
	Contact Tip M6*27*0.9mm	导电嘴	CN-0468.500.004
	Contact Tip M6*27*1.0mm	导电嘴	CN-0468.500.005
	Contact Tip M6*27*1.2mm	导电嘴	CN-0468.500.006
	Contact Tip M6*27*1.4mm	导电嘴	CN-0468.500.008
4	Nozzle Insulation Bushing	玻纤管	CN-0458.471.003
5	Nozzle ø16mm	喷嘴	CN-0458.464.882
6	Front Handle	前把壳	CN-0458.440.881
7	Mechanical Switch	开关	CN-0369.611.880
8	Cable Support	电缆支撑体	CN-0459.692.880
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Central Connector	后主体	CN-0700.200.151
13	Liner Steel Insulation Black Wire 1.0-1.2mm 3.0m	送丝管3米	CN-0366.549.886
	Liner Steel Insulation Black Wire 1.0-1.2mm 4.5m	送丝管4.5米	CN-0366.549.887

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PSF 405

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm



No.	Description		Order
	CN-PSF405 Air Cooled MIG Welding Torch 3.0m		CN-0458.401.882
	CN-PSF405 Air Cooled MIG Welding Torch 4.5m		CN-0458.401.883
1	Swan Neck	弯管	CN-0366.388.880
1-1	Swan Neck Insulation Bushing	弯管绝缘器	CN-0366.397.002
1-2	Lock Nut With Screw	锁紧螺母	CN-0458.406.880
2	Tip Adapter M8	导电嘴座	CN-0366.394.002
3	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468.502.003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
4	Nozzle Insulation Bushing	玻纤管	CN-0458.471.004
5	Nozzle ø17mm	喷嘴	CN-0458.464.883
6	Front Handle	前把壳	CN-0458.440.881
7	Mechanical Switch	开关	CN-0369.611.880
8	Cable Support	电缆支撑体	CN-0459.692.880
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Central Connector	后主体	CN-0700.200.151
13	Liner Steel Insulation Black Wire 1.2-1.4mm 3.0m	送丝管3米	CN-0366 549 888
	Liner Steel Insulation Black Wire 1.2-1.4mm 4.5m	送丝管4.5米	CN-0366 549 889

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN PSF 505

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PSF505 Air Cooled MIG Welding Torch 3.0m		CN-0458.401.884
	CN-PSF505 Air Cooled MIG Welding Torch 4.5m		CN-0458.401.885
1	Swan Neck	弯管	CN-0366.390.880
2	Tip Adapter M8	导电嘴座	CN-0366.395.001
3	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468.502.003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
4	Nozzle Insulation Bushing	玻纤管	CN-0458.471.005
5	Gas nozzle standard ø18	喷嘴	CN-0458.464.884
	Gas nozzle standard ø21	喷嘴	CN-0458.470.884
	Gas nozzle conical ø15	锥形喷嘴	CN-0458.465.884
6	Front Handle	前把壳	CN-0458.440.881
7	Mechanical Switch	开关	CN-0369.611.880
8	Cable Support	电缆支撑体	CN-0459.692.880
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.907
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Central Connector	后主体	CN-0700.200.151
13	Liner Steel Insulation Black Wire 1.2-1.4mm 3.0m	送丝管3米	CN-0366.549.888
	Liner Steel Insulation Black Wire 1.2-1.4mm 4.5m	送丝管4.5米	CN-0366.549.889

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MXL 201

Rating: 160A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm




No.	Description		Order
	CN-MXL-201 Air Cooled MIG Welding Torch 3m		CN-0700.025.220
	CN-MXL-201 Air Cooled MIG Welding Torch 4m		CN-0700.025.221
	CN-MXL-201 Air Cooled MIG Welding Torch 5m		CN-0700.025.222
1	CN-MXL-201 Swan Neck	弯管	CN-0700.025.200
2	Head Insulator	绝缘座	CN-0700.200.096
3	Tip Holder	导电嘴座	CN-0700.200.071
3-1	Spring Support	弹簧	CN-0700.200.078
4	Contact Tip E-CU M6*25*0.6mm	导电嘴	CN-0468.502.004
	Contact Tip E-CU M6*25*0.8mm	导电嘴	CN-0468.502.005
	Contact Tip E-CU M6*25*0.9mm	导电嘴	CN-0468.502.006
	Contact Tip E-CU M6*25*1.0mm	导电嘴	CN-0468.502.008
5	Nozzle Cylindrical ø16*53	喷嘴	CN-0700.200.057
	Nozzle Conical ø12*53	喷嘴	CN-0700.200.054
	Nozzle Tapered ø9.5*53	喷嘴	CN-0700.200.060
6	Handle Expert Mini	前把壳	CN-0700.025.900
7	Switch	开关	CN-0700.025.903
8	Support Spring Handle Expert Mini	电缆支撑体	CN-600P.102.253
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.950
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.101
13	Liner Steel Insulation Blue Wire ø0.8-1.0mm 3m	送丝管3米	CN-0700.200.085
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 4m	送丝管4米	CN-0700.200.086
	Liner Steel Insulation Blue Wire ø0.8-1.0mm 5m	送丝管5米	CN-0700.025.800
14	Liner Positioner Nut M10x1	螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MXL 271

Rating: 230A CO_2
210A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-MXL-271 Air Cooled MIG Welding Torch 3m		CN-0700.025.230
	CN-MXL-271 Air Cooled MIG Welding Torch 4m		CN-0700.025.231
	CN-MXL-271 Air Cooled MIG Welding Torch 5m		CN-0700.025.232
1	CN-MXL-271 Swan Neck	弯管	CN-0700.025.201
2	Nozzle Spring	喷嘴弹簧	CN-0700.200.079
3	Tip Holder M6*35	导电嘴座	CN-0700.200.073
	Tip Holder M8*35	导电嘴座	CN-0700.025.289
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-0700.200.068
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-0700.200.069
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-0700.200.070
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-0700.200.071
	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-0700.200.081
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-0700.200.083
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-0700.200.084
	Contact Tip E-CU Aluminum M6*28*1.0mm	导电嘴	CN-0700.025.273
	Contact Tip E-CU Aluminum M6*28*1.2mm	导电嘴	CN-0700.025.274
5	Nozzle Cylindrical ø18*57	喷嘴	CN-0700.200.058
	Nozzle Conical ø15*57	喷嘴	CN-0700.200.055
	Nozzle Tapered ø11.5*57	喷嘴	CN-0700.200.061
6	Handle Expert Mini	前把壳	CN-0700.025.900
7	Switch	开关	CN-0700.025.903
8	Support Spring Handle Expert Mini	电缆支撑体	CN-600P.102.253
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.950
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.101
13	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-0700.200.087
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-0700.200.088
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-0700.025.801
14	Liner Positioner Nut M10x1	螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MXL 341

Rating: 330A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-MXL-341 Air Cooled MIG Welding Torch 3m		CN-0700.025.240
	CN-MXL-341 Air Cooled MIG Welding Torch 4m		CN-0700.025.241
	CN-MXL-341 Air Cooled MIG Welding Torch 5m		CN-0700.025.242
1	CN-MXL-341 Swan Neck	弯管	CN-0700.025.202
1-1	Plastic Nut	塑料固定件	CN-400.0044
2	Gas Diffusor DMC White	分流器	CN-0700.200.079
3	Tip Holder M6*28	导电嘴座	CN-0700.200.074
	Tip Holder M8*28	导电嘴座	CN-0700.025.290
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-0700.025.275
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-0700.025.276
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-0700.025.277
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-0700.025.278
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-0700.025.279
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-0700.025.280
	Contact Tip CuCrZr M8*30*0.9mm	导电嘴	CN-0700.025.281
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-0700.200.103
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-0700.200.104
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-0700.025.284
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-0700.025.285
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-0700.025.286
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-0700.025.287
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-0700.025.288
5	Nozzle Cylindrical ø20*84	喷嘴	CN-0700.200.059
	Nozzle Conical ø16*84	喷嘴	CN-0700.200.056
	Nozzle Tapered ø12*84	喷嘴	CN-0700.200.062
6	Handle Expert Mini	前把壳	CN-0700.025.900
7	Switch	开关	CN-0700.025.903
8	Support Spring Handle Expert Mini	电缆支撑体	CN-600P.102.253
9	Support Spring	后弹簧	CN-0700.020.907
10	Rear Handle	后把壳	CN-0700.025.950
11	Adaptor Nut M33x2	后锁母	CN-0700.025.951
12	Euro Central Connector	后主体	CN-0700.200.101
13	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-0700.200.087
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-0700.200.088
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-0700.025.801
14	Liner Positioner Nut M10x1	螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PSF 411W

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PSF411W Water Cooled MIG Welding Torch 3m		CN-0700 025 250
	CN-PSF411W Water Cooled MIG Welding Torch 4m		CN-0700 025 251
	CN-PSF411W Water Cooled MIG Welding Torch 5m		CN-0700 025 252
1	CN-PSF411W Swan Neck	弯管	CN-0700.025.203
2	Insulator Washer	绝缘环	CN-0700.200.080
3	Tip Holder M8*25	导电嘴座	CN-0700.025.291
	Tip Holder M6*25	导电嘴座	CN-0700.025.292
4	Gas Diffuser DMC Black	导电嘴	CN-0700.025.293
	Gas Diffuser Ceramic	导电嘴	CN-0700.025.294
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-0700.025.275
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-0700.025.276
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-0700.025.277
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-0700.025.278
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-0700.025.279
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-0700.025.280
	Contact Tip CuCrZr M8*30*0.9mm	导电嘴	CN-0700.025.281
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-0700.200.103
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-0700.200.104
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-0700.025.284
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-0700.025.285
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-0700.025.286
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-0700.025.287
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-0700.025.288
6	Nozzle Cylindrical ø20*76	喷嘴	CN-0700.025.297
	Nozzle Conical ø16*76	喷嘴	CN-0700.025.295
	Nozzle Tapered ø14*76	喷嘴	CN-0700.025.296
7	Handle Expert Plus	前把壳	CN-0700.025.905
8	Switch	开关	CN-0700.025.903
9	Cable Ball Joint & Support Spring	球节支撑体	CN-0700.020.907
10	Fastener Cap Red	红色堵头	CN-0705.012.423
11	Fastener Cap Blue	蓝色堵头	CN-0705.012.424
12	Plug Nipple ND 5mm	水速通	CN-0700.025.973
13	Water Hose Red ø5*8	红色水管	CN-0700.025.99R
14	Water Hose Blue ø5*8	蓝色水管	CN-0700.025.994
15	Rear Handle Water	后把壳	CN-0700.025.971
16	Adaptor Nut M33x2	后锁母	CN-0700.025.951
17	Gas Hose Black ø4*7	气管	CN-0700.025.993
17-1	Hose Clamp ø8.7mm	喉箍	CN-0700.025.974
18	Water Euro Central Connector	后主体	CN-0700.025.970
19	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-0700.025.802
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-0700.025.803
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-0700.025.804
20	Water Euro Central Connector M10x1	后螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PSF 410W

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.2mm




No.	Description		Order
	CN-PSF410W Water Cooled MIG Welding Torch 3m		CN-0458.400.882
	CN-PSF410W Water Cooled MIG Welding Torch 4m		CN-0458.400.883
	CN-PSF410W Water Cooled MIG Welding Torch 5m		CN-0458.400.890
1	CN-PSF410W Swan Neck	弯管	CN-0458.403.881
2	Insulation Washer	绝缘环	CN-0458.874.001
3	Tip Adapter M8	导电嘴座	CN-0460.819.001
4	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468.502.003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
5	Nozzle Insulation Bushing	玻纤管	CN-0458.471.003
6	Nozzle standard ø16	喷嘴	CN-0458.464.882
7	Handle Expert Plus	前把壳	CN-0458.440.881
8	Switch	开关	CN-0369.611.880
9	Cable Ball Joint & Support Spring	球节支撑体	CN-0700.020.907
10	Fastener Cap Red	红色堵头	CN-0705.012.423
11	Fastener Cap Blue	蓝色堵头	CN-0705.012.424
12	Plug Nipple ND 5mm	水速通	CN-0700.025.973
13	Water Hose Red ø5*8	红色水管	CN-0700.025.99R
14	Water Hose Blue ø5*8	蓝色水管	CN-0700.025.994
15	Rear Handle Water	后把壳	CN-0700.025.971
16	Adaptor Nut M33x2	后锁母	CN-0700.025.951
17	Gas Hose Black ø4*7	气管	CN-0700.025.993
17-1	Hose Clamp ø8.7mm	喉箍	CN-0700.025.974
18	Water Euro Central Connector	后主体	CN-0700.025.970
19	Liner Steel Insulation Red Wire ø1.0-1.2mm 3m	送丝管3米	CN-0700.200.087
	Liner Steel Insulation Red Wire ø1.0-1.2mm 4m	送丝管4米	CN-0700.200.088
	Liner Steel Insulation Red Wire ø1.0-1.2mm 5m	送丝管5米	CN-0700.025.801
20	Water Euro Central Connector M10x1	后螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PSF 510W

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PSF510W Water Cooled MIG Welding Torch 3m		CN-0458.400.884
	CN-PSF510W Water Cooled MIG Welding Torch 4m		CN-0458.400.885
	CN-PSF510W Water Cooled MIG Welding Torch 5m		CN-0458.400.887
1	CN-PSF510W Swan Neck	弯管	CN-0458.403.882
2	Insulation Washer	绝缘环	CN-0458.874.001
3	Tip Adapter M8	导电嘴座	CN-0460.819.001
4	Contact Tip M8*37*0.6mm	导电嘴	CN-0468.502.001
	Contact Tip M8*37*0.8mm	导电嘴	CN-0468.502.003
	Contact Tip M8*37*0.9mm	导电嘴	CN-0468.502.004
	Contact Tip M8*37*1.0mm	导电嘴	CN-0468.502.005
	Contact Tip M8*37*1.2mm	导电嘴	CN-0468.502.006
	Contact Tip M8*37*1.4mm	导电嘴	CN-0468.502.008
	Contact Tip M8*37*1.6mm	导电嘴	CN-0468.502.009
5	Nozzle Insulation Bushing	玻纤管	CN-0458.471.004
6	Nozzle standard ø16	喷嘴	CN-0458.464.883
7	Handle Expert Plus	前把壳	CN-0458.440.881
8	Switch	开关	CN-0369.611.880
9	Cable Ball Joint & Support Spring	球节支撑体	CN-0700.020.907
10	Fastener Cap Red	红色堵头	CN-0705.012.423
11	Fastener Cap Blue	蓝色堵头	CN-0705.012.424
12	Plug Nipple ND 5mm	水速通	CN-0700.025.973
13	Water Hose Red ø5*8	红色水管	CN-0700.025.99R
14	Water Hose Blue ø5*8	蓝色水管	CN-0700.025.994
15	Rear Handle Water	后把壳	CN-0700.025.971
16	Adaptor Nut M33x2	后锁母	CN-0700.025.951
17	Gas Hose Black ø4*7	气管	CN-0700.025.993
17-1	Hose Clamp ø8.7mm	喉箍	CN-0700.025.974
18	Water Euro Central Connector	后主体	CN-0700.025.970
19	Steel Liner Black 1.2-1.6mm 3m	送丝管3米	CN-0700.025.803
	Steel Liner Black 1.2-1.6mm 4m	送丝管4米	CN-0700.025.804
	Steel Liner Black 1.2-1.6mm 5m	送丝管5米	CN-0700.025.805
20	Water Euro Central Connector M10x1	后螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN PSF 511W

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-PSF511W Water Cooled MIG Welding Torch 3m		CN-0700.025.260
	CN-PSF511W Water Cooled MIG Welding Torch 4m		CN-0700.025.261
	CN-PSF511W Water Cooled MIG Welding Torch 5m		CN-0700.025.262
1	CN-PSF511W Swan Neck	弯管	CN-0700.025.204
2	Insulator Washer	绝缘环	CN-0700.200.080
3	Tip Holder M8*25	导电嘴座	CN-0700.025.293
	Tip Holder M6*25	导电嘴座	CN-0700.025.294
4	Gas Diffuser DMC Black	导电嘴	CN-0700.025.291
	Gas Diffuser Ceramic	导电嘴	CN-0700.025.292
5	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-0700.025.275
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-0700.025.276
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-0700.025.277
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-0700.025.278
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-0700.025.279
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-0700.025.280
	Contact Tip CuCrZr M8*30*0.9mm	导电嘴	CN-0700.025.281
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-0700.200.103
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-0700.200.104
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-0700.025.284
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-0700.025.285
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-0700.025.286
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-0700.025.287
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-0700.025.288
6	Nozzle Cylindrical ø20*76	喷嘴	CN-0700.025.297
	Nozzle Conical ø16*76	喷嘴	CN-0700.025.295
	Nozzle Tapered ø14*76	喷嘴	CN-0700.025.296
7	Handle Expert Plus	前把壳	CN-0700.025.905
8	Switch	开关	CN-0700.025.903
9	Cable Ball Joint & Support Spring	球节支撑体	CN-0700.020.907
10	Fastener Cap Red	红色堵头	CN-0705.012.423
11	Fastener Cap Blue	蓝色堵头	CN-0705.012.424
12	Plug Nipple ND 5mm	水速通	CN-0700.025.973
13	Water Hose Red ø5*8	红色水管	CN-0700.025.99R
14	Water Hose Blue ø5*8	蓝色水管	CN-0700.025.994
15	Rear Handle Water	后把壳	CN-0700.025.971
16	Adaptor Nut M33x2	后锁母	CN-0700.025.951
17	Gas Hose Black ø4*7	气管	CN-0700.025.993
17-1	Hose Clamp ø8.7mm	喉箍	CN-0700.025.974
18	Water Euro Central Connector	后主体	CN-0700.025.970
19	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 3m	送丝管3米	CN-0700.025.802
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 4m	送丝管4米	CN-0700.025.803
	Liner Steel Insulation Yellow Wire ø1.2-1.6mm 5m	送丝管5米	CN-0700.025.804
20	Water Euro Central Connector M10x1	后螺母	CN-0700.200.098

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SBME 116

Rating: 180A CO_2
160A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.0mm




No.	Description		Order
	SBME116 Welding Torch 3m		CN-MW103
	SBME116 Welding Torch 4m		CN-MW104
	SBME116 Welding Torch 5m		CN-MW105
	SBME116 Welding Torch Duotone Handle 3m		CN-MW103D
	SBME116 Welding Torch Duotone Handle 4m		CN-MW104D
	SBME116 Welding Torch Duotone Handle 5m		CN-MW105D
1	SBME116/125 Swan Neck	弯管	CN-MF571
2	Insulator	绝缘座	CN-MC440*
3	Tip Holder M6*32mm	导电嘴座	CN-MB400*
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-MA010*
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-MA011
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-MA012
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-MA013
5	Nozzle ø13*60mm	喷嘴	CN-ME566
	Nozzle ø16*60mm	喷嘴	CN-ME510*
6	Front Handle	前把壳	CN-MG620
7	Switch Button	开关	CN-ML710
8	Switch	开关芯	CN-MJ680
9	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK704
10	Support Spring	后弹簧	CN-MK759
11	Rear Handle	后把壳	CN-MR883
12	Adaptor Nut M33x2	后锁母	CN-MN761
13	Euro Central Connector	后主体	CN-MO770
14	Blue Steel Liner Wire 0.8-1.0mm 3m	送丝管3米	CN-MP800
	Blue Steel Liner Wire 0.8-1.0mm 4m	送丝管4米	CN-MP801
	Blue Steel Liner Wire 0.8-1.0mm 5m	送丝管5米	CN-MP802
15	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SBME 125

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.0mm




No.	Description		Order
	SBME125 Welding Torch 3m		CN-MW113
	SBME125 Welding Torch 4m		CN-MW114
	SBME125 Welding Torch 5m		CN-MW115
	SBME125 Welding Torch Duotone Handle 3m		CN-MW113D
	SBME125 Welding Torch Duotone Handle 4m		CN-MW114D
	SBME125 Welding Torch Duotone Handle 5m		CN-MW115D
1	SBME116/125 Swan Neck	弯管	CN-MF571
2	Insulator	绝缘座	CN-MC440*
3	Tip Holder M6*37mm	导电嘴座	CN-MB401*
4	Contact Tip E-CU M6*37*0.8mm OD.8mm	导电嘴	CN-MA020
	Contact Tip E-CU M6*37*0.9mm OD.8mm	导电嘴	CN-MA021
	Contact Tip E-CU M6*37*1.0mm OD.8mm	导电嘴	CN-MA022*
	Contact Tip E-CU M6*37*1.2mm OD.8mm	导电嘴	CN-MA023
5	Nozzle ø15*75mm	喷嘴	CN-ME511*
	Nozzle ø12*75mm	喷嘴	CN-ME536
6	Front Handle	前把壳	CN-MG620
7	Switch Button	开关	CN-ML710
8	Switch	开关芯	CN-MJ680
9	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK704
10	Support Spring	后弹簧	CN-MK759
11	Rear Handle	后把壳	CN-MR883
12	Adaptor Nut M33x2	后锁母	CN-MN761
13	Euro Central Connector	后主体	CN-MO770
14	Blue Steel Liner Wire 0.8-1.0mm 3m	送丝管3米	CN-MP800
	Blue Steel Liner Wire 0.8-1.0mm 4m	送丝管4米	CN-MP801
	Blue Steel Liner Wire 0.8-1.0mm 5m	送丝管5米	CN-MP802
15	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SBME 135

Rating: 290A CO_2
260A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm




No.	Description		Order
	SBME135 Welding Torch 3m		CN-MW123
	SBME135 Welding Torch 4m		CN-MW124
	SBME135 Welding Torch 5m		CN-MW125
	SBME135 Welding Torch Duotone Handle 3m		CN-MW123D
	SBME135 Welding Torch Duotone Handle 4m		CN-MW124D
	SBME135 Welding Torch Duotone Handle 5m		CN-MW125D
1	SBME135 Swan Neck	弯管	CN-MF573
2	Insulator	绝缘座	CN-MC441*
3	Tip Holder Long M6*49mm	加长导电嘴座	CN-MB416
3-1	Tip Holder M6*40mm	导电嘴座	CN-MB402*
4	Contact Tip E-CU M6*28*0.8mm	导电嘴	CN-MA010
	Contact Tip E-CU M6*28*0.9mm	导电嘴	CN-MA011
	Contact Tip E-CU M6*28*1.0mm	导电嘴	CN-MA012
	Contact Tip E-CU M6*28*1.2mm	导电嘴	CN-MA013
4-1	Contact Tip E-CU M6*37*1.2mm OD.8mm	导电嘴	CN-MA023
	Contact Tip E-CU M6*37*0.8mm OD.8mm	导电嘴	CN-MA020
	Contact Tip E-CU M6*37*0.9mm OD.8mm	导电嘴	CN-MA021
	Contact Tip E-CU M6*37*1.0mm OD.8mm	导电嘴	CN-MA022*
	Contact Tip E-CU M6*37*1.2mm OD.8mm	导电嘴	CN-MA023
5	Nozzle ø16*76mm	喷嘴	CN-ME513*
	Nozzle ø15*76mm	喷嘴	CN-ME523
	Nozzle ø19*76mm	喷嘴	CN-XE523
6	Front Handle	前把壳	CN-MG620
7	Switch Button	开关	CN-ML710
8	Switch	开关芯	CN-MJ680
9	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK704
10	Support Spring	后弹簧	CN-MK759
11	Rear Handle	后把壳	CN-MR883
12	Adaptor Nut M33x2	后锁母	CN-MN761
13	Euro Central Connector	后主体	CN-MO770
14	Red Steel Liner Wire 1.0-1.2mm 3m	送丝管3米	CN-MP803
	Red Steel Liner Wire 1.0-1.2mm 4m	送丝管4米	CN-MP804
	Red Steel Liner Wire 1.0-1.2mm 5m	送丝管5米	CN-MP805
15	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SBME 235

Rating: 300A CO_2
260A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	SBME235 Welding Torch 3m		CN-MW223
	SBME235 Welding Torch 4m		CN-MW224
	SBME235 Welding Torch 5m		CN-MW225
	SBME235 Welding Torch Duotone Handle 3m		CN-MW223D
	SBME235 Welding Torch Duotone Handle 4m		CN-MW224D
	SBME235 Welding Torch Duotone Handle 5m		CN-MW225D
1	SBME235 Swan neck	弯管	CN-MF574
2	Insulator	绝缘座	CN-MC444*
3	Tip Holder S19*44mm	导电嘴座	CN-MB405*
3-1	Tip Holder S16*44mm	导电嘴座	CN-MB405S
4	Contact Tip W5/16*55*0.8mm	导电嘴	CN-MA050
	Contact Tip W5/16*55*0.9mm	导电嘴	CN-MA051
	Contact Tip W5/16*55*1.0mm	导电嘴	CN-MA052
	Contact Tip W5/16*55*1.2mm	导电嘴	CN-MA053*
	Contact Tip W5/16*55*1.6mm	导电嘴	CN-MA054
	Contact Tip W5/16*55*2.4mm	导电嘴	CN-MA055
4-1	Contact Tip W5/16*43*0.8mm	导电嘴	CN-MA280
	Contact Tip W5/16*43*0.9mm	导电嘴	CN-MA281
	Contact Tip W5/16*43*1.0mm	导电嘴	CN-MA282
	Contact Tip W5/16*43*1.2mm	导电嘴	CN-MA283
	Contact Tip W5/16*43*1.6mm	导电嘴	CN-MA284
4-2	Contact Tip Rebaixado W5/16*43*0.8mm	导电嘴	CN-MA286
	Contact Tip Rebaixado W5/16*43*0.9mm	导电嘴	CN-MA287
	Contact Tip Rebaixado W5/16*43*1.0mm	导电嘴	CN-MA288
	Contact Tip Rebaixado W5/16*43*1.2mm	导电嘴	CN-MA289
5	Nozzle ø15*35mm	喷嘴	CN-ME514*
	Nozzle ø19*35mm	喷嘴	CN-ME521
5-1	Nozzle ø15*66mm	喷嘴	CN-ME616
5-2	Nozzle ø12*66mm	喷嘴	CN-ME618
6	Nozzle Holder Short L:50mm	短喷嘴	CN-MD490*
7	Front Handle	前把壳	CN-MG755
8	Switch Button	开关	CN-ML710
9	Switch	开关芯	CN-MJ680
10	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK704
11	Support Spring	后弹簧	CN-MK759
12	Rear Handle	后把壳	CN-MR883
13	Adaptor Nut M33x2	后锁母	CN-MN761
14	Euro Central Connector	后主体	CN-MO770
15	Red Steel Liner Wire 1.0-1.2mm 3m	送丝管3米	CN-MP803
	Red Steel Liner Wire 1.0-1.2mm4m	送丝管4米	CN-MP804
	Red Steel Liner Wire 1.0-1.2mm5m	送丝管5米	CN-MP805
16	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN SBME 350

Rating: 360A CO_2
320A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm




No.	Description		Order
	SBME350 Welding Torch 3m		CN-MW133
	SBME350 Welding Torch 4m		CN-MW134
	SBME350 Welding Torch 5m		CN-MW135
	SBME350 Welding Torch Duotone Handle 3m		CN-MW133D
	SBME350 Welding Torch Duotone Handle 4m		CN-MW134D
	SBME350 Welding Torch Duotone Handle 5m		CN-MW135D
1	SBME350 Swan neck	弯管	CN-MF575
2	Insulator	绝缘座	CN-MC442*
3	Tip Holder M8*40mm	导电嘴座	CN-MB403*
3-1	Tip Holder Long M8*48mm	导电嘴座	CN-MB414
4	Contact Tip E-CU M8*38*0.8mm OD.8mm	导电嘴	CN-MA030
	Contact Tip E-CU M8*38*0.9mm OD.8mm	导电嘴	CN-MA031
	Contact Tip E-CU M8*38*1.0mm OD.8mm	导电嘴	CN-MA032
	Contact Tip E-CU M8*38*1.2mm OD.8mm	导电嘴	CN-MA033
	Contact Tip E-CU M8*38*1.6mm OD.8mm	导电嘴	CN-MA034
4-1	Contact tip E-CU M8*30*0.8mm OD.8mm	导电嘴	CN-MA060
	Contact tip E-CU M8*30*0.9mm OD.8mm	导电嘴	CN-MA061
	Contact tip E-CU M8*30*1.0mm OD.8mm	导电嘴	CN-MA062
	Contact tip E-CU M8*30*1.2mm OD.8mm	导电嘴	CN-MA063
	Contact tip E-CU M8*30*1.6mm OD.8mm	导电嘴	CN-MA064
	Contact tip E-CU M8*30*2.4mm OD.8mm	导电嘴	CN-MA065
5	Nozzle ø16*75mm	喷嘴	CN-ME518*
	Nozzle ø18*75mm	喷嘴	CN-ME524
6	Front Handle	前把壳	CN-MG755
7	Switch Button	开关	CN-ML710
8	Switch	开关芯	CN-MJ680
9	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK704
10	Support Spring	后弹簧	CN-MK759
11	Rear Handle	后把壳	CN-MR883
12	Adaptor Nut M33x2	后锁母	CN-MN761
13	Euro Central Connector	后主体	CN-MO770
14	Red Steel Liner Wire 1.0-1.2mm 3m	送丝管3米	CN-MP803
	Red Steel Liner Wire 1.0-1.2mm4m	送丝管4米	CN-MP804
	Red Steel Liner Wire 1.0-1.2mm5m	送丝管5米	CN-MP805
15	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN SBME 450

Rating: 390A CO_2
370A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.6mm



No.	Description		Order
	SBME450 Welding Torch 3m		CN-MW233
	SBME450 Welding Torch 4m		CN-MW234
	SBME450 Welding Torch 5m		CN-MW235
	SBME450 Welding Torch Duotone Handle 3m		CN-MW233D
	SBME450 Welding Torch Duotone Handle 4m		CN-MW234D
	SBME450 Welding Torch Duotone Handle 5m		CN-MW235D
1	SBME450 Swan neck	弯管	CN-MF530
2	Insulator	绝缘座	CN-MC443
3	Tip Holder M8 Orange	导电嘴座	CN-MB406*
	Tip Holder M8 Black	导电嘴座	CN-MB396
3-1	Tip Holder S19*44mm	导电嘴	CN-MB405*
3-2	Tip Holder S16*44mm	导电嘴	CN-MB405S
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-MA060
	Contact Tip E-CU M8*30*0.9mm	导电嘴	CN-MA061
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-MA062
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-MA063*
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-MA064
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-MA065
4-1	Contact Tip W5/16*55*0.8mm	导电嘴	CN-MA050
	Contact Tip W5/16*55*0.9mm	导电嘴	CN-MA051
	Contact Tip W5/16*55*1.0mm	导电嘴	CN-MA052
	Contact Tip W5/16*55*1.2mm	导电嘴	CN-MA053
	Contact Tip W5/16*55*1.6mm	导电嘴	CN-MA054
	Contact Tip W5/16*55*2.4mm	导电嘴	CN-MA055
4-2	Contact Tip W5/16*73*0.8mm	导电嘴	CN-MA040
	Contact Tip W5/16*73*0.9mm	导电嘴	CN-MA041
	Contact Tip W5/16*73*1.0mm	导电嘴	CN-MA042
	Contact Tip W5/16*73*1.2mm	导电嘴	CN-MA043
	Contact Tip W5/16*73*1.6mm	导电嘴	CN-MA044
	Contact Tip W5/16*73*2.4mm	导电嘴	CN-MA045
5	Nozzle Holder Short L:50mm	短喷嘴支架	CN-MD490
5-1	Nozzle Holder Long L:66mm	长喷嘴支架	CN-MD491
6	Nozzle ø13*65mm	喷嘴	CN-ME517
	Nozzle ø16*65mm	喷嘴	CN-ME516*
	Nozzle ø19*65mm	喷嘴	CN-ME512
6-1	Nozzle ø15*35mm	喷嘴	CN-ME514
	Nozzle ø19*35mm	喷嘴	CN-ME521
6-2	Nozzle ø15*38mm	喷嘴	CN-ME534
	Nozzle ø19*38mm	喷嘴	CN-ME515


7	Front Handle	前把壳	CN-MG755D
8	Switch Button	开关	CN-ML710
9	Switch	开关芯	CN-MJ680
10	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK704
11	Support Spring	后弹簧	CN-MK759
12	Rear Handle	后把壳	CN-MR883
13	Adaptor Nut M33x2	后锁母	CN-MN761
14	Euro Central Connector	后主体	CN-MO770
15	Yellow Steel Liner Wire 1.2-1.6mm 3m	送丝管3米	CN-MP806
	Yellow Steel Liner Wire 1.2-1.6mm 4m	送丝管4米	CN-MP807
	Yellow Steel Liner Wire 1.2-1.6mm 5m	送丝管5米	CN-MP808
16	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SBME 470

Rating: 490A CO_2
460A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~2.4mm



No.	Description		Order
	SBME470 Welding Torch 3m		CN-MW143
	SBME470 Welding Torch 4m		CN-MW144
	SBME470 Welding Torch 5m		CN-MW145
	SBME470 Welding Torch Duotone Handle 3m		CN-MW143D
	SBME470 Welding Torch Duotone Handle 4m		CN-MW144D
	SBME470 Welding Torch Duotone Handle 5m		CN-MW145D
1	SBME470 Swan neck	弯管	CN-MF535
2	Insulator	绝缘座	CN-MC443
3	Tip Holder M8 Orange	导电嘴座	CN-MB406*
	Tip Holder M8 Black	导电嘴座	CN-MB396
3-1	Tip Holder S19*44mm	导电嘴	CN-MB405*
3-2	Tip Holder S16*44mm	导电嘴	CN-MB405S
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-MA060
	Contact Tip E-CU M8*30*0.9mm	导电嘴	CN-MA061
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-MA062
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-MA063*
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-MA064
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-MA065
4-1	Contact Tip W5/16*55*0.8mm	导电嘴	CN-MA050
	Contact Tip W5/16*55*0.9mm	导电嘴	CN-MA051
	Contact Tip W5/16*55*1.0mm	导电嘴	CN-MA052
	Contact Tip W5/16*55*1.2mm	导电嘴	CN-MA053
	Contact Tip W5/16*55*1.6mm	导电嘴	CN-MA054
	Contact Tip W5/16*55*2.4mm	导电嘴	CN-MA055
4-2	Contact Tip W5/16*73*0.8mm	导电嘴	CN-MA040
	Contact Tip W5/16*73*0.9mm	导电嘴	CN-MA041
	Contact Tip W5/16*73*1.0mm	导电嘴	CN-MA042
	Contact Tip W5/16*73*1.2mm	导电嘴	CN-MA043
	Contact Tip W5/16*73*1.6mm	导电嘴	CN-MA044
	Contact Tip W5/16*73*2.4mm	导电嘴	CN-MA045
5	Nozzle Holder Short L:50mm	短喷嘴支架	CN-MD490
5-1	Nozzle Holder Long L:66mm	长喷嘴支架	CN-MD491
6	Nozzle ø13*65mm	喷嘴	CN-ME517
	Nozzle ø16*65mm	喷嘴	CN-ME516*
	Nozzle ø19*65mm	喷嘴	CN-ME512
6-1	Nozzle ø15*35mm	喷嘴	CN-ME514
	Nozzle ø19*35mm	喷嘴	CN-ME521
6-2	Nozzle ø15*38mm	喷嘴	CN-ME534
	Nozzle ø19*38mm	喷嘴	CN-ME515

7	Front Handle	前把壳	CN-MG755
8	Switch Button	开关	CN-ML710
9	Switch	开关芯	CN-MJ680
10	Cable Ball Joint & Support Spring liddle	球节支撑体	CN-MK693
11	Support Spring	后弹簧	CN-MK759
12	Rear Handle	后把壳	CN-MR860
13	Adaptor Nut M33x2	后锁母	CN-MN761
14	Euro Central Connector	后主体	CN-MO789
15	Yellow Steel Liner Wire 1.2-1.6mm 3m	送丝管3米	CN-MP806
	Yellow Steel Liner Wire 1.2-1.6mm 4m	送丝管4米	CN-MP807
	Yellow Steel Liner Wire 1.2-1.6mm 5m	送丝管5米	CN-MP808
16	Liner Positioner Nut M10x1	螺母	CN-MN762

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SU220

Rating: 180A CO_2
160A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description		Order
	CN-SU220 Welding Torch 3m		CN-0500.3002
	CN-SU220 Welding Torch 4m		CN-0500.3003
	CN-SU220 Welding Torch 5m		CN-0500.3004
1	CN-SU220 Torch Body	弯管	CN-0500.1010
2	Gas Diffuser Insulator	绝缘环	CN-0500.1008
3	Gas Diffuser	导电嘴座	CN-0500.1007
4	Contact Tip M6*25*0.6	导电嘴	CN-0500.1004
	Contact Tip M6*25*0.8	导电嘴	CN-0500.1005
	Contact Tip M6*25*0.9	导电嘴	CN-0500.1188
	Contact Tip M6*25*1.0	导电嘴	CN-0500.1006
5	Nozzle ø9*55	喷嘴	CN-0500.2667
	Nozzle ø12*55	喷嘴	CN-0500.2668
6	Front Handle	前把壳	CN-380P020001
7	Switch	开关	CN-185.0031S
8	Rear Handle Support Spring	弹簧支撑体	CN-600P102213
9	Rear Handle	后把壳	CN-700P001010
10	Rear Connector Nut	后锁母	CN-700P002161
11	Euro Central Connector	后主体	CN-0500.272
12	Gray Steel Liner Wire ø0.6-0.8; for 3m	送丝管3米	CN-0500.2378
	Gray Steel Liner Wire ø0.6-0.8; for 4m	送丝管4米	CN-0500.1570
	Gray Steel Liner Wire ø0.6-0.8; for 5m	送丝管5米	CN-0500.1570.5
13	Steel Liner Nut	钢衬套螺母	CN-0500.2603

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

气保焊枪 MIG Welding Torches

CN SU260

Rating: 240A CO_2
210A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6~1.0mm



No.	Description		Order
	CN-SU260 Welding Torch 3m		CN-0500.3005
	CN-SU260 Welding Torch 4m		CN-0500.3006
	CN-SU260 Welding Torch 5m		CN-0500.3007
1	CN-SU260 Torch Body	弯管	CN-0500.1041
2	Gas Diffuser Insulator	绝缘环	CN-0500.1039
3	Gas Diffuser	导电嘴座	CN-0500.1038
4	Contact Tip CuCrZr M6*28*0.8mm	导电嘴	CN-0500.1042
	Contact Tip CuCrZr M6*28*0.9mm	导电嘴	CN-0500.1043
	Contact Tip CuCrZr M6*28*1.0mm	导电嘴	CN-0500.1044
	Contact Tip CuCrZr M6*28*1.2mm	导电嘴	CN-0500.1045
5	Nozzle ø11*60	喷嘴	CN-0500.2672
	Nozzle ø13*60	喷嘴	CN-0500.2669
	Nozzle ø15*60	喷嘴	CN-0500.2673
6	Front Handle	前把壳	CN-380P020001
7	Switch	开关	CN-185.0031S
8	Rear Handle Support Spring	弹簧支撑体	CN-600P102213
9	Rear Handle	后把壳	CN-700P001010
10	Rear Connector Nut	后锁母	CN-700P002161
11	Euro Central Connector	后主体	CN-0500.272
12	Gray Steel Liner Wire ø0.6-0.8; for 3m	送丝管3米	CN-0500.2378
	Gray Steel Liner Wire ø0.6-0.8; for 4m	送丝管4米	CN-0500.1570
	Gray Steel Liner Wire ø0.6-0.8; for 5m	送丝管5米	CN-0500.1570.5
13	Steel Liner Nut	钢衬套螺母	CN-0500.2603

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN SU335

Rating: 325A CO_2
285A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8~1.2mm



No.	Description		Order
	CN-SU335 Welding Torch 3m		CN-0500.4151
	CN-SU335 Welding Torch 4m		CN-0500.4154
	CN-SU335 Welding Torch 5m		CN-0500.4155
	CN-SU335 Welding Torch Strong Switch 3m		CN-0500.4151S
	CN-SU335 Welding Torch Strong Switch 4m		CN-0500.4154S
	CN-SU335 Welding Torch Strong Switch 5m		CN-0500.4155S
1	CN-SU335 Torch Body 50°	弯管	CN-0500.1104
	CN-SU335 Torch Body 60	弯管	CN-0500.2589
2	Gas Diffuser Insulator	绝缘环	CN-0500.1103
3	Gas Diffuser W5/16*38mm	导电嘴座	CN-0500.1101
	Gas Diffuser W/Fast Coupling W5/16*35mm	导电嘴座	CN-0500.1102
	Gas Diffuser M8*50mm	导电嘴座	CN-0500.1508
4	Contact Tip W5/16*43*0.8mm	导电嘴	CN-0500.1080
	Contact Tip W5/16*43*1.0mm	导电嘴	CN-0500.1081
	Contact Tip W5/16*43*1.2mm	导电嘴	CN-0500.1082
	Contact Tip W5/16*43*1.6mm	导电嘴	CN-0500.1083
	Contact Tip W5/16*43*2.0mm	导电嘴	CN-0500.1757
	Contact Tip W5/16*43*2.4mm	导电嘴	CN-0500.1492
	Contact Tip CuCrZr W5/16*43*0.8mm	导电嘴	CN-0500.1909
	Contact Tip CuCrZr W5/16*43*1.0mm	导电嘴	CN-0500.1910
	Contact Tip CuCrZr W5/16*43*1.2mm	导电嘴	CN-0500.1911
4-1	Contact tip CuCrZr M8*30*0.8mm	导电嘴	CN-0503.1028
	Contact tip CuCrZr M8*30*0.9mm	导电嘴	CN-0503.1031
	Contact tip CuCrZr M8*30*1.0mm	导电嘴	CN-0503.1032
	Contact tip CuCrZr M8*30*1.2mm	导电嘴	CN-0503.1033
	Contact tip CuCrZr M8*30*1.4mm	导电嘴	CN-0503.1047
	Contact tip CuCrZr M8*30*1.6mm	导电嘴	CN-0503.1030
	Contact tip CuCrZr M8*30*2.4mm	导电嘴	CN-0503.1029
	Contact tip CuCrZr M8*30*2.8mm	导电嘴	CN-0503.2385
5	Nozzle ø11*66	喷嘴	CN-0500.2674
	Nozzle ø13*66	喷嘴	CN-0500.2675
	Nozzle ø15*66	喷嘴	CN-0500.2620
	Nozzle ø17*66	喷嘴	CN-0500.2676
5-1	Nozzle W/Fast Coupling ø11*66	喷嘴	CN-0500.2910
	Nozzle W/Fast Coupling ø13*66	喷嘴	CN-0500.2909
	Nozzle W/Fast Coupling ø15*66	喷嘴	CN-0500.2908
	Nozzle W/Fast Coupling ø17*66	喷嘴	CN-0500.2850
6	Front Handle	前把壳	CN-0500.22SU
7	Switch	开关	CN-MJ680
8	Rear Handle Support Spring	弹簧支撑体	CN-400.1010S

9	Rear Handle Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001010
11	Rear Connector Nut	后锁母	CN-700P002161
12	Euro Central Connector	后主体	CN-0500.2727
13	Black Steel Liner Wire 0.8-1.0mm 3m	送丝管3米	CN-0500.1115
	Black Steel Liner Wire 0.8-1.0mm 4m	送丝管4米	CN-0500.1116
	Black Steel Liner Wire 0.8-1.0mm 5m	送丝管5米	CN-0500.1244
14	Steel Liner Nut	钢衬套螺母	CN-0500.2603

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN SU535

Rating: 380A CO_2
335A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-SU535 Welding Torch 3m		CN-0500.5085
	CN-SU535 Welding Torch 4m		CN-0500.5086
	CN-SU535 Welding Torch 5m		CN-0500.5106
	CN-SU535 Welding Torch Strong Switch 3m		CN-0500.5085S
	CN-SU535 Welding Torch Strong Switch 4m		CN-0500.5086S
	CN-SU535 Welding Torch Strong Switch 5m		CN-0500.5106S
1	CN-SU535 Torch Body 50°	弯管	CN-0500.1104
2	Gas Diffuser Insulator	绝缘环	CN-0500.1103
3	Gas Diffuser W5/16*68mm	导电嘴座	CN-0500.2472
	Gas Diffuser W/Fast Coupling W5/16*35mm	导电嘴座	CN-0500.1102
	Gas Diffuser S+M8 Heavy Duty 81.7mm	导电嘴座	CN-0500.2997
4	Contact Tip W5/16*43*0.8mm	导电嘴	CN-0500.1080
	Contact Tip W5/16*43*1.0mm	导电嘴	CN-0500.1081
	Contact Tip W5/16*43*1.2mm	导电嘴	CN-0500.1082
	Contact Tip W5/16*43*1.6mm	导电嘴	CN-0500.1083
	Contact Tip W5/16*43*2.0mm	导电嘴	CN-0500.1757
	Contact Tip W5/16*43*2.4mm	导电嘴	CN-0500.1492
	Contact Tip CuCrZr W5/16*43*0.8mm	导电嘴	CN-0500.1909
	Contact Tip CuCrZr W5/16*43*1.0mm	导电嘴	CN-0500.1910
	Contact Tip CuCrZr W5/16*43*1.2mm	导电嘴	CN-0500.1911
4-1	Contact Tip E-Cu W5/16*72.5*0.8mm	导电嘴	CN-0500.1085
	Contact Tip E-Cu W5/16*72.5*0.9mm	导电嘴	CN-0500.1242
	Contact Tip E-Cu W5/16*72.5*1.0mm	导电嘴	CN-0500.1086
	Contact Tip E-Cu W5/16*72.5*1.2mm	导电嘴	CN-0500.1087
	Contact Tip E-Cu W5/16*72.5*1.6mm	导电嘴	CN-0500.1088
4-2	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*0.8mm	导电嘴	CN-0900.1370
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*0.9mm	导电嘴	CN-0900.1870
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.0mm	导电嘴	CN-0900.1371
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.2mm	导电嘴	CN-0900.1316
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.4mm	导电嘴	CN-0900.1427
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.6mm	导电嘴	CN-0900.1372
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*0.8mm	导电嘴	CN-0900.1827
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*0.9mm	导电嘴	CN-0900.1828
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*1.0mm	导电嘴	CN-0900.1829
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*1.2mm	导电嘴	CN-0900.1754
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*1.6mm	导电嘴	CN-0900.1830
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5* 2.4mm	导电嘴	CN-0900.1493
5	Nozzle ø16*96	喷嘴	CN-0500.2778
	Nozzle ø19*96	喷嘴	CN-0500.2779
5-1	Nozzle W/Fast Coupling ø16*96	喷嘴	CN-0500.2914
	Nozzle W/Fast Coupling ø19*96	喷嘴	CN-0500.2913
6	Front Handle	前把壳	CN-0500.22SU
7	Switch	开关	CN-MJ680
8	Rear Handle Support Spring	弹簧支撑体	CN-400.1010S

9	Rear Handle Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001010
11	Rear Connector Nut	后锁母	CN-700P002161
12	Euro Central Connector	后主体	CN-0500.2727
13	Blue Steel Liner Wire 1.2-1.6mm 3m	送丝管3米	CN-0500.1118
	Blue Steel Liner Wire 1.2-1.6mm 4m	送丝管4米	CN-0500.1119
	Blue Steel Liner Wire 1.2-1.6mm 5m	送丝管5米	CN-0500.1245
14	Steel Liner Nut	钢衬套螺母	CN-0500.2603

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN SU595

Rating: 435A CO_2
380A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.0~1.6mm




No.	Description		Order
	CN-SU595 Welding Torch 3m		CN-0500.6153
	CN-SU595 Welding Torch 4m		CN-0500.6154
	CN-SU595 Welding Torch 5m		CN-0500.6178
	CN-SU595 Welding Torch Strong Switch 3m		CN-0500.6153S
	CN-SU595 Welding Torch Strong Switch 4m		CN-0500.6154S
	CN-SU595 Welding Torch Strong Switch 5m		CN-0500.6178S
1	CN-SU595 Torch Body 50°	弯管	CN-0500.1129
2	Gas Diffuser Insulator	绝缘环	CN-0500.1103
3	Gas Diffuser W5/16*68mm	导电嘴座	CN-0500.2472
	Gas Diffuser W/Fast Coupling W5/16*35mm	导电嘴座	CN-0500.1102
	Gas Diffuser S+M8 Heavy Duty 81.7mm	导电嘴座	CN-0500.2997
4	Contact Tip W5/16*43*0.8mm	导电嘴	CN-0500.1080
	Contact Tip W5/16*43*1.0mm	导电嘴	CN-0500.1081
	Contact Tip W5/16*43*1.2mm	导电嘴	CN-0500.1082
	Contact Tip W5/16*43*1.6mm	导电嘴	CN-0500.1083
	Contact Tip W5/16*43*2.0mm	导电嘴	CN-0500.1757
	Contact Tip W5/16*43*2.4mm	导电嘴	CN-0500.1492
	Contact Tip CuCrZr W5/16*43*0.8mm	导电嘴	CN-0500.1909
	Contact Tip CuCrZr W5/16*43*1.0mm	导电嘴	CN-0500.1910
	Contact Tip CuCrZr W5/16*43*1.2mm	导电嘴	CN-0500.1911
4-1	Contact Tip E-Cu W5/16*72.5*0.8mm	导电嘴	CN-0500.1085
	Contact Tip E-Cu W5/16*72.5*0.9mm	导电嘴	CN-0500.1242
	Contact Tip E-Cu W5/16*72.5*1.0mm	导电嘴	CN-0500.1086
	Contact Tip E-Cu W5/16*72.5*1.2mm	导电嘴	CN-0500.1087
	Contact Tip E-Cu W5/16*72.5*1.6mm	导电嘴	CN-0500.1088
4-2	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*0.8mm	导电嘴	CN-0900.1370
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*0.9mm	导电嘴	CN-0900.1870
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.0mm	导电嘴	CN-0900.1371
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.2mm	导电嘴	CN-0900.1316
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.4mm	导电嘴	CN-0900.1427
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.6mm	导电嘴	CN-0900.1372
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*0.8mm	导电嘴	CN-0900.1827
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*0.9mm	导电嘴	CN-0900.1828
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*1.0mm	导电嘴	CN-0900.1829
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*1.2mm	导电嘴	CN-0900.1754
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5*1.6mm	导电嘴	CN-0900.1830
	Contact tip CuCrZr S+M8 Heavy Duty M8*30.5* 2.4mm	导电嘴	CN-0900.1493
5	Nozzle ø16*96	喷嘴	CN-0500.2778
	Nozzle ø19*96	喷嘴	CN-0500.2779
5-1	Nozzle W/Fast Coupling ø16*96	喷嘴	CN-0500.2914
	Nozzle W/Fast Coupling ø19*96	喷嘴	CN-0500.2913
6	Front Handle	前把壳	CN-0500.22SU
7	Switch	开关	CN-MJ680
8	Rear Handle Support Spring	弹簧支撑体	CN-400.1010S
9	Rear Handle Support Spring	后弹簧	CN-600P102213
10	Rear Handle	后把壳	CN-700P001010
11	Rear Connector Nut	后锁母	CN-700P002161
12	Euro Central Connector	后主体	CN-0500.2727
13	Blue Steel Liner Wire 1.2-1.6mm 3m	送丝管3米	CN-0500.1118
	Blue Steel Liner Wire 1.2-1.6mm 4m	送丝管4米	CN-0500.1119
	Blue Steel Liner Wire 1.2-1.6mm 5m	送丝管5米	CN-0500.1245
14	Steel Liner Nut	钢衬套螺母	CN-0500.2603

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN SU695

Rating: 500A CO_2
440A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2~2.0mm




No.	Description		Order
	CN-SU695 Welding Torch 3m		CN-0500.7025
	CN-SU695 Welding Torch 4m		CN-0500.7026
	CN-SU695 Welding Torch 5m		CN-0500.7027
1	CN-SU695 Torch Body	弯管	CN-0500.1631
2	Gas Diffuser Insulator	绝缘环	CN-0500.2644
3	Gas Diffuser Long 78.5mm	导电嘴座	CN-0500.1642
3-1	Gas Diffuser S+M8 Heavy Duty 81.7mm	导电嘴座	CN-0500.2997
4	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-0503.1028
	Contact Tip CuCrZr M8*30*0.9mm	导电嘴	CN-0503.1031
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-0503.1032
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-0503.1033
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-0503.1047
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-0503.1030
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-0503.1029
	Contact Tip CuCrZr M8*30*2.8mm	导电嘴	CN-0503.2385
4-1	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.2mm	导电嘴	CN-0900.1316
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.4mm	导电嘴	CN-0900.1427
	Contact tip E-Cu S+M8 Heavy Duty M8*30.5*1.6mm	导电嘴	CN-0900.1372
5	Insulator Square Spiral L37mm	绝缘座	CN-0500.2531
5-1	Insulator Square Spiral L66mm	绝缘座	CN-0500.2671
6	Nozzle ø13*69	喷嘴	CN-0500.1544
	Nozzle ø16*69	喷嘴	CN-0500.1069
	Nozzle ø19*69	喷嘴	CN-0500.1070
6-1	Nozzle Short ø12*39	喷嘴	CN-0500.1071
	Nozzle Short ø14*39	喷嘴	CN-0500.1072
	Nozzle Short ø16*39	喷嘴	CN-0500.1073
	Nozzle Short ø19*39	喷嘴	CN-0500.1074
6-2	Nozzle Short ø16*39	喷嘴	CN-0500.1829
	Nozzle Short ø19*39	喷嘴	CN-0500.1830
7	Front Handle	前把壳	CN-0500.22SU
8	Switch	开关	CN-MJ680
9	Rear Handle Support Spring	弹簧支撑体	CN-400.1010S
10	Rear Handle Support Spring	后弹簧	CN-600P102213
11	Rear Handle	后把壳	CN-700P001010
12	Rear Connector Nut	后锁母	CN-700P002161
13	Euro Central Connector	后主体	CN-0500.2727
14	Red Steel Liner Wire 1.6-2.4mm 3m	送丝管3米	CN-0500.1121
	Red Steel Liner Wire 1.6-2.4mm 4m	送丝管4米	CN-0500.1122
	Red Steel Liner Wire 1.6-2.4mm 5m	送丝管5米	CN-0500.1123
15	Steel Liner Nut	钢衬套螺母	CN-0500.2603

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN MMT/PMT27

Rating: 270A CO_2
270A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.6~1.2mm




No.	Description		Order
	CN-MMT27 Gas Cooled MIG Torch 3.0m		CN-6253213MMT
	CN-MMT27 Gas Cooled MIG Torch 4.5m		CN-6253214MMT
	CN-PMT27 Gas Cooled MIG Torch 3.0m		CN-6253213
	CN-PMT27 Gas Cooled MIG Torch 4.5m		CN-6253214
1	Swan Neck 50°	弯管	CN-3146780
1-1	Intermediate Bushing	中间衬套	CN-4293910
1-2	Locking Spring	锁紧弹簧	CN-4276270
2	Gas Diffuser DMC	分流器	CN-4294880
	Gas Diffuser CER	分流器	CN-4294880CER
3	Contact Tip AdaPter M8	导电嘴座	CN-4295740
	Contact Tip Adapter M6	导电嘴座	CN-4294890
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Nozzle Standard M8 ø14*76	喷嘴	CN-4295760
	Nozzle Long ø14*79	喷嘴	CN-4295760L
	Nozzle Conical ø12*76	喷嘴	CN-4295760C
	Nozzle Standard M6 ø14*70	喷嘴	CN-4294970
6	Front Handle	前把壳	CN-4303310
6-1	Connecting Ring	连接环	CN-4295160
7	Switch	开关	CN-4182500
8	Link Piece	连接体	CN-3146280
8-1	Cable Support	电缆支撑体	CN-3133490
9	Rear Cable Support	后电缆支撑体	CN-3137900
10	Rear Handle	后把壳	CN-4270500
11	Rear Connector Nut	后锁母	CN-9592105
12	KP Euro Central Connector	后主体	CN-9580159
13	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
13-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
14	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN MMT/PMT32

Rating: 320A CO_2
320A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-MMT32 Gas Cooled MIG Torch 3.0m		CN-6253213MMT
	CN-MMT32 Gas Cooled MIG Torch 4.5m		CN-6253214MMT
	CN-PMT32 Gas Cooled MIG Torch 3.0m		CN-6253213
	CN-PMT32 Gas Cooled MIG Torch 4.5		CN-6253214
1	Swan Neck 50°	弯管	CN-3146780
1-1	Intermediate Bushing	中间衬套	CN-4293910
1-2	Locking Spring	锁紧弹簧	CN-4276270
2	Gas Diffuser DMC	分流器	CN-4294880
	Gas Diffuser CER	分流器	CN-4294880CER
3	Contact Tip AdaPter M8	导电嘴座	CN-4295740
	Contact Tip Adapter M6	导电嘴座	CN-4294890
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Nozzle Standard M8 ø14*76	喷嘴	CN-4295760
	Nozzle Long ø14*79	喷嘴	CN-4295760L
	Nozzle Conical ø12*76	喷嘴	CN-4295760C
	Nozzle Standard M6 ø14*70	喷嘴	CN-4294970
6	Front Handle	前把壳	CN-4303310
6-1	Connecting Ring	连接环	CN-4295160
7	Switch	开关	CN-4182500
8	Link Piece	连接体	CN-3146280
8-1	Cable Support	电缆支撑体	CN-3133490
9	Rear Cable Support	后电缆支撑体	CN-3137900
10	Rear Handle	后把壳	CN-4270500
11	Rear Connector Nut	后锁母	CN-9592105
12	KP Euro Central Connector	后主体	CN-9580159
13	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
13-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
14	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MMT/PMT35

Rating: 350A CO_2
350A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.6mm



No.	Description		Order
	CN-MMT35 Gas Cooled MIG Torch 3.0m		CN-6253513MMT
	CN-MMT35 Gas Cooled MIG Torch 4.5m		CN-6253514MMT
	CN-PMT35 Gas Cooled MIG Torch 3.0m		CN-6253513
	CN-PMT35 Gas Cooled MIG Torch 4.5		CN-6253214
1	Swan Neck 50°	弯管	CN-SP004585
2	Gas Diffuser DMC	分流器	CN-W004390
3	Contact Tip AdaPter M8	导电嘴座	CN-4295740
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Insulating Bush	绝缘罩	CN-4307020
6	Nozzle With Insulating Ring ø16*77	喷嘴	CN-4307050
	Nozzle Standard ø16*77	喷嘴	CN-4300260
	Nozzle Long ø16*80	喷嘴	CN-4300260L
	Nozzle Conical ø13*77	喷嘴	CN-4300260C
7	Front Handle	前把壳	CN-4303310
7-1	Connecting Ring	连接环	CN-4295160
8	Switch	开关	CN-4182500
9	Link Piece	连接体	CN-3146280
9-1	Cable Support	电缆支撑体	CN-3133490
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle	后把壳	CN-4270500
12	Rear Connector Nut	后锁母	CN-9592105
13	KP Euro Central Connector	后主体	CN-9580159
14	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
14-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
15	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MMT/PMT42

Rating: 420A CO_2
420A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-MMT42 Gas Cooled MIG Torch 3.0m		CN-6254213MMT
	CN-MMT42 Gas Cooled MIG Torch 4.5m		CN-6254214MMT
	CN-PMT42 Gas Cooled MIG Torch 3.0m		CN-6254213
	CN-PMT42 Gas Cooled MIG Torch 4.5		CN-6254214
1	Swan Neck 50°	弯管	CN-SP004578
2	Gas Diffuser DMC	分流器	CN-W004505
3	Contact Tip AdaPter M8	导电嘴座	CN-4304600
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Insulating Bush	绝缘罩	CN-4307030
6	Nozzle With Insulating Ring ø18*80	喷嘴	CN-4307070
	Nozzle Standard ø18*80	喷嘴	CN-4300380
	Nozzle Long ø18*83	喷嘴	CN-4300380L
	Nozzle Conical ø14*80	喷嘴	CN-4300380C
	Nozzle Special Long ø18*89.5	喷嘴	CN-4308190
7	Front Handle	前把壳	CN-4303310
7-1	Connecting Ring	连接环	CN-4295160
8	Switch	开关	CN-4182500
9	Link Piece	连接体	CN-3133340A
9-1	Cable Support	电缆支撑体	CN-3133490
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle	后把壳	CN-4270500
12	Rear Connector Nut	后锁母	CN-9592105
13	KP Euro Central Connector	后主体	CN-9580159
14	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
14-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
15	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MMT/PMT42W

Rating: 400A CO_2
400A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-MMT42W Water Cooled MIG Torch 3.0m		CN-6254203MMT
	CN-MMT42W Water Cooled MIG Torch 4.5m		CN-6254204MMT
	CN-PMT42W Water Cooled MIG Torch 3.0m		CN-6254203
	CN-PMT42W Water Cooled MIG Torch 4.5m		CN-6254204
1	Swan Neck 50°	弯管	CN-SP004539
2	Gas Diffuser DMC	分流器	CN-W006146
3	Contact Tip Adapter Brass	导电嘴座	CN-W006183
	Contact Tip Adapter Copper	导电嘴座	CN-W006182
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Insulating Bush	绝缘罩	CN-4307020
6	Nozzle With Insulating Ring ø16*77	喷嘴	CN-4307050
	Nozzle Standard ø16*77	喷嘴	CN-4300260
	Nozzle Long ø16*80	喷嘴	CN-4300260L
	Nozzle Conical ø13*77	喷嘴	CN-4300260C
7	Front Handle	前把壳	CN-4303310
7-1	Connecting Ring	连接环	CN-4295160
8	Switch	开关	CN-4182500
9	Cable Support	电缆支撑体	CN-3133490
9-1	Link Piece	连接体	CN-3133340A
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle Water	水冷后把壳	CN-4270500
12	Rubber Shield	橡胶套	CN-4295010
12-1	Rubber Shield 50°	50°橡胶套	CN-4295000
13	Gas Hose ø5*8 Units:100m	气管	CN-9370184
13-1	Hose Clamp ø8.0mm	8mm喉箍	CN-9377119
14	Water Hose ø5*8 Units:100m	水管	CN-9370187
14-1	Hose Clamp ø8.7mm	8.7mm喉箍	CN-9377122
15	Fastener Cap Red	红色堵头	CN-SP4298550
15-1	Fastener Cap Blue	蓝色堵头	CN-SP4298560

16	Plug Nipple ND 5mm	出水快插	CN-SP9568902
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-4297020
19	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-WY006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
19-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-WV007962
20	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MMT/PMT52W

Rating: 500A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-MMT52W Water Cooled MIG Torch 3.0m		CN-6255203MMT
	CN-MMT52W Water Cooled MIG Torch 4.5m		CN-6255204MMT
	CN-PMT52W Water Cooled MIG Torch 3.0m		CN-6255203
	CN-PMT52W Water Cooled MIG Torch 4.5m		CN-6255204
1	Swan Neck 50°	弯管	CN-SP004563
2	Gas Diffuser DMC	分流器	CN-W004505
3	Contact Tip Adapter M8	导电嘴座	CN-W004508
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Insulating Bush	绝缘罩	CN-4307030
6	Nozzle With Insulating Ring ø18*80	喷嘴	CN-4307070
	Nozzle Standard ø18*80	喷嘴	CN-4300380
	Nozzle Long ø18*83	喷嘴	CN-4300380L
	Nozzle Conical ø14*80	喷嘴	CN-4300380C
	Nozzle Special Long ø18*89.5	喷嘴	CN-4308190
7	Front Handle	前把壳	CN-4303320
7-1	Connecting Ring	连接环	CN-4266500
8	Switch	开关	CN-4182500
9	Cable Support	电缆支撑体	CN-3133490
9-1	Link Piece	连接体	CN-3133340A
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle Water	水冷后把壳	CN-4270500
12	Rubber Shield	橡胶套	CN-4295010
12-1	Rubber Shield 50°	50°橡胶套	CN-4295000
13	Gas Hose ø5*8 Units:100m	气管	CN-9370184
13-1	Hose Clamp ø8.0mm	8mm喉箍	CN-9377119
14	Water Hose ø5*8 Units:100m	水管	CN-9370187
14-1	Hose Clamp ø8.7mm	8.7mm喉箍	CN-9377122
15	Fastener Cap Red	红色堵头	CN-SP4298550
15-1	Fastener Cap Blue	蓝色堵头	CN-SP4298560

16	Plug Nipple ND 5mm	出水快插	CN-SP9568902
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-4297020
19	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-WY006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
19-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-WV007962
20	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN GX203G/205G

Rating: 200A CO_2
200A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-GX203G Gas Cooled MIG Torch 3.5m		CN-GX203G35
	CN-GX203G Gas Cooled MIG Torch 5.0m		CN-GX203G50
	CN-GX205G Gas Cooled MIG Torch 3.5m		CN-GX205G35
	CN-GX205G Gas Cooled MIG Torch 5.0m		CN-GX205G50
1	CN-GX20G Swan Neck	弯管	CN-SP014682
1-1	Neck Tightener	弯管调节器	CN-SP014800
2	Contact Tip Adapter M10 Insulated	绝缘座	CN-W013203
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX20G/GX30W Nozzle ø14*57 OD:22mm	喷嘴	CN-W014452
	CN-GX20G/GX30W Nozzle ø15*60 OD:22mm	喷嘴	CN-W015858
	CN-GX20G/GX30W Nozzle ø15*59 OD:22mm Nickel	喷嘴	CN-W026190
	CN-GX20G/GX30W Nozzle ø14*57 OD:22mm Nickel	喷嘴	CN-W021563
	CN-GX20G/GX30W Nozzle ø15*60 OD:22mm Nickel	喷嘴	CN-W021565
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Support Spring	后电缆支撑体	CN-SP801082
11	Cover For Connector Gas Gun	后把壳	CN-SP801083
12	Locking Nut Euro Connecto	后锁母	CN-SP014840
13	KP Euro Central Connector	后主体	CN-SP014842
14	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W013628
	CN-GX Steel 5m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
14-1	CN-GX DL Chili 3.5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007677
	CN-GX DL Chili 5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007680
15	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN GX253G/255G

Rating: 250A CO_2
250A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.6~1.2mm




No.	Description		Order
	CN-GX253G Gas Cooled MIG Torch 3.5m		CN-GX253G35
	CN-GX253G Gas Cooled MIG Torch 5.0m		CN-GX253G50
	CN-GX255G Gas Cooled MIG Torch 3.5m		CN-GX255G35
	CN-GX255G Gas Cooled MIG Torch 5.0m		CN-GX255G50
1	CN-GX25G Swan Neck	弯管	CN-SP014695
1-1	Locking Spring	锁紧弹簧	CN-4275240
1-2	Neck Tightener	弯管调节器	CN-SP014800
2	Insulating Ring	绝缘环	CN-9591079
3	Contact Tip Adapter	导电嘴座	CN-9580173
4	Contact Tip E-CU M6*28*0.6mm .023''	导电嘴	CN-CT06C1SD003
	Contact Tip E-CU M6*28*0.8mm .030''	导电嘴	CN-CT08C1SD003
	Contact Tip E-CU M6*28*0.9mm .035''	导电嘴	CN-CT09C1SD003
	Contact Tip E-CU M6*28*1.0mm .039''	导电嘴	CN-CT10C1SD003
	Contact Tip E-CU M6*28*1.2mm .045''	导电嘴	CN-CT12C1SD003
	Contact Tip E-CU M6*28*1.6mm 1/16''	导电嘴	CN-CT16C1SD003
5	Nozzle With Insulating Ring	喷嘴	CN-958010101
6	Nozzle ø14*60.5 OD:18mm	喷嘴	CN-9580101
	Nozzle Thick Wall ø14*60.5 OD:20mm	喷嘴	CN-9580101E
7	Handle CN-GX	把壳	CN-SP800906
8	Switch CN-GX3	GX3开关	CN-SP022336
9	Switch CN-GX5	GX5开关	CN-SP022293
10	Pistol Grip Handle	替换手柄	CN-SP014683
11	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
12	Support Spring	后电缆支撑体	CN-SP801082
13	Cover For Connector Gas Gun	后把壳	CN-SP801083
14	Locking Nut Euro Connecto	后锁母	CN-SP014840
15	KP Euro Central Connector	后主体	CN-SP014842
16	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W013628
	CN-GX Steel 5m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
16-1	CN-GX DL Chili 3.5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007677
	CN-GX DL Chili 5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007680
17	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN GX303G/305G

Rating: 300A CO_2
300A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-GX303G Gas Cooled MIG Torch 3.5m		CN-GX303G35
	CN-GX303G Gas Cooled MIG Torch 5.0m		CN-GX303G50
	CN-GX305G Gas Cooled MIG Torch 3.5m		CN-GX305G35
	CN-GX305G Gas Cooled MIG Torch 5.0m		CN-GX305G50
1	CN-GX30G Swan Neck	弯管	CN-SP013786
1-1	Neck Tightener	弯管调节器	CN-SP014800
2	Contact Tip Adapter M10 Insulated	分流器	CN-W013203
2-1	Contact Tip Adapter M10 Brass	分流器	CN-W011483
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU Stainless M10*28	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX30G/GX40W Nozzle ø15*57 OD:25mm	喷嘴	CN-W011478
	CN-GX30G/GX40W Nozzle ø16*61 OD:25mm	喷嘴	CN-W013930
	CN-GX30G/GX40W Nozzle ø19*61 OD:25mm	喷嘴	CN-W012143
	CN-GX30G/GX40W Nozzle ø15*59 OD:25mm Nickel	喷嘴	CN-W026193
	CN-GX30G/GX40W Nozzle ø15*57 OD:25mm Nickel	喷嘴	CN-W021173
	CN-GX30G/GX40W Nozzle ø16*61 OD:25mm Nicke	喷嘴	CN-W021179
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Support Spring	后电缆支撑体	CN-SP801082
11	Cover For Connector Gas Gun	后把壳	CN-SP801083
12	Locking Nut Euro Connecto	后锁母	CN-SP014840
13	KP Euro Central Connector	后主体	CN-SP014842
14	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W013628
	CN-GX Steel 5m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
14-1	CN-GX DL Chili 3.5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007677
	CN-GX DL Chili 5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007680
15	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN GX403G/405G

Rating: 400A CO_2
400A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-GX403G Gas Cooled MIG Torch 3.5m		CN-GX403G35
	CN-GX403G Gas Cooled MIG Torch 5.0m		CN-GX403G50
	CN-GX405G Gas Cooled MIG Torch 3.5m		CN-GX405G35
	CN-GX405G Gas Cooled MIG Torch 5.0m		CN-GX405G50
1	CN-GX40G Swan Neck	弯管	CN-SP014666
1-1	Neck Tightener	弯管调节器	CN-SP014800
2	Contact Tip Adapter M10 Insulated	分流器	CN-W013203
2-1	Contact Tip Adapter M10 Brass	分流器	CN-W011483
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU Stainless M10*28	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX40G/GX50W Nozzle ø15*60 OD:28mm	喷嘴	CN-W11472
	CN-GX40G/GX50W Nozzle ø17*64 OD:28mm	喷嘴	CN-W013931
	CN-GX40G/GX50W Nozzle ø21*64 OD:28mm	喷嘴	CN-W012146
	CN-GX40G/GX50W Nozzle ø15*62 OD:28mm Nickel	喷嘴	CN-W026194
	CN-GX40G/GX50W Nozzle ø15*60 OD:28mm Nickel	喷嘴	CN-W021182
	CN-GX40G/GX50W Nozzle ø17*64 OD:28mm Nickel	喷嘴	CN-W021186
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Support Spring	后电缆支撑体	CN-SP801082
11	Cover For Connector Gas Gun	后把壳	CN-SP801083
12	Locking Nut Euro Connecto	后锁母	CN-SP014840
13	KP Euro Central Connector	后主体	CN-SP014842
14	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W13628
	CN-GX Steel 5.0m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
14-1	CN-GX DL Chili 3.5m 1.2-1.6mm Al, Ss, Fe G	送丝管	CN-W007681
	CN-GX DL Chili 5.0m 1.2-1.6mm Al, Ss, Fe G	送丝管	CN-W007683
15	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN GX303W/305W

Rating: 300A CO_2
300A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-GX303W Water Cooled MIG Torch 3.5m		CN-GX303W35
	CN-GX303W Water Cooled MIG Torch 5.0m		CN-GX303W50
	CN-GX305W Water Cooled MIG Torch 3.5m		CN-GX305W35
	CN-GX305W Water Cooled MIG Torch 5.0m		CN-GX305W50
1	CN-GX30W Swan Neck 300W	弯管	CN-SP014957
2	Contact Tip Adapter M10 Insulated	分流器	CN-W013203
2-1	Contact Tip Adapter M10 Brass	分流器	CN-W011483
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU Stainless M10*28	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX20G/GX30W Nozzle ø14*57 OD:22mm	喷嘴	CN-W14452
	CN-GX20G/GX30W Nozzle ø15*60 OD:22mm	喷嘴	CN-W015858
	CN-GX20G/GX30W Nozzle ø15*59 OD:22mm Nickel	喷嘴	CN-W026190
	CN-GX20G/GX30W Nozzle ø14*57 OD:22mm Nickel	喷嘴	CN-W021563
	CN-GX20G/GX30W Nozzle ø15*60 OD:22mm Nickel	喷嘴	CN-W021565
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle Water	水冷后把壳	CN-4270500
12	Rubber Shield	橡胶套	CN-4295010
12-1	Rubber Shield 50°	50°橡胶套	CN-4295000
13	Gas Hose ø5*8 Units:100m	气管	CN-9370184
13-4	Hose Clamp ø8.0mm	8mm喉箍	CN-9377119
14	Water Hose ø5*8 Units:100m	水管	CN-9370187
14-1	Hose Clamp ø8.7mm	8.7mm喉箍	CN-9377122
15	Blocking Plug Red	红色堵头	CN-SP4298550
15-1	Blocking Plug Blue	蓝色堵头	CN-SP4298560
16	Snap Connector Spindle D9-4M	出水快插	CN-SP4270440
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-SP014619
19	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W013628
	CN-GX Steel 5.0m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
19-1	CN-GX DL Chili 3.5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007677
	CN-GX DL Chili 5.0m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007680
20	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN 403W/405W

Rating: 400A CO_2
400A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-GX403W Water Cooled MIG Torch 3.5m		CN-GX403W35
	CN-GX403W Water Cooled MIG Torch 5.0m		CN-GX403W50
	CN-GX405W Water Cooled MIG Torch 3.5m		CN-GX405W35
	CN-GX405W Water Cooled MIG Torch 5.0m		CN-GX405W50
1	CN-GX30W Swan Neck 300W	弯管	CN-SP014957
2	Contact Tip Adapter M10 Insulated	分流器	CN-W013203
2-1	Contact Tip Adapter M10 Brass	分流器	CN-W011483
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU Stainless M10*28	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX30G/GX40W Nozzle ø15*57 OD:25mm	喷嘴	CN-W011478
	CN-GX30G/GX40W Nozzle ø16*61 OD:25mm	喷嘴	CN-W013930
	CN-GX30G/GX40W Nozzle ø19*61 OD:25mm	喷嘴	CN-W012143
	CN-GX30G/GX40W Nozzle ø15*59 OD:25mm Nickel	喷嘴	CN-W026193
	CN-GX30G/GX40W Nozzle ø15*57 OD:25mm Nickel	喷嘴	CN-W021173
	CN-GX30G/GX40W Nozzle ø16*61 OD:25mm Nickel	喷嘴	CN-W021179
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle Water	水冷后把壳	CN-4270500
12	Rubber Shield	橡胶套	CN-4295010
12-1	Rubber Shield 50°	50°橡胶套	CN-4295000
13	Gas Hose ø5*8 Units:100m	气管	CN-9370184
13-4	Hose Clamp ø8.0mm	8mm喉箍	CN-9377119
14	Water Hose ø5*8 Units:100m	水管	CN-9370187
14-1	Hose Clamp ø8.7mm	8.7mm喉箍	CN-9377122
15	Blocking Plug Red	红色堵头	CN-SP4298550
15-1	Blocking Plug Blue	蓝色堵头	CN-SP4298560
16	Snap Connector Spindle D9-4M	出水快插	CN-SP4270440
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-SP014619
19	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W013628
	CN-GX Steel 5.0m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
19-1	CN-GX DL Chili 3.5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007677
	CN-GX DL Chili 5.0m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007680
20	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN GX503W/505W

Rating: 500A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-GX503W Water Cooled MIG Torch 3.5m		CN-GX503W35
	CN-GX503W Water Cooled MIG Torch 5.0m		CN-GX503W50
	CN-GX505W Water Cooled MIG Torch 3.5m		CN-GX505W35
	CN-GX505W Water Cooled MIG Torch 5.0m		CN-GX505W50
1	CN-GX50W Swan Neck	弯管	CN-SP012561
2	Contact Tip Adapter M10 Insulated	分流器	CN-W013203
2-1	Contact Tip Adapter M10 Brass	分流器	CN-W011483
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU Stainless M10*28	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX40G/GX50W Nozzle ø15*60 OD:28mm	喷嘴	CN-W11472
	CN-GX40G/GX50W Nozzle ø17*64 OD:28mm	喷嘴	CN-W013931
	CN-GX40G/GX50W Nozzle ø15*60 OD:28mm	喷嘴	CN-W11472
	CN-GX40G/GX50W Nozzle ø15*62 OD:28mm Nickel	喷嘴	CN-W026194
	CN-GX40G/GX50W Nozzle ø15*60 OD:28mm	喷嘴	CN-W11472
	CN-GX40G/GX50W Nozzle ø17*64 OD:28mm Nickel	喷嘴	CN-W021179
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle Water	水冷后把壳	CN-4270500
12	Rubber Shield	橡胶套	CN-4295010
12-1	Rubber Shield 50°	50°橡胶套	CN-4295000
13	Gas Hose ø5*8 Units:100m	气管	CN-9370184
13-1	Hose Clamp ø8.0mm	8mm喉箍	CN-9377119
14	Water Hose ø5*8 Units:100m	水管	CN-9370187
14-1	Hose Clamp ø8.7mm	8.7mm喉箍	CN-9377122
15	Blocking Plug Red	红色堵头	CN-SP4298550
15-1	Blocking Plug Blue	蓝色堵头	CN-SP4298560
16	Snap Connector Spindle D9-4M	出水快插	CN-SP4270440
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-SP014619
19	CN-GX Steel 3.5m 0.9-1.2mm Fe G/W	送丝管	CN-W013628
	CN-GX Steel 5.0m 0.9-1.2mm Fe G/W	送丝管	CN-W013632
19-1	CN-GX DL Chili 3.5m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007677
	CN-GX DL Chili 5.0m 1.0-1.2mm Al, Ss, Fe G	送丝管	CN-W007680
20	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN 605W

Rating: 600A CO_2
600A Mixed Gases
Duty Cycle: 40%
Wire Size: 1.2~2.4mm




No.	Description		Order
	CN-GX605W Water Cooled MIG Gun 3.5m		CN-GX605W35
	CN-GX605W Water Cooled MIG Gun 5.0m		CN-GX605W50
1	CN-GX60W Swan Neck 600W	弯管	CN-SP012776
2	CN-GX605W Contact Tip Adapter M10 Brass	绝缘座	CN-W012810
3	CN-GX Contact Tip E-CU M10*28mm	导电嘴	CN-CT**C1SD001
	CN-GX Contact Tip E-CU Stainless M10*28	导电嘴	CN-CT**C2SD001
	CN-GX Contact Tip E-CU Aluminum M10*28	导电嘴	CN-CT**C3SD001
	CN-GX Contact Tip CuCrZr M10*28	导电嘴	CN-CT**C1CZ001
	CN-GX Contact Tip CuCrZr Stainless M10*28	导电嘴	CN-CT**C2CZ001
	CN-GX Contact Tip CuCrZr Aluminum M10*28	导电嘴	CN-CT**C3CZ001
4	CN-GX605W Nozzle ø17*64 OD:30mm	喷嘴	CN-W012793
5	Handle CN-GX	把壳	CN-SP800906
6	Switch CN-GX3	GX3开关	CN-SP022336
7	Switch CN-GX5	GX5开关	CN-SP022293
8	Pistol Grip Handle	替换手柄	CN-SP014683
9	Protective Hose ø28x1.5 Ball Joints Are Included 3.5m	球头支撑体	CN-SP800903
	Protective Hose ø28x1.5 Ball Joints Are Included 5.0m	球头支撑体	CN-SP800902
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle Water	水冷后把壳	CN-4270500
12	Rubber Shield	橡胶套	CN-4295010
12-1	Rubber Shield 50°	50°橡胶套	CN-4295000
13	Gas Hose ø5*8 Units:100m	气管	CN-9370184
13-1	Hose Clamp ø8.0mm	8mm喉箍	CN-9377119
14	Water Hose ø5*8 Units:100m	水管	CN-9370187
14-1	Hose Clamp ø8.7mm	8.7mm喉箍	CN-9377122
15	Blocking Plug Red	红色堵头	CN-SP4298550
15-1	Blocking Plug Blue	蓝色堵头	CN-SP4298560
16	Snap Connector Spindle D9-4M	出水快插	CN-SP4270440
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-SP014619
19	CN-GX Steel Yellow 5m 1.2-1.6mm Fe W	送丝管	CN-W013628
	CN-GX Steel Black 5m 2.0-2.4mm Fe W	送丝管	CN-W013632
19-1	CN-GX DL Chili 5m 1.2-1.6mm Al W	送丝管	CN-W007677
20	Jacket Nut Euro ID7.9mm	夹套螺母	CN-SP014605

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MMG20/MMG22

Rating: 180A CO_2
180A Mixed Gases
Duty Cycle: 20%
Wire Size: 0.6~1.0mm




No.	Description		Order
	CN-MMG22 Gas Cooled MIG Torch 3.0m		CN-6250200
	CN-MMG25 Gas Cooled MIG Torch 4.5m		CN-6250220
1	Swan Neck 45°	弯管	CN-4153040
1-1	Swan Neck Spring	弯管弹簧	CN-4275240
1-2	Intermediate Bushing	中间衬套	CN-4293900
1-3	Locking Spring	锁紧弹簧	CN-4276270
2	Insulating Ring	绝缘环	CN-959107
3	Contact Tip Adapter	导电嘴座	CN-9580173
4	Contact Tip M6*28*0.6mm	导电嘴	CN-9876634
	Contact Tip M6*28*0.8mm	导电嘴	CN-9876635
	Contact Tip M6*28*0.9mm	导电嘴	CN-9876633
	Contact Tip M6*28*1.0mm	导电嘴	CN-9876636
	Contact Tip M6*28*1.2mm	导电嘴	CN-9876637
5	Insulating Bush 16*14*21.5	绝缘罩	CN-9591010
6	Nozzle Standard ø14*60.5	喷嘴	CN-9580101
	Nozzle With Insulating Ring ø14*60.5	喷嘴	CN-958010101
	Nozzle Thick Wall ø14*60.5	喷嘴	CN-9580101E
7	Front Handle	前把壳	CN-4303310
7-1	Connecting Ring	连接环	CN-4295160
8	Switch	开关	CN-4182500
9	Cable Ball Joint & Support Spring Sma	球节支撑体	CN-400.1010S
10	Cable Rubber Sheath	电缆保护套	
11	Plug 2 Poles Male	后把壳	CN-SP9770456
12	Nut M14*1.5	14*1.5螺母	CN-W000918
13	Wire Liner 0.6-1.0mm ø4.7/1.5 3.0m/White	送丝管	CN-4307650
	DL Chili -Teflon Liner 0.8-1.0mm ø4.7/1.5 3.0m	送丝管	CN-4307660
14	Adapter Nut	适配螺母	CN-W000738

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MMT/PMT25

Rating: 250A CO_2
250A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.6~1.2mm




No.	Description		Order
	CN-MMT25 Gas Cooled MIG Torch 3.0m		CN-6252513MMT
	CN-MMT25 Gas Cooled MIG Torch 4.5m		CN-6252514MMT
	CN-PMT25 Gas Cooled MIG Torch 3.0m		CN-6252513
	CN-PMT25 Gas Cooled MIG Torch 4.5m		CN-6252514
1	Swan Neck 45°	弯管	CN-4153040
1-1	Swan Neck Spring	弯管弹簧	CN-4275240
1-2	Intermediate Bushing	中间衬套	CN-4293900
1-3	Locking Spring	锁紧弹簧	CN-4276270
2	Insulating Ring	绝缘环	CN-9591079
3	Contact Tip Adapter	导电嘴座	CN-9580173
4	Contact Tip M6*28*0.6mm	导电嘴	CN-9876634
	Contact Tip M6*28*0.8mm	导电嘴	CN-9876635
	Contact Tip M6*28*0.9mm	导电嘴	CN-9876633
	Contact Tip M6*28*1.0mm	导电嘴	CN-9876636
	Contact Tip M6*28*1.2mm	导电嘴	CN-9876637
5	Insulating Bush 16*14*21.5	绝缘罩	CN-9591010
6	Nozzle Standard ø14*60.5	喷嘴	CN-9580101
	Nozzle With Insulating Ring ø14*60.5	喷嘴	CN-958010101
	Nozzle Thick Wall ø14*60.5	喷嘴	CN-9580101E
7	Front Handle	前把壳	CN-4303310
7-1	Connecting Ring	连接环	CN-4295160
8	Switch	开关	CN-4182500
9	Link Piece	连接体	CN-3146280
9-1	Cable Support	电缆支撑体	CN-3133490
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle	后把壳	CN-4270500
12	Rear Connector Nut	后锁母	CN-9592105
13	KP Euro Central Connector	后主体	CN-9580159
14	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
14-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
15	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN MT38

Rating: 300A CO_2
300A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.8~1.6mm




No.	Description		Order
	CN-MT38 Gas Cooled MIG Torch 3.5m		CN-6253038
	CN-MT38 Gas Cooled MIG Torch 5.0m		CN-6253039
1	Swan Neck 45°	弯管	CN-3127990
2	Insulating Ring Swan Neck	绝缘座	CN-4254670
3	Conlact Tip adapter M8	导电嘴座	CN-4255421
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Nozzle Insulating Bush	玻纤管	CN-4248710
6	Nozzle ø16*86	喷嘴	CN-4255530
	Nozzle ø16*90	喷嘴	CN-425530E
	Nozzle ø12.5*86	喷嘴	CN-4273510
7	Swan Neck Spring	弯管弹簧	CN-SNP
8	Front Handle	前把壳	CN-FHandle
9	Switch	开关	CN-4182500
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle	后把壳	CN-4270500
12	Rear Connector Nut	后锁母	CN-9592105
13	KP Euro Central Connector	后主体	CN-9580159
14	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
14-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
15	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MN320A Multi-Neck

Rating: 320A CO_2
320A Mixed Gases
Duty Cycle: 35%
Wire Size: 0.6~1.6mm




No.	Description		Order
	CN-PMT MN 320AMulti-Neck Gas Cooled MIG Torch 3.5m		CN-62503230N08
	CN-PMT MN 320AMulti-Neck Gas Cooled MIG Torch 5.0m		CN-62503250N08
1	Neck 60° 198	弯管	CN-SP008006
1-1	Neck Lock Net	弯管锁紧件	CN-NLN
1-2	Hexag Nut	六角螺母	CN-HN
1-3	Neck Adapter	弯管接头	CN-HA
2	Gas Diffuser DMC	分流器	CN-4294880
	Gas Diffuser CER	分流器	CN-4294880CER
3	Contact Tip AdaPter M8	导电嘴座	CN-4295740
	Contact Tip Adapter M6	导电嘴座	CN-4294890
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Nozzle Standard M8 ø14*76	喷嘴	CN-4295760
	Nozzle Long ø14*79	喷嘴	CN-4295760L
	Nozzle Conical ø12*76	喷嘴	CN-4295760C
	Nozzle Standard M6 ø14*70	喷嘴	CN-4294970
6	Front Handle	前把壳	CN-4303310
6-1	Connecting Ring	连接环	CN-4295160
7	Switch	开关	CN-4182500
8	Link Piece	连接体	CN-3146280
8-1	Cable Support	电缆支撑体	CN-3133490
9	Rear Cable Support	后电缆支撑体	CN-3137900
10	Rear Handle	后把壳	CN-4270500
11	Rear Connector Nut	后锁母	CN-9592105
12	KP Euro Central Connector	后主体	CN-9580159
13	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管	CN-W006454
13-1	DL Chili -Teflon Liner 1.0-1.2mm 3.0m	送丝管	CN-W005921
	DL Chili -Teflon Liner 1.0-1.2mm 4.5m	送丝管	CN-W005938
	DL Chili -Teflon Liner 1.0-1.2mm 3.5m	送丝管	CN-W007961
	DL Chili -Teflon Liner 1.0-1.2mm 5.0m	送丝管	CN-W007962
14	Jacket Nut	夹套螺母	CN-SP9580158

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN MT-51 MW

Rating: 500A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.6mm



No.	Description		Order
	CN-MT-51 MW K30 Water Cooled MIG Torch 1.5m		CN-6255157
	CN-MT-51 MW K30 Water Cooled MIG Torch 3.0m		CN-6255159
	CN-MT-51 MW K30 Water Cooled MIG Torch 4.5m		CN-6255160
1	CN-Swan Neck 0°	弯管	CN-3119770
2	CN-Insulating Ring	绝缘座	CN-9580265
3	CN-Contact Tip Adapter M8	导电嘴座	CN-9580261
4	Contact Tip M8 .030" 0.8mm	导电嘴	CN-9580122
	Contact Tip M8 .035" 0.9mm	导电嘴	CN-9580121
	Contact Tip M8 .039" 1.0mm	导电嘴	CN-9580123
	Contact Tip M8 .045" 1.2mm	导电嘴	CN-9580124
	Contact Tip M8 .052" 1.4mm	导电嘴	CN-9580125
	Contact Tip M8 1/16" 1.6mm	导电嘴	CN-9580126
	Contact Tip M8 5/64" 2.0mm	导电嘴	CN-9580127
	Contact Tip M8 3/32" 2.4mm	导电嘴	CN-9580128
5	Nozzle Insulating Bush	绝缘罩	CN-9591049
6	Nozzle With Insulating Ring ø18*80	喷嘴	CN-4247200
7	Front Handle	前把壳	CN-3081580
8	Control Cable	控制电缆	CN-Control Cable
8-1	S16 Control Cable Connector, 7 Pin Notch	7芯插座	CN-9770144
8-2	S16 Control Cable Connector, 7 Pin Male	7芯插头	CN-9770145
9	Cable Support	电缆支撑体	CN-3133490
10	Rear Cable Support	后电缆支撑体	CN-3137900
11	Rear Handle WVater	水冷后把壳	CN-4270500
12	Rubber Shield 50°	50°橡胶套	CN-4295010
12-1	Rubber Shield	橡胶套	CN-4295000
13	Water Hose ø5*8 Units:100m	水管	CN-9370182
13-1	Hose Clamp ø8.0mm	喉箍	CN-9377123
14	Water Outlet Hose ø5*8	出水软管	CN-9370181
15	Fastener Cap Red	红色堵头	CN-4298550
15-1	Fastener Cap Blue	蓝色堵头	CN-4298560
16	Plug Nipple ND 5mm	出水快插	CN-9568902
17	Rear Connector Nut	后锁母	CN-9592105
18	KP Water Euro Central Connector	后主体	CN-9580160
19	Wire Liner 0.9-1.2mm 3.0m/Red	送丝管3米	CN-4188581
	Wire Liner 0.9-1.2mm 4.5m/Red	送丝管4.5米	CN-4188582
	Wire Liner 0.9-1.2mm 3.5m/Red	送丝管3.5米	CN-W006453
	Wire Liner 0.9-1.2mm 5.0m/Red	送丝管5米	CN-W006454
19-1	DL Chili-Teflon Liner 1.0-1.2mm 3.0m	特氟龙送丝管3米	CN-W005921
	DL Chili-Teflon Liner 1.0-1.2mm 4.5m	特氟龙送丝管4.5米	CN-W005938
	DL Chili-Teflon Liner 1.0-1.2mm 3.5m	特氟龙送丝管3.5米	CN-W007961
	DL Chili-Teflon Liner 1.0-1.2mm 5.0m	特氟龙送丝管5米	CN-W007962

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN FNS AL 2300

Rating: 230A CO_2
200A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.6~1.0mm




No.	Description		Order
	CN-AL2300 3.5m Welding Torch Euro Connector		CN-4.035.637.001
	CN-AL2300 4.5m Welding Torch Euro Connector		CN-4.035.638.001
	CN-AL2300 3.5m Welding Torch F++ Connector		CN-4.035.637
	CN-AL2300 4.5m Welding Torch F++ Connector		CN-4.035.638
1	Swan Neck	弯管	CN-34.0350.1875
2	Nozzie Retainer	喷嘴座	CN-42.0001.5171
3	Insulator	绝缘座	CN-42.0100.0225
4	Contact Tip Holder	导电嘴座	CN-42.0001.1718
5	Contact Tip CuCrZr M6*33*0.6mm	导电嘴	CN-42.0001.0052
	Conlact Tip CuCrZr M6*33*0.8mm	导电嘴	CN-42.0001.0053
	Contact Tip CuCrZr M6*33*0.9mm	导电嘴	CN-42.0001.3276
	Contact Tip CuCrZr M6*33*1.0mm	导电嘴	CN-42.0001.0054
	Contact Tip CuCrZr M6*33*1.2mm	导电嘴	CN-42.0001.0055
	Contact Tip CuCrZr M6*33*1.4mm	导电嘴	CN-42.0001.1929
	Contact Tip CuCrZr M6*33*1.6mm	导电嘴	CN-42.0001.0056
6	Nozzio ø 10*66mm	喷嘴	CN-42.0001.5174
	Nozzie ø 12*66mm	喷嘴	CN-42.0001.5173
	Nozzle ø 17*66mm	喷嘴	CN-42.0001.5172
	Nozzlo ø 12*62.5mm	喷嘴	CN-42.0001.6010
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.D574
10-1	Rear Handle	后把壳	CN-42.0405.0655
10-2	Control Lead Plug	航空插头	CN-43.0004.1257
10-3	Rear Conneclor Nut	后锁母	CN-42.0405.0560
10-4	Central Connector	后主体	CN-34.0350.1416
10-5	Liner Steel 0.8mm 3.5m	送丝管3.5米	CN-42.0404.0270
	Liner Steel 0.8mm 4.5m	送丝管4.5米	CN-42.0404.0271
	Liner Steel 1 .0mm 3.5m	送丝管3.5米	CN-42.0404.0273
	Liner Steel 1 .0mm 4.5m	送丝管4.5米	CN-42.0404.0274
10-6	Liner Steel Positioner Nut 1.0mm	定位螺母	CN-42.0001.1743
10-7	Liner Tefion Positioner Combi	定位插头	CN-42.0001.5412
10-8	Liner Teflon Positioner Nut	后接头	CN-42.0400.1025

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN FNS AL 3000

Rating: 330A CO_2
250A Mixed Gases
Duty Cycle: 40%
Wire Size: 1.0~1.2mm



No.	Description		Order
	CN-AL3000 3.5m Welding Torch Euro Connector		CN-4.035.600.001
	CN-AL3000 4.5m Welding Torch Euro Connector		CN-4.035.601.001
	CN-AL3000 3.5m Welding Torch F++ Connector		CN-4.035.600
	CN-AL3000 4.5m Welding Torch F++ Connector		CN-4.035.601
1	Swan Neck	弯管	CN-34.0350.1771
2	Nozzle Retainer	喷嘴座	CN-42.0001.2930
3	Insulator	绝缘座	CN-42.0100.1014
4	Contact Tip Holder	导电嘴座	CN-42.0001.5084
5	Coniact Tip CuCrZr M8*35*0.8mm	导电嘴	CN-42.0001.2911
	Contact Tip CuCrZr M8*35*0.9mm	导电嘴	CN-42.0001.3082
	Contact Tip CuCrZr M8*35*1.0mm	导电嘴	CN-42.0001.2912
	Conlact Tip CuCrZr M8*35*1.2mm	导电嘴	CN-42.0001.2913
	Contact Tip AL CuCrZr M8*35*0.8mm	导电嘴	CN-42.0001.5082
	Coniact Tip AL CuCrZr M8*35*1.0mm	导电嘴	CN-42.0001.5051
	Coniact Tip AL CuCrZr M8*35*1.2mm	导电嘴	CN-42.0001.5052
	Coniact Tip AL CuCrZr M8*35*1.4mm	导电嘴	CN-42.0001.5053
	Coniact Tip AL CuCrZr M8*35*1.6mm	导电嘴	CN-42.0001.3485
6	Nozzle ø 11*67mm	喷嘴	CN-42.0001.5151
	Nozzie ø 13*67mm	喷嘴	CN-42.0001.5096
	Nozzle ø 15*67mm	喷嘴	CN-42.0001.5269
	Nozzle ø 17*67mm	喷嘴	CN-42.0001.5821
	Nozzle ø 18*67mm	喷嘴	CN-44.0350-2070
	Nozzle ø 13*65mm	喷嘴	CN-42.0001.5619
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.D574
10-1	Rear Handle	后把壳	CN-42.0405.0655
10-2	Control Lead Plug	航空插头	CN-43.0004.1257
10-3	Rear Conneclor Nut	后锁母	CN-42.0405.0560
10-4	Central Connector	后主体	CN-34.0350.1416
10-5	Liner Steel 1.0mm 3.5m	送丝管3.5米	CN-42.0404.0273
	Liner Steel 1.0mm 4.5m	送丝管4.5米	CN-42.0404.0274
	Liner Steel 1.2mm 3.5m	送丝管3.5米	CN-42.0404.0275
	Liner Steel 1.2mm 4.5m	送丝管4.5米	CN-42.0404.0276
10-6	Liner Steel Positioner Nut 1.2mm	定位螺母	CN-42.0001.1508
10-7	Liner Tefion Positioner Combi	定位插头	CN-42.0001.5412
10-8	Liner Teflon Positioner Nut	后接头	CN-42.0400.1025

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN FNS AL 4000

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 40%
Wire Size: 1.2~1.6mm



No.	Description		Order
	CN-AL4000 3.5m Welding Torch F++ Connector		CN-4.035.602
	CN-AL4000 4.5m Welding Torch F++ Connector		CN-4.035.603
	CN-AL4000 3.5m Welding Torch Euro Connector		CN-4.035.602.001
	CN-AL4000 4.5m Welding Torch Euro Connector		CN-4.035.603.001
1	Swan Neck	弯管	CN-34.0350.1822
2	Nozzie Retainer	喷嘴座	CN-42.0001.2970
3	Insulator	绝缘座	CN-42.0100.1018
4	Contact Tip Holder	导电嘴座	CN-42.0001.5122
5	Gas Diffuse	分流器	CN-42.0100.1007
6	Contact Tip CuCrZr M10*40*0.8mm	导电嘴	CN-42.0001.1576
	Contact Tip CuCrZr M10*40*0.9mm	导电嘴	CN-42.0001.3277
	Contact Tip CuCrZr M10*40*1.0mm	导电嘴	CN-42.0001.1577
	Contact Tip CuCrZr M10*40*1.2mm	导电嘴	CN-42.0001.1578
	Contact Tip CuCrZr M10*40*1.4mm	导电嘴	CN-42.0001.1930
	Contact Tip CuCrZr M10*40*1.6mm	导电嘴	CN-42.0001.1579
	Contact Tip CuCrZr M10*40*1.8mm	导电嘴	CN-42.0001.2314
	Contact Tip CuCrZr M10*40*2.0mm	导电嘴	CN-42.0001.1662
	Contact Tip CuCrZr M10*40*2.4mm	导电嘴	CN-42.0001.1663
	Contact Tip CuCrZr M10*40*3.2mm	导电嘴	CN-42.0001.5413
	Contact Tip AL CuCrZr M10*40*0.9mm	导电嘴	CN-42.0001.5405
	Contact Tip AL CuCrZr M10*40*1.0mm	导电嘴	CN-42.0001.5289
	Contact Tip AL CuCrZr M10*40*1.2mm	导电嘴	CN-42.0001.5005
	Contact Tip AL CuCrZr M10*40*1.4mm	导电嘴	CN-42.0001.5059
	Contact Tip AL CuCrZr M10*40*1.6mm	导电嘴	CN-42.0001.5060
	Contact Tip AL CuCrZr M10*40*1.8mm	导电嘴	CN-42.0001.5061
7	Nozzle ø15*79mm	喷嘴	CN-42.0001.5129
	Nozzle ø17*79mm	喷嘴	CN-42.0001.5128
	Nozzle ø20*79mm	喷嘴	CN-42.0001.5127
	Nozzle ø17*74.5mm	喷嘴	CN-42.0001.5607
	Nozzle ø17*79mm	喷嘴	CN-42.0001.5130
8	Front Handle	前把壳	CN-42.0405.0660
9	Switch	开关	CN-43.0002.0386
10	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.1010B
11-1	Rear Handle	后把壳	CN-42.0405.0655
11-2	Control Lead Plug	航空插头	CN-43.0004.1257
11-3	Rear Conneclor Nut	后锁母	CN-42.0405.0560
11-4	Central Connector	后主体	CN-34.0350.1416
11-5	Insulated Liner Steel 1.6mm 3.5m	送丝管3.5米	CN-42.0404.0278
	Insulated Liner Steel 1.6mm 4.5m	送丝管4.5米	CN-42.0404.0279
11-6	Liner Steel Positioner Nut 1.2mm	定位螺母	CN-42.0001.0084
11-7	Liner Teflon Positioner Combi	定位插头	CN-42.0001.5412
11-8	Liner Teflon Positioner Nut	后接头	CN-42.0400.1025

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN FNS AW 2500

Rating: 250A CO_2
220A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.6~1.2mm



No.	Description		Order
	CN-AW2500 3.5m Water Welding Torch Euro Connector		CN-4.035.641.001
	CN-AW2500 4.5m Water Welding Torch Euro Connector		CN-4.035.642.001
	CN-AW2500 3.5m Water Welding Torch F++ Connector		CN-4.035.641.000
	CN-AW2500 4.5m Water Welding Torch F++Connector		CN-4.035.642.000
1	Swan Neck	弯管	CN-34.0350.1876
2	Nozzle Relainer	喷管夹	CN-42.0001.5171
3	Insulator	绝缘环	CN-42.0100.0225
4	Contact Tip Holder	导电嘴座	CN-42.0001.1718
5	Contact Tip CuCrZr M6*33*0.6mm	导电嘴	CN-42.0001.0052
	Contact Tip CuCrZr M6*33*0.8mm	导电嘴	CN-42.0001.0053
	Contact Tip CuCrZr M6*33*0.9mm	导电嘴	CN-42.0001.3276
	Contact Tip CuCrZr M6*33*1.0mm	导电嘴	CN-42.0001.0054
	Contact Tip CuCrZr M6*33*1.2mm	导电嘴	CN-42.0001.0055
	Contact Tip CuCrZr M6*33*1.4mm	导电嘴	CN-42.0001.1929
	Contact Tip CuCrZr M6*33*1.6mm	导电嘴	CN-42.0001.0056
6	Nozzle ø10*66mm	喷嘴	CN-42.0001.5174
	Nozzle ø12*66mm	喷嘴	CN-42.0001.5173
	Nozzle ø17*66mm	喷嘴	CN-42.0001.5172
	Nozzle ø12*62.5mm	喷嘴	CN-42.0001.6010
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10	Rear Handle Water	后把壳	CN-42.0405.0655
10-1	Fastener Cap Red	红色堵头	CN-42.0405.0548R
10-2	Fastener Cap Blu	蓝色堵头	CN-42.0405.0548B
11	Trigger Wire Connector Control Lead Piug	开关控制插头	CN-43.0004.1257
12	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-40.0001.0524
12-1	Hose Clamp ø9.0mm	喉箍	CN-42.0407.0272
13	Gas Hose Red ø5*8 Units:100m	红色水管	CN-40.0001.0310
13-1	Hose Clamp ø8.7mm	喉箍	CN-42.0407.0284
14	Wire Conduit 3.5m	送丝护套管	CN-44.0350.1818
	Wire Conduit 4.5m	送丝护套管	CN-44.0350.1819
15	Rear Connector Nut	后锁母	CN-42.0405.0560
16	Central Connector Water Cooled	后主体	CN-34.0350.1190
17	Liner Steel 0.8mm 3.5m	送丝管	CN-42.0404.0270
	Liner Steel 0.8mm 4.5m	送丝管	CN-42.0404.0271
	Liner Steel 1.0mm 3.5m	送丝管	CN-42.0404.0273
	Liner Steel 1.0mm 4.5m	送丝管	CN-42.0404.0274
18	Liner Sieel Positioner Nut 1.0mm	定位螺母	CN-42.0001.1743
19	Liner Teflon Positioner Combi	定位接头	CN-42.0001.5412
20	Liner Teflon Positioner Nut	后接头	CN-42.0400.1025

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

气保焊枪 MIG Welding Torches

CN FNS AW 4000

Rating: 400A CO_2
350A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.8~1.2mm




No.	Description		Order
	CN-AW4000 3.5m Water Welding Torch Euro Connector		CN-4.035.594.001
	CN-AW4000 4.5m Water Welding Torch Euro Connector		CN-4.035.595.001
	CN-AW4000 3.5m Water Welding Torch F++ Connector		CN-4.035.594.000
	CN-AW4000 4.5m Water Welding Torch F++ Connector		CN-4.035.595.000
1	Swan Neck	弯管	CN-34.0350.1812
2	Nozzle Relainer	喷管夹	CN-42.0001.2930
3	Insulator	绝缘环	CN-42.0100.1010
4	Contact Tip Holder	导电嘴座	CN-42.0001.5084
5	Contact Tip CuCrZr M8*35*0.8mm	导电嘴	CN-42.0001.2911
	Contact Tip CuCrZr M8*35*0.9mm	导电嘴	CN-42.0001.3082
	Contact Tip CuCrZr M8*35*1.0mm	导电嘴	CN-42.0001.2912
	Contact Tip CuCrZr M8*35*1.2mm	导电嘴	CN-42.0001.2913
	Contact Tip AL CuCrZr M8*35*0.8mm	导电嘴	CN-42.0001.5082
	Contact Tip AL CuCrZr M8*35*1.0mm	导电嘴	CN-42.0001.5051
	Contact Tip AL CuCrZr M8*35*1.2mm	导电嘴	CN-42.0001.5052
	Contact Tip AL CuCrZr M8*35*1.4mm	导电嘴	CN-42.0001.5053
	Contact Tip AL CuCrZr M8*35*1.6mm	导电嘴	CN-42.0001.3485
6	Nozzle ø11*67mm	喷嘴	CN-42.0001.5151
	Nozzle ø13*67mm	喷嘴	CN-42.0001.5096
	Nozzle ø15*67mm	喷嘴	CN-42.0001.5269
	Nozzle ø17*67mm	喷嘴	CN-42.0001.5821
	Nozzle ø18*67mm	喷嘴	CN-44.0350.2070
	Nozzle ø13*65mm	喷嘴	CN-42.0001.5619
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10	Rear Handle Water	后把壳	CN-42.0405.0655
10-1	Fastener Cap Red	红色堵头	CN-42.0001.1506
10-2	Fastener Cap Blue	蓝色堵头	CN-42.0405.0548R
10-3	Plug Nipple ND 5mm	出水快插	CN-42.0405.0548B
11	Trigger Wire Connector Control Lead Piug	开关控制插头	CN-43.0004.1257
12	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-40.0001.0524
12-1	Hose Clamp ø9.0mm	喉箍	CN-42.0407.0272
13	Gas Hose Red ø5*8 Units:100m	红色水管	CN-40.0001.0310
13-1	Hose Clamp ø8.7mm	喉箍	CN-42.0407.0284
14	Wire Conduit 3.5m	送丝护套管	CN-44.0350.1818
	Wire Conduit 4.5m	送丝护套管	CN-44.0350.1819
15	Rear Connector Nut	后锁母	CN-42.0405.0560
16	Central Connector Water Cooled	后主体	CN-34.0350.1190
17	Fronius Liner Steel 1.2mm 3.5m	送丝管	CN-42.0404.0174
	Fronius Liner Steel 1.2mm 4.5m	送丝管	CN-42.0404.0181
	Fronius Liner Steel 1.2-1.6mm 3.5m	送丝管	CN-42.0404.0182
	Fronius Liner Steel 1.2-1.6mm 4.5m	送丝管	CN-42.0404.0183
18	Liner Sieel Positioner Nut 1.2mm	定位螺母	CN-42.0001.1508
19	Liner Teflon Positioner Combi	定位接头	CN-42.0001.5412
20	Liner Teflon Positioner Nut	后接头	CN-42.0400.1025

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN FNS AW 5000


Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.8mm



No.	Description		Order
	CN-AW5000 Water Cooled MIG Welding Torch F++ 3.5m		CN-4.035.604.000
	CN-AW5000 Water Cooled MIG Welding Torch F++ 4.5m		CN-4.035.605.000
	CN-AW5000 Water Cooled MIG Welding Torch Euro 3.5m		CN-4.035.604.001
	CN-AW5000 Water Cooled MIG Welding Torch Euro 4.5m		CN-4.035.605.001
1	Swan Neck	弯管	CN-34.0350.1820
2	Nozzie Rotainer	喷管夹	CN-42.0001.2970
3	Insulator	绝缘环	CN-42.0100.1016
4	Contact Tip Holder	导电嘴座	CN-42.0001.5122
5	Cas diffuser	分流器	CN-42.0100.1007
6	Contact Tip CuCrZr M10*40*0.8mm	导电嘴	CN-42.0001.1576
	Contact Tip CuCrZr M10*40*0.9mm	导电嘴	CN-42.0001.3277
	Contact Tip CuCrZr M10*40*1.0mm	导电嘴	CN-42.0001.1577
	Contact Tip CuCrZr M10*40*1.2mm	导电嘴	CN-42.0001.1578
	Contact Tip CuCrZr M10*40*1.4mm	导电嘴	CN-42.0001.1930
	Contact Tip CuCrZr M10*40*1.6mm	导电嘴	CN-42.0001.1579
	Contact Tip CuCrZr M10*40*1.8mm	导电嘴	CN-42.0001.2314
	Contact Tip CuCrZr M10*40*2.0mm	导电嘴	CN-42.0001.1662
	Contact Tip CuCrZr M10*40*2.4mm	导电嘴	CN-42.0001.1663
	Contact Tip CuCrZr M10*40*3.2mm	导电嘴	CN-42.0001.5413
	Contact Tip AL CuCrZr M10*40*0.9mm	导电嘴	CN-42.0001.5405
	Contact Tip AL CuCrZr M10*40*1.0mm	导电嘴	CN-42.0001.5289
	Contact Tip AL CuCrZr M10*40*1.2mm	导电嘴	CN-42.0001.5005
	Contact Tip AL CuCrZr M10*40*1.4mm	导电嘴	CN-42.0001.5059
	Contact Tip AL CuCrZr M10*40*1.6mm	导电嘴	CN-42.0001.5060
	Contact Tip AL CuCrZr M10*40*1.8mm	导电嘴	CN-42.0001.5061
7	Nozzie ø15*79mm	喷嘴	CN-42.0001.5129
	Nozzie ø17*79mm	喷嘴	CN-42.0001.5128
	Nozzie ø20*79mm	喷嘴	CN-42.0001.5127
	Nozzie ø17*74.5mm	喷嘴	CN-42.0001.5607
	Nozzle ø17*79mm	喷嘴	CN-42.0001.5130
8	Front Handle	前把壳	CN-42.0405.0660
9	Switch	开关	CN-43.0002.0386
10	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10-1	Fastener Cap Red	红色堵头	CN-42.0001.1506
10-2	Fastener Cap Blue	蓝色堵头	CN-42.0405.0548R
10-3	Plug Nipple ND 5mm	出水快插	CN-42.0405.0548B
11	Rear Handle Water	后把壳	CN-42.0405.0655
12	Trigger Wire Connector Control Lead Piug	开关控制插头	CN-43.0004.1257
13	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-40.0001.0524
13-1	Hose Clamp ø9.0mm	喉箍	CN-42.0407.0272
14	Gas Hose Red ø5*8 Units:100m	红色水管	CN-40.0001.0310
14-1	Hose Clamp ø8.7mm	喉箍	CN-42.0407.0284
15	Wire Conduit 3.5m	送丝护套管	CN-44.0350.1818
	Wire Conduit 4.5m	送丝护套管	CN-44.0350.1819
16	Rear Connector Nut	后锁母	CN-42.0405.0560


17	Central Connector Water Cooled	后主体	CN-34.0350.1190
18	Bare Liner Steel 1.2-1.6mm 3.5m	送丝管	CN-42.0404.0182
	Bare Liner Steel 1.2-1.6mm 4.5m	送丝管	CN-42.0404.0183
19	Liner Sieel Positioner Nut 1.2mm	定位螺母	CN-42.0001.1508
20	Liner Teflon Positioner Combi	定位接头	CN-42.0001.5412
21	Liner Teflon Positioner Nut	后接头	CN-42.0400.1025

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN FNS MTG 250i

Rating: 250A CO_2
250A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-MTG250i Gas Cooled MIG Welding Torch FSC 3.5m		CN-4.035.921
	CN-MTG250i Gas Cooled MIG Welding Torch FSC 4.5m		CN-4.035.924
	CN-MTG250i Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.922
	CN-MTG250i Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m		CN-4.035.925
	CN-MTG250i Gas Cooled MIG Welding Torch Euro 3.5m		CN-4.035.921E
	CN-MTG250i Gas Cooled MIG Welding Torch Euro 4.5m		CN-4.035.924E
1	Swan Neck	弯管	CN-44.0350.3240
2	Insulator	绝缘座	CN-42.0100.1428
2-1	Insulator HD	绝缘座	CN-42.0100.0529
3	Contact Tip Holder	导电嘴座	CN-42.0001.3988
4	Gas Dittuser	分流器	CN-42.0100.0552
4-1	Gas Dittuser HD	分流器	CN-42.0100.0531
5	Contact Tip E-Cu M6*24*0.6mm	导电嘴	CN-42.0001.4928
	Contact Tip E-Cu M6*24*0.7mm	导电嘴	CN-42.0001.6524
	Contact Tip E-Cu M6*24*0.8mm	导电嘴	CN-42.0001.4461
	Contact Tip E-Cu M6*24*0.9mm	导电嘴	CN-42.0001.4462
	Contact Tip E-Cu M6*24*1.0mm	导电嘴	CN-42.0001.4463
	Contact Tip E-Cu M6*24*1.2mm	导电嘴	CN-42.0001.4464
	Contact Tip E-Cu M6*24*1.4mm	导电嘴	CN-42.0001.4465
	Contact Tip E-Cu M6*24*1.6mm	导电嘴	CN-42.0001.4466
	Contact Tip E-Cu AL M6*24*0.8mm	导电嘴	CN-42.0001.6525
	Contact Tip E-Cu AL M6*24*1.0mm	导电嘴	CN-42.0001.6526
	Contact Tip E-Cu AL M6*24*1.2mm	导电嘴	CN-42.0001.6528
	Contact Tip E-Cu AL M6*24*1.6mm	导电嘴	CN-42.0001.6523
6	Nozzle ø10*58mm	喷嘴	CN-42.0001.4084
	Nozzle ø13*58mm Standard	喷嘴	CN-42.0001.4065
	Nozzle ø15*58mm	喷嘴	CN-42.0001.4493
	Nozzle ø18*58mm	喷嘴	CN-42.0001.4055
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.D574
10-1	Support Spring	后弹簧	CN-FNSSS
10-2	Rear Handle	后把壳	CN-FNSRH
10-3	Rear Handle Connector	后连接器	CN-FNSRHC
10-4	MTG Central Connector	后主体	CN-FNSMTGCC
10-5	MTG/MTW Liner Sieel 0.8mm 5m	送丝管5米	CN-40.0002.0040
	MTG/MTW Liner Steel 0.9-1.0mm 5m	送丝管5米	CN-40.0002.0041
10-6	MTG/MTW Liner Clamping Piece 0.8mm Grey Nut	衬垫夹紧件	CN-44.0350.3315
	MTG/MTW Liner Clamping Piece 0.9-1.0mm Blue Nut	衬垫夹紧件	CN-44.0350.3317

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN FNS MTG 320i

Rating: 330A CO_2
320A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.8~1.8mm




No.	Description		Order
	CN-44MTG320i Gas Cooled MIG Welding Torch FSC 3.5m		CN-4.035.927
	CN-44MTG320i Gas Cooled MIG Welding Torch FSC 4.5m		CN-4.035.930
	CN-44MTG320i Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.928
	CN-44MTG320i Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m		CN-4.035.931
	CN-44MTG320i Gas Cooled MIG Welding Torch Euro 3.5m		CN-4.035.927E
	CN-44MTG320i Gas Cooled MIG Welding Torch Euro 4.5m		CN-4.035.930E
1	Swan Neck	弯管	CN-44.0350.3241
2	Insulator	绝缘座	CN-42.0100.1429
2-1	Insulator HD	绝缘座	CN-42.0100.0530
2-2	Insulator Narrow Gap	绝缘座	CN-42.0350.3880
3	Contact Tip Holder M8×1.5	导电嘴座	CN-42.0001.3987
3-1	Contact Tip Holder Narrow Gap M6	导电嘴座	CN-42.0001.4920
3-2	Contact Tip Holder Sleeve M8×1.5	导电嘴座	CN-42.0001.4622
4	Gas Dittuser	分流器	CN-42.0100.0575
4-1	Gas Dittuser HD	分流器	CN-42.0100.0532
5	Contact Tip E-Cu M8 x 1.5*32*0.8mm	导电嘴	CN-42.0001.6464
	Contact Tip E-Cu M8 x 1.5*32*0.9mm	导电嘴	CN-42.0001.6465
	Contact Tip E-Cu M8 x 1.5*32*1.0mm	导电嘴	CN-42.0001.6466
	Contact Tip E-Cu M8 x 1.5*32*1.2mm	导电嘴	CN-42.0001.6467
	Contact Tip E-Cu M8 x 1.5*32*1.4mm	导电嘴	CN-42.0001.6468
	Contact Tip E-Cu M8 x 1.5*32*1.6mm	导电嘴	CN-42.0001.6469
	Contact Tip E-Cu M8 x 1.5*32*1.8mm	导电嘴	CN-42.0001.6470
	Contact Tip E-Cu M8 x 1.5*32*2.0mm	导电嘴	CN-42.0001.6471
	Contact Tip E-Cu M8 x 1.5*32*2.4mm	导电嘴	CN-42.0001.6472
	Contact Tip E-Cu M8 x 1.5*32*2.8mm	导电嘴	CN-42.0001.4642
	Contact Tip E-Cu AL M8 x 1.5*32*1.0mm	导电嘴	CN-42.0001.4750
	Contact Tip E-Cu AL M8 x 1.5*32*1.2mm	导电嘴	CN-42.0001.4751
	Contact Tip E-Cu AL M8 x 1.5*32*1.6mm	导电嘴	CN-42.0001.4752
	Contact Tips E-Cu M6*24mm	导电嘴	CN-42.0001.44XX
6	Nozzle ø13*63mm Standard	喷嘴	CN-42.0001.4080
	Nozzle ø15*63mm	喷嘴	CN-42.0001.4051
	Nozzle ø17*63mm	喷嘴	CN-42.0001.4050
	Nozzle ø21*63mm	喷嘴	CN-42.0001.4054
6-1	Nozzle Bottleneck ø13*62.5mm	喷嘴	CN-42.0001.4917
6-2	Nozzle ø13*61	喷嘴	CN-42.0001.4086
	Nozzle ø15*61	喷嘴	CN-42.0001.4474
	Nozzle ø15*61	喷嘴	CN-42.0001.4789
	Nozzle ø17*61	喷嘴	CN-42.0001.4476
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.D574
10-1	Support Spring	后弹簧	CN-FNSSS
10-2	Rear Handle	后把壳	CN-FNSRH
10-3	Rear Handle Connector	后连接器	CN-FNSRHC
10-4	MTG Central Connecto	后主体	CN-FNSMTGCC
10-5	MTG/MTW Liner Steel 0.9-1.0mm 5m	送丝管5米	CN-40.0002.0041
	MTG/MTW Liner Steel 1.2mm 5m	送丝管5米	CN-40.0002.0042
10-6	MTG/MTW Liner Clamping Piece 0.9-1.0mm Blue Nu	衬垫夹紧件	CN-44.0350.3317
	MTG/MTW Liner Clamping Piece 1 .2mm Red Nut	衬垫夹紧件	CN-44.0350.3318

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN FNS MTG 400i

Rating: 400A CO_2
400A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.8~1.6mm



No.	Description		Order
	CN-MTG 400i 3.5m Welding Torch FSC Connector		CN-4.035.933
	CN-MTG 400i 4.5m Welding Torch FSC Connector		CN-4.035.936
	CN-MTG 400i 3.5m Welding Torch Euro Connector		CN-4.035.933E
	CN-MTG 400i 4.5m Welding Torch Euro Connector		CN-4.035.936E
	CN-MTG 400i Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.934
	CN-MTG 400i Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m		CN-4.035.937
1	Swan Neck	弯管	CN-44.0350.3242
2	Insulator	绝缘座	CN-42.0100.1429
2-1	Insulator HD	绝缘座	CN-42.0100.0530
2-2	Insulator Narrow Gap	绝缘座	CN-42.0350.3880
3	Contact Tip Holder M8×1.5	导电嘴座	CN-42.0001.3975
3-1	Contact Tip Holder Narrow Gap M6	导电嘴座	CN-42.0001.4921
3-2	Contact Tip Holder Sleeve M8×1.5	导电嘴座	CN-42.0001.4623
4	Gas Dittuser	分流器	CN-42.0100.0575
4-1	Gas Dittuser HD	分流器	CN-42.0100.0532
5	Coniact Tip E-Cu M8x1.5*32*0.8mm	导电嘴	CN-42.0001.6464
	Coniact Tip E-Cu M8x1.5*32*0.9mm	导电嘴	CN-42.0001.6465
	Coniact Tip E-Cu M8x1.5*32*1.0mm	导电嘴	CN-42.0001.6466
	Coniact Tip E-Cu M8x1.5*32*1.2mm	导电嘴	CN-42.0001.6467
	Coniact Tip E-Cu M8x1.5*32*1.4mm	导电嘴	CN-42.0001.6468
	Coniact Tip E-Cu M8x1.5*32*1.6mm	导电嘴	CN-42.0001.6469
	Coniact Tip E-Cu M8x1.5*32*1.8mm	导电嘴	CN-42.0001.6470
	Coniact Tip E-Cu M8x1.5*32*2.0mm	导电嘴	CN-42.0001.6471
	Coniact Tip E-Cu M8x1.5*32*2.4mm	导电嘴	CN-42.0001.6472
	Coniact Tip E-Cu M8x1.5*32*2.8mm	导电嘴	CN-42.0001.4642
	Coniact Tip E-Cu AL M8x1.5*32*1.0m	导电嘴	CN-42.0001.4750
	Coniact Tip E-Cu AL M8x1.5*32*1.2m	导电嘴	CN-42.0001.4751
	Coniact Tip E-Cu AL M8x1.5*32*1.6m	导电嘴	CN-42.0001.4752
5-1	Contact Tips E-Cu M6*24m	导电嘴	CN-42.0001.44XX
6	Nozzle ø15*75mm Standard	喷嘴	CN-42.0001.4045
	Nozzle ø17*75mm	喷嘴	CN-42.0001.4043
6-1	Nozzle Bottleneck ø13*74.5mm	喷嘴	CN-42.0001.4918
	Nozzle Bottleneck ø10*68mm	喷嘴	CN-42.0001.6715
	Nozzle Bottleneck ø13*68mm	喷嘴	CN-42.0001.6716
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.D574
10-1	Support Spring	后弹簧	CN-FNSSS
10-2	Rear Handle	后把壳	CN-FNSRH
10-3	Rear Handle Connector	后连接器	CN-FNSRHC
10-4	MTG Central Connector	后主体	CN-FNSMTGCC
10-5	MTG/MTW Liner Sieel 1.2mm 5m	送丝管5米	CN-40.0002.0042
	MTG/MTW Liner Steel 1.4-1.6mm 5m	送丝管5米	CN-40.0002.0043
10-6	MTG/MTW Liner Clamping Piece 1.2mm Red Nut	衬垫夹紧件	CN-44.0350.3318
	MTG/MTW Liner Clamping Piece 1.4-1.6mm Black Nut	衬垫夹紧件	CN-44.0350.3320

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN FNS MTG 550i

Rating: 520A CO_2
360A Mixed Gases
Duty Cycle: 30%
Wire Size: 0.8~2.4mm



No.	Description		Order
	CN-MTG 550i Gas Cooled MIG Welding Torch FSC 3.5m		CN-4.035.939
	CN-MTG 550i Gas Cooled MIG Welding Torch FSC 4.5m		CN-4.035.942
	CN-MTG 550i Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.940
	CN-MTG 550i Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m		CN-4.035.943
	CN-MTG 550i Gas Cooled MIG Welding Torch Euro 3.5m		CN-4.035.939E
	CN-MTG 550i Gas Cooled MIG Welding Torch Euro 4.5m		CN-4.035.942E
1	Swan Neck	弯管	CN-44.0350.4102
2	Insulator	绝缘环	CN-42.0100.1368
2-1	Insulator HD	绝缘环	CN-42.0100.0510
3	Contact Tip Holder	导电嘴座	CN-42.0001.4712
3-1	Contact Tip Holder HD	导电嘴座	CN-42.0001.6517
4	Coniact Tip E-Cu M8x1.5*32*0.8mm	导电嘴	CN-42.0001.6464
	Coniact Tip E-Cu M8x1.5*32*0.9mm	导电嘴	CN-42.0001.6465
	Coniact Tip E-Cu M8x1.5*32*1.0mm	导电嘴	CN-42.0001.6466
	Coniact Tip E-Cu M8x1.5*32*1.2mm	导电嘴	CN-42.0001.6467
	Coniact Tip E-Cu M8x1.5*32*1.4mm	导电嘴	CN-42.0001.6468
	Coniact Tip E-Cu M8x1.5*32*1.6mm	导电嘴	CN-42.0001.6469
	Coniact Tip E-Cu M8x1.5*32*1.8mm	导电嘴	CN-42.0001.6470
	Coniact Tip E-Cu M8x1.5*32*2.0mm	导电嘴	CN-42.0001.6471
	Coniact Tip E-Cu M8x1.5*32*2.4mm	导电嘴	CN-42.0001.6472
	Coniact Tip E-Cu M8x1.5*32*2.8mm	导电嘴	CN-42.0001.4642
	Coniact Tip E-Cu AL M8x1.5*32*1.0m	导电嘴	CN-42.0001.4750
	Coniact Tip E-Cu AL M8x1.5*32*1.2m	导电嘴	CN-42.0001.4751
	Coniact Tip E-Cu AL M8x1.5*32*1.6m	导电嘴	CN-42.0001.4752
5	Nozzle ø18*87.5mm Standard	喷嘴	CN-44.0350.3180
	Nozzle ø17*83.5mm	喷嘴	CN-44.0350.3179
	Nozzle ø15*82.5mm	喷嘴	CN-44.0350.1998
	Nozzle ø15*80.5mm	喷嘴	CN-44.0350.1987
6	Front Handle	前把壳	CN-42.0405.0660
7	Switch	开关	CN-43.0002.0386
8	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.D574
9-1	Support Spring	后弹簧	CN-FNSSS
9-2	Rear Handle	后把壳	CN-FNSRH
9-3	Rear Handle Connector	后连接器	CN-FNSRHC
9-4	MTG Central Connector	后主体	CN-FNSMTGCC
9-5	MTG/MTW Liner Steel 1.4-1.6mm 5m	送丝管5米	CN-40.0002.0043
	MTG/MTW Liner Steel 2.0mm 5m	送丝管5米	CN-40.0002.0044
9-6	MTG/MTW Liner Clamping Piece 1.4-1.6mm Black Nut	衬垫夹紧件	CN-44.0350.3320
	MTG/MTW Liner Clamping Piece 2.0mm Green Nut	衬垫夹紧件	CN-44.0350.3321

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口


CN FNS MTG 2100S

Rating: 250A CO_2
250A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.8~1.2mm




No.	Description		Order
	MTG 2100S Gas Cooled MIG Welding Torch FSC 3.0m		CN-4.035.990
	MTG 2100S Gas Cooled MIG Welding Torch FSC 4.5m		CN-4.035.991
1	Swan Neck	弯管	CN-44.0350.4123
2	Nozzle Retainer	喷嘴座	CN-42.0100.4915
3	Insulator	绝缘座	CN-42.0100.1496
4	Contact Tip Holder	导电嘴座	CN-42.0001.4912
5	Contact Tip E-Cu M6*24*0.6mm	导电嘴	CN-42.0001.4928
	Contact Tip E-Cu M6*24*0.7mm	导电嘴	CN-42.0001.6524
	Contact Tip E-Cu M6*24*0.8mm	导电嘴	CN-42.0001.4461
	Contact Tip E-Cu M6*24*0.9mm	导电嘴	CN-42.0001.4462
	Contact Tip E-Cu M6*24*1.0mm	导电嘴	CN-42.0001.4463
	Contact Tip E-Cu M6*24*1.2mm	导电嘴	CN-42.0001.4464
	Contact Tip E-Cu M6*24*1.4mm	导电嘴	CN-42.0001.4465
	Contact Tip E-Cu M6*24*1.6mm	导电嘴	CN-42.0001.4466
	Contact Tip E-Cu AL M6*24*0.8mm	导电嘴	CN-42.0001.6525
	Contact Tip E-Cu AL M6*24*1.0mm	导电嘴	CN-42.0001.6526
	Contact Tip E-Cu AL M6*24*1.2mm	导电嘴	CN-42.0001.6528
	Contact Tip E-Cu AL M6*24*1.6mm	导电嘴	CN-42.0001.6523
6	Nozzle ø12*59mm	喷嘴	CN-42.0350.4128
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.1010M
10-1	Rear Handle	后把壳	CN-FNSRH
10-2	Rear Handle Connector	后连接器	CN-FNSRHC
10-3	MTG Central Connecto	后主体	CN-FNSMTGCC
10-4	MTG/MTW Liner Steel 0.9-1.0mm 5m	送丝管5米	CN-40.0002.0041
10-5	MTG/MTW Liner Clamoing Piece 0.8mm Blue Nut	衬垫夹紧件	CN-44.0350.3315

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN FNS MTG 2500S

Rating: 250A CO_2
250A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.8~1.2mm




No.	Description		Order
	MTG 2500S Gas Cooled MIG Welding Torch FSC 3.0m		CN-4.035.980
	MTG 2500S GasCooled MIG Welding Torch FSC 4.5m		CN-4.035.981
1	Swan Neck	弯管	CN-44.0350.3240
2	Insulator	绝缘座	CN-42.0100.3865
3	Contact Tip Holder	导电嘴座	CN-42.0001.4608
4	Contact Tip E-Cu M6*24*0.6mm	导电嘴	CN-42.0001.4928
	Contact Tip E-Cu M6*24*0.7mm	导电嘴	CN-42.0001.6524
	Contact Tip E-Cu M6*24*0.8mm	导电嘴	CN-42.0001.4461
	ContactTip E-Cu M6*24*0.9mm	导电嘴	CN-42.0001.4462
	Contact Tip E-Cu M6*24*1.0mm	导电嘴	CN-42.0001.4463
	Contact Tip E-Cu M6*24*1.2mm	导电嘴	CN-42.0001.4464
	Contact Tip E-Cu M6*24*1.4mm	导电嘴	CN-42.0001.4465
	Contact Tip E-Cu M6*24*1.6mm	导电嘴	CN-42.0001.4466
	Contact Tip E-Cu AL M6*24*0.8mm	导电嘴	CN-42.0001.6525
	Contact Tip E-Cu AL M6*24*1.0mm	导电嘴	CN-42.0001.6526
	Contact Tip E-CU AL M6*24*1.2mm	导电嘴	CN-42.0001.6528
	Contact Tip E-Cu AL M6*24*1.6mm	导电嘴	CN-42.0001.6523
5	Nozzle ø10*58mm	喷嘴	CN-42.0001.4084
	Nozzle ø13*58mm Standard	喷嘴	CN-42.0001.4065
	Nozzle ø15*58mm	喷嘴	CN-42.0001.4493
	Nozzle ø18*58mm	喷嘴	CN-42.0001.4055
6	Front Handle	前把壳	CN-42.0405.0660
7	Switch	开关	CN-43.0002.0386
8	Cabie Ball joint & Support Rubber	球节支撑体	CN-400.1010M
9-1	Rear Handle	后把壳	CN-FNSRH
9-2	Rear Handle Connector	后连接器	CN-FNSRHC
9-3	MTG Central Connecto	后主体	CN-FNSMTGCC
9-4	MTG/MTW Liner Steel 0.9-1.0mm 5m	送丝管5米	CN-40.0002.0041
9-5	MTG/MTW Liner Clamoing Piece 0.9-1.0mm Blue Nu	衬垫夹紧件	CN-44.0350.3317
	MTG/MTW Liner Clamping Piece 0.9-1.0mm Blue .Nut		

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




CN FNS MTW 250i

Rating: 250A CO_2
250A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.6~1.2mm




No.	Description		Order
	CN-MTW250i Water Cooled MIG Welding Torch FSC 3.5m		CN-4.035.945
	CN-MTW250i Water Cooled MIG Welding Torch FSC 4.5m		CN-4.035.948
	CN-MTW250i Water Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.946
	CN-MTW250i Water Cooled MIG Welding TorchFSC/UD/LED 4.5m		CN-4.035.949
	CN-MTW250i Water Cooled MIG Welding Torch Euro 3.5m		CN-4.035.945E
	CN-MTW250i Water Cooled MIG Welding Torch Euro 4.5m		CN-4.035.948E
1	Swan Neck	弯管	CN-44.0350.3251
2	Insulator	绝缘环	CN-42.0100.1320
3	Contact Tip Holder	导电嘴座	CN-42.0001.3999
4	Cas Diffuser HD	分流器	CN-42.0100.0531
4-1	Contact Tip Holder	分流器	CN-42.0100.0552
5	Contact Tip E-Cu M6*24*0.6mm	导电嘴	CN-42.0001.4928
	Contact Tip E-Cu M6*24*0.7mm	导电嘴	CN-42.0001.6524
	Contact Tip E-Cu M6*24*0.8mm	导电嘴	CN-42.0001.4461
	Contact Tip E-Cu M6*24*0.9mm	导电嘴	CN-42.0001.4462
	Contact Tip E-Cu M6*24*1.0mm	导电嘴	CN-42.0001.4463
	Contact Tip E-Cu M6*24*1.2mm	导电嘴	CN-42.0001.4464
	Contact Tip E-Cu M6*24*1.4mm	导电嘴	CN-42.0001.4465
	Contact Tip E-Cu M6*24*1.6mm	导电嘴	CN-42.0001.4466
	Contact Tip E-Cu AL M6*24*0.8mm	导电嘴	CN-42.0001.6525
	Contact Tip E-Cu AL M6*24*1.0mm	导电嘴	CN-42.0001.6526
	Contact Tip E-Cu AL M6*24*1.2mm	导电嘴	CN-42.0001.6528
	Contact Tip E-Cu AL M6*24*1.6mm	导电嘴	CN-42.0001.6523
6	Nozzle ø10*54mm	喷嘴	CN-42.0001.4083
	Nozzle ø13*54mm	喷嘴	CN-42.0001.4799
	Nozzle ø13*56mm	喷嘴	CN-42.0001.4477
	Nozzle ø10*58mm	喷嘴	CN-42.0001.4084
	Nozzle ø13*58mm Al	喷嘴	CN-42.0001.4498
	Nozzle ø13*58mm Standard	喷嘴	CN-42.0001.4065
	Nozzle ø15*58mm	喷嘴	CN-42.0001.4493
	Nozzle ø18*58mm	喷嘴	CN-42.0001.4055
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10	Rear Handle Water	后把壳	CN-42.0405.0655
10-1	Plug Nipple ND 5mm	出水快插	CN-42.0001.1506
10-2	Fastener Cap Red	红色堵头	CN-42.0405.0548R
10-3	Fastener Cap Blu	蓝色堵头	CN-42.0405.0548B
11	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-40.0001.0524
11-1	Hose Clamp ø9.0mm	喉箍	CN-42.0407.0245
12	Gas Hose Red ø5*8 Units:100m	红色水管	CN-40.0001.0310
12-1	Hose Clamp ø8.7mm	喉箍	CN-42.0407.0284
13	Wire Conduit 3.5m	送丝护套管	CN-44.0350.3440
	Wire Conduit 4.5m	送丝护套管	CN-44.0350.3441
14	Rear Handle Connector	后把壳接头	CN-FNSRHC
15	MTW Water Central Connector	后主体	CN-44.0350.3245
16	MTG/MTW Liner Steel 1.2mm 5m	送丝管	CN-40.0002.0042
17	MTG/MTW Liner Clamping Piece 1.2mm Red Nut	送丝管尾夹	CN-44.0350.3318

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



CN FNS MTW 400i

Rating: 400A CO_2
400A Mixed Gases
Duty Cycle: 100%
Wire Size: 0.8~1.2mm




No.	Description		Order
	CN-MTW400i Water Cooled MIG Welding Torch FSC 3.5m		CN-4.035.951
	CN-MTW400i Water Cooled MIG Welding Torch FSC 4.5m		CN-4.035.954
	CN-MTW400i Water Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.952
	CN-MTW400i Water Cooled MIG Welding Torch FSC/UD/LED 4.5m		CN-4.035.955
	CN-MTW400i Water Cooled MIG Welding Torch Euro 3.5m		CN-4.035.951E
	CN-MTW400i Water Cooled MIG Welding Torch Euro 4.5m		CN-4.035.954E
1	Swan Neck	弯管	CN-44.0350.3272
2	Insulator	绝缘环	CN-42.0100.1329
2-1	Insulator Narrow Gap	绝缘环	CN-42.0100.1497
3	Contact Tip Holder M8×1.5	导电嘴座	CN-42.0001.4037
3-1	Contact Tip Holder Narrow Gap M6	导电嘴座	CN-42.0001.4919
3-1	Contact Tip Holder Sleeve M8×1.5	导电嘴座	CN-42.0001.4651
4	Gas Diffuser	分流器	CN-42.0100.0854
4-1	Gas Diffuser HD	分流器	CN-42.0100.0591
5	Contact Tip E-Cu M8 x 1.5*32*0.8mm	导电嘴	CN-42.0001.6464
	Contact Tip E-Cu M8 x 1.5*32*0.9mm	导电嘴	CN-42.0001.6465
	Contact Tip E-Cu M8 x 1.5*32*1.0mm	导电嘴	CN-42.0001.6466
	Contact Tip E-Cu M8 x 1.5*32*1.2mm	导电嘴	CN-42.0001.6467
	Contact Tip E-Cu M8 x 1.5*32*1.4mm	导电嘴	CN-42.0001.6468
	Contnet Tip E-Cu M8 x 1.5*32*1.6mn	导电嘴	CN-42.0001.6469
	Contact Tip E-Cu M8 x 1.5*32*1.8mm	导电嘴	CN-42.0001.6470
	Contact Tip E-Cu M8 x 1.5*32*2.0mm	导电嘴	CN-42.0001.6471
	Contact Tip E-Cu M8 x 1.5*32*2.4mm	导电嘴	CN-42.0001.6472
	Contact Tio E-Cu M8 x 1.5*32*2.8mm	导电嘴	CN-42.0001.4642
	Contact Tip E-Cu AL M8 x 1.5*32*1.0mm	导电嘴	CN-42.0001.4750
	Contact Tip E-Cu AL M8 x 1.5*32*1.2mm	导电嘴	CN-42.0001.4751
	Contact Tip E-Cu AL M8 x 1.5*32*1.6mm	导电嘴	CN-42.0001.4752
5-1	Contact Tips E-Cu M6*24mm	导电嘴	CN-42.0001.44XX
6	Nozzlo ø13*63mm	喷嘴	CN-42.0001.4080
	Nozzle ø13*63mm AL	喷嘴	CN-42.0001.4497
	Nozzle ø15*63mm Standard	喷嘴	CN-42.0001.4051
	Nozzle ø15*63mm AL	喷嘴	CN-42.0001.4496
	Nozzle ø17*63mm	喷嘴	CN-42.0001.4050
	Nozzle ø17*63mm AL	喷嘴	CN-42.0001.4494
	Nozzle ø21*63mm	喷嘴	CN-42.0001.4054
6-1	Nozzle Bottleneck ø13*62.5mm		CN-42.0001.4917
6-2	Nozzle ø13*61	喷嘴	CN-42.0001.4086
	Nozzle ø15*61	喷嘴	CN-42.0001.4474
	Nozzle ø15*61 Heavy Duty	喷嘴	CN-42.0001.4789
	Nozzle ø17*61	喷嘴	CN-42.0001.4476
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10	Rear Handle Water	后把壳	CN-42.0405.0655
10-1	Plug Nipple ND 5mm	出水快插	CN-42.0001.1506
10-2	Fastener Cap Red	红色堵头	CN-42.0405.0548R
10-3	Fastener Cap Blu	蓝色堵头	CN-42.0405.0548B
11	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-40.0001.0524

11-1	Hose Clamp ø9.0mm	喉箍	CN-42.0407.0245
12	Gas Hose Red ø5*8 Units:100m	红色水管	CN-40.0001.0310
12-1	Hose Clamp ø8.7mm	喉箍	CN-42.0407.0284
13	Wire Conduit 3.5m	送丝护套管	CN-44.0350.3440
	Wire Conduit 4.5m	送丝护套管	CN-44.0350.3441
14	Rear Handle Connector	后把壳接头	CN-FNSRHC
15	MTW Water Central Connector	后主体	CN-44.0350.3245
16	MTG/MTW Liner Steel 1.2mm 5m	送丝管	CN-40.0002.0042
	MTG/MTW Liner Steel 1.4-1.6mm 5m	送丝管	CN-40.0002.0043
17	MTG/MTW Liner Clamping Pioce 1.2mm Red Nut	送丝管尾夹	CN-44.0350.3318
	MTG/MTW Liner Clamping Piece 1.4-1.6mm Black Nut	送丝管尾夹	CN-44.0350.3320
18	FNS System Connector (FSC) Transform Euro Connector	FNS转欧式接头	CN-FSCTOEURO

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN FNS MTW 500i

Rating: 500A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm



No.	Description		Order
	CN-MTW 500i 3.5m Water Welding Torch (FSC)		CN-4.035.957
	CN-MTW 500i 4.5m Water Welding Torch (FSC)		CN-4.035.960
	CN-MTW 500i 3.5m Water Welding Torch Euro Connector		CN-4.035.957E
	CN-MTW 500i 4.5m Water Welding Torch Euro Connector		CN-4.035.960E
	CN-MTW500i Water Cooled MIG Welding Torch FSC/UD/LED 3.5m		CN-4.035.958
	CN-MTW500i Water Cooled MIG Welding Torch FSC/UD/LED 4.5m		CN-4.035.961
1	Swan Neck	弯管	CN-44.0350.3262
2	Insulator	绝缘环	CN-42.0100.1329
2-1	Insulator Narrow Gap	绝缘环	CN-42.0100.1497
3	Contact Tip Holder M8×1.5	导电嘴座	CN-42.0001.4037
3-1	Contact Tip Holder Narrow Gap M6	导电嘴座	CN-42.0001.4919
3-2	Contact Tip Holder Sleeve M8×1.5	导电嘴座	CN-42.0001.4651
4	Gas Diffuser	分流器	CN-42.0100.0854
4-1	Gas Diffuser HD	分流器	CN-42.0100.0591
5	Contact Tip E-Cu M8 x 1.5*32*0.8mm	导电嘴	CN-42.0001.6464
	Contact Tip E-Cu M8 x 1.5*32*0.9mm	导电嘴	CN-42.0001.6465
	Contact Tip E-Cu M8 x 1.5*32*1.0mm	导电嘴	CN-42.0001.6466
	Contact Tip E-Cu M8 x 1.5*32*1.2mm	导电嘴	CN-42.0001.6467
	Contact Tip E-Cu M8 x 1.5*32*1.4mm	导电嘴	CN-42.0001.6468
	Contnet Tip E-Cu M8 x 1.5*32*1.6mn	导电嘴	CN-42.0001.6469
	Contact Tip E-Cu M8 x 1.5*32*1.8mm	导电嘴	CN-42.0001.6470
	Contact Tip E-Cu M8 x 1.5*32*2.0mm	导电嘴	CN-42.0001.6471
	Contact Tip E-Cu M8 x 1.5*32*2.4mm	导电嘴	CN-42.0001.6472
	Contact Tio E-Cu M8 x 1.5*32*2.8mm	导电嘴	CN-42.0001.4642
	Contact Tip E-Cu AL M8 x 1.5*32*1.0mm	导电嘴	CN-42.0001.4750
	Contact Tip E-Cu AL M8 x 1.5*32*1.2mm	导电嘴	CN-42.0001.4751
	Contact Tip E-Cu AL M8 x 1.5*32*1.6mm	导电嘴	CN-42.0001.4752
5-1	Contact Tips E-Cu M6*24mm	导电嘴	CN-42.0001.44XX
6	Nozzlo ø13*63mm	喷嘴	CN-42.0001.4080
	Nozzle ø13*63mm AL	喷嘴	CN-42.0001.4497
	Nozzle ø15*63mm Standard	喷嘴	CN-42.0001.4051
	Nozzle ø15*63mm AL	喷嘴	CN-42.0001.4496
	Nozzle ø17*63mm	喷嘴	CN-42.0001.4050
	Nozzle ø17*63mm AL	喷嘴	CN-42.0001.4494
	Nozzle ø21*63mm	喷嘴	CN-42.0001.4054
6-1	Nozzle Bottleneck ø13*62.5mm	喷嘴	CN-42.0001.4917
6-2	Nozzle ø13*61	喷嘴	CN-42.0001.4086
	Nozzle ø15*61	喷嘴	CN-42.0001.4474
	Nozzle ø15*61 Heavy Duty	喷嘴	CN-42.0001.4789
	Nozzle ø17*61	喷嘴	CN-42.0001.4476
7	Front Handle	前把壳	CN-42.0405.0660
8	Switch	开关	CN-43.0002.0386
9	Ball Joint & Support Spring Water	球节支撑体	CN-500.0233
10	Rear Handle Water	后把壳	CN-42.0405.0655
10-1	Plug Nipple ND 5mm	出水快插	CN-42.0001.1506
10-2	Fastener Cap Red	红色堵头	CN-42.0405.0548R
10-3	Fastener Cap Blu	蓝色堵头	CN-42.0405.0548B
11	Water Hose Blue ø5*8 Units:100m	蓝色水管	CN-40.0001.0524

11-1	Hose Clamp ø9.0mm	喉箍	CN-42.0407.0245
12	Gas Hose Red ø5*8 Units:100m	红色水管	CN-40.0001.0310
12-1	Hose Clamp ø8.7mm	喉箍	CN-42.0407.0284
13	Wire Conduit 3.5m	送丝护套管	CN-44.0350.3440
	Wire Conduit 4.5m	送丝护套管	CN-44.0350.3441
14	Rear Handle Connector	后把壳接头	CN-FNSRHC
15	MTW Water Central Connector	后主体	CN-44.0350.3245
16	MTG/MTW Liner Steel 1.2mm 5m	送丝管	CN-40.0002.0042
17	MTG/MTW Liner ClampingPiece 1.2mm Red Nut	送丝管尾夹	CN-44.0350.3318

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MHP G MultiLock Hose Gas Cooled MIG Welding Torch

Rating: 250~500A CO_2
170~360A Mixed Gases
Duty Cycle: 40%
Wire Size: 0.8~1.6mm





Type	Order
CN-MHP 250iG MultiLock Hose Gas Cooled MIG Welding Torch FSc 3.5m	CN-4.047.769
CN-MHP 250iG MultiLock Hose Gas Cooled MIG Welding Torch FSC 4.5m	CN-4.047.772
CN-MHP 250iG MultiLock Hose Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m	CN-4.047.770
CN-MHP 250iG MultiLock Hose Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m	CN-4.047.773
CN-MHP 400iG MultiLock Hose Gas Cooled MIG Welding Torch FSC 3.5m	CN-4.047.775
CN-MHP 400iG MultiLock Hose Gas Cooled MIG Welding Torch FSC 4.5m	CN-4.047.778
CN-MHP 400iG MultiLock Hose Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m	CN-4.047.776
CN-MHP 400iG MultiLock Hose Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m	CN-4.047.779
CN-MHP 550iG MultiLock Hose Gas Cooled MIG Welding Torch FSC 3.5m	CN-4.051.081
CN-MHP 550iG MultiLock Hose Gas Cooled MIG Welding Torch FSC 4.5m	CN-4.051.082
CN-MHP 550iG MultiLock Hose Gas Cooled MIG Welding Torch FSC/UD/LED 3.5m	CN-4.051.083
CN-MHP 550iG MultiLock Hose Gas Cooled MIG Welding Torch FSC/UD/LED 4.5m	CN-4.051.084


No.	Description	Order
1	CN-MTB 250i/320i/330i/400i G ML Torch Body	CN-42.0001.3972
	CN-MTB 550i G ML Torch Body	CN-44.0350.4068
2	CN-MHP 250i G Power Cable 3.5m	CN-43.0004.4439
	CN-MHP 250i G Power Cable 4.5m	CN-43.0004.4440
	CN-MHP 400i G Power Cable 3.5m	CN-43.0004.5237
	CN-MHP 400i G Power Cable 4.5m	CN-43.0004.5238
	CN-MHP 550i G Power Cable 3.5m	CN-43.0004.5246
	CN-MHP 550i G Power Cable 4.5m	CN-43.0004.5245



Type	Order
CN-MTB 250iG ML/15°/L183/H22	CN-44.0350.3147
CN-MTB 250iG ML/15°/L283/H22	CN-44.0350.4161
CN-MTB 250iG ML/15°/L283/H22	CN-44.0350.4162
CN-MTB 250iG ML/30°/L174/H47	CN-44.0350.3148
CN-MTB 250iG ML/30°/L274/H47	CN-44.0350.4163
CN-MTB 250iG ML/30°/L374/H47	CN-44.0350.4164
CN-MTB 250iG ML/45°/L158/H73	CN-44.0350.3149
CN-MTB 250iG ML/45°/L258/H73	CN-44.0350.4165
CN-MTB 250iG ML/45°/L358/H73	CN-44.0350.4166
CN-MTB 250iG ML/60°/L142/H87	CN-44.0350.4167



Type	Order
CN-MTB 400iG ML/0°/L230	CN-44.0350.3154
CN-MTB 400iG ML/15°/L227/H27	CN-44.0350.3155
CN-MTB 400iG ML/15°/L327/H27	CN-44.0350.4169
CN-MTB 400iG ML/15°/L427/H27	CN-44.0350.4170
CN-MTB 400iG ML/15°/L627/H27	CN-44.0350.4171
CN-MTB 400iG ML/30°/L216/H57	CN-44.0350.3156
CN-MTB 400iG ML/30°/L316/H57	CN-44.0350.4172
CN-MTB 400iG ML/30°/L416/H57	CN-44.0350.4173
CN-MTB 400iG ML/30°/L616/H57	CN-44.0350.4174
CN-MTB 400iG ML/45°/L197/H88	CN-44.0350.3157
CN-MTB 400iG ML/45°/L297/H88	CN-44.0350.4175
CN-MTB 400iG ML/45°/L397/H88	CN-44.0350.4176
CN-MTB 400iG ML/45°/L597/H88	CN-44.0350.4177
CN-MTB 400iG ML/60°/L170/H119	CN-44.0350.4178





Type	Order
CN-MTB 320i G ML/15°/L190/H22	CN-44.0350.3151
CN-MTB 320i G ML/30°/L181/H48	CN-44.0350.3152
CN-MTB 320i G ML/45°/L165/H75	CN-44.0350.3153
CN-MTB 320i G ML/60°/L142/H101	CN-44.0350.4168



Type	Order
CN-MTB 330iG ML/15°/L186/H15	CN-44.0350.3159
CN-MTB 330iG ML/30°/L182/H33	CN-44.0350.3160
CN-MTB 330iG ML/45°/L171/H50	CN-44.0350.3161
CN-MTB 330iG ML/45°/L228/H56	CN-44.0350.3185



Type	Order
CN-MTB 550iG ML/15°/L286/H31	CN-44.0350.4091
CN-MTB 550iG ML/30°/L273/H67	CN-44.0350.4092
CN-MTB 550iG ML/45°/L251/H105	CN-44.0350.4093
CN-MTB 550iG ML/60°/L218/H142	CN-44.0350.4094

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN MHP W MultiLock Hose Water Cooled MIG Welding Torc

Rating: 500A CO_2
500A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm





CN-MHP 500i W MultiLock Hose Water MIG Welding Torch FSC 3.5m	CN-4.047.796
CN-MHP 500i W MultiLock Hose Water MIG Welding Torch FSC 4.5m	CN-4.047.799
CN-MHP 500i W MultiLock Hose Water MIG Welding Torch FSC/UD/LED 3.5m	CN-4.047.797
CN-MHP 500i W MultiLock Hose Water MIG Welding Torch FSC/UD/LED 4.5m	CN-4.047.800

No.	Description	Order
1	CN-MTB W MLTorch Body	CN-44.0350.4068
2	CN-MHP 500i W Cable Assembly 3.15m	
	CN-MHP 500i W Cable Assembly 4.15m	





Type	Order
CN-MTB 250iW ML/15°/L175/H22	CN-44.0350.3163
CN-MTB 250i W ML/15°/L275/H22	CN-44.0350.4179
CN-MTB 250i W ML/15°/L375/H22	CN-44.0350.4180
CN-MTB 250i W ML/30°/L166/H47	CN-44.0350.3164
CN-MTB 250i W ML/30°/L266/H47	CN-44.0350.4181
CN-MTB 250i W ML/30°/L366/H47	CN-44.0350.4182
CN-MTB 250i W ML/45°/L151/H72	CN-44.0350.3165
CN-MTB 250i W ML/45°/L251/H72	CN-44.0350.4183
CN-MTB 250i W ML/45°/L351/H72	CN-44.0350.4184
CN-MTB 250i W ML/60°/L131/H93	CN-44.0350.4185

Type	Order
CN-MTB 330iW ML/15°/L173/H15	CN-44.0350.4060
CN-MTB 330iW ML/15°/L273/H16	CN-44.0350.4186
CN-MTB 330iW ML/15°/L373/H16	CN-44.0350.4187
CN-MTB 330iW ML/30°/L167/H31	CN-44.0350.4061
CN-MTB 330iW ML/30°/L266/H33	CN-44.0350.4188
CN-MTB 330iW ML/30°/L366/H33	CN-44.0350.4189
CN-MTB 330iW ML/45°/L156/H48	CN-44.0350.4062
CN-MTB 330iW ML/45°/L255/H52	CN-44.0350.4190
CN-MTB 330iW ML/45°/L355/H52	CN-44.0350.4191
CN-MTB 330iW ML/60°/L142/H64	CN-44.0350.4064




Type	Order
CN-MTB 400iW ML/0°/L197	CN-44.0350.3166
CN-MTB 400iW ML/15°/L194/H23	CN-44.0350.3167
CN-MTB 400iW ML/30°/L185/H49	CN-44.0350.3168
CN-MTB 400iW ML/45°/L168/H77	CN-44.0350.3169
CN-MTB 400iW ML/60°/L146/H101	CN-44.0350.4192

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



Type	Order
CN-MTB 500iW ML/0°/L213	CN-44.0350.3170
CN-MTB 500iW ML/15°/L209/H27	CN-44.0350.3171
CN-MTB 500 W ML/15°/L310/H27	CN-44.0350.4193
CN-MTB 500iW ML/15°/L410/H27	CN-44.0350.4194
CN-MTB 500iW ML/15°/L610/H27	CN-44.0350.4195
CN-MTB 500i W ML/30°/L199/H56	CN-44.0350.3172
CN-MTB 500i W ML/30'/L299/H56	CN-44.0350.4196
CN-MTB 500i W ML/30°/L399/H56	CN-44.0350.4197
CN-MTB 500iW ML/30°/L599/H56	CN-44.0350.4198
CN-MTB 500iW ML/45°/L180/H87	CN-44.0350.3173
CN-MTB 500i W ML/45°/L280/H87	CN-44.0350.4199
CN-MTB 500iW ML/45°/L380/H87	CN-44.0350.4200
CN-MTB 500iW ML/45/L580/H87	CN-44.0350.4201
CN-MTB 500i W ML/60°/L154/H116	CN-44.0350.4202



CN P350A (Fume Extraction MIG Welding Torch)

Rating: 350A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm






No.	Description		Order
	CN-P350A-FE 3m Welding Torch		CN-P350AFE3M
	CN-P350A-FE 4m Welding Torch		CN-P350AFE4M
	CN-P350A-FE 5m Welding Torch		CN-P350AFE5M
1	Swan Neck	弯管	CN-P350AFESN
2	Contact Tip Holder	导电嘴座	CN-P350AFECTH
3	Insulator	绝缘座	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm 0.D8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D8mm	导电嘴	CN-TET90905-8
	Contact Tip E-CU M6*45*1.0mm O.D8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D8mm	导电嘴	CN-TET91405-8
	Contact Tip E-CU M6*45*1.6mm O.D8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.8mm O.D9mm	导电嘴	CN-TET90805-9
	Contact Tip E-CU M6*45*0.9mm O.D9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D9mm	导电嘴	CN-TET91605-9
5	Gas Diffuser Ceramic	分流器	CN-TGR01001
6	Nozzle Cylindrical φ15*73mm	柱形喷嘴	CN-TGN00043
7	Smoking Shield	吸烟罩	CN-P350AFESS
8	Cable Support	电缆支撑体	CN-P350AFECS
9	Front Handle	前把壳	CN-P350AFEFH
10	Switch	开关芯	CN-P350AFES
11	Corrugated Pipe	波纹管	CN-P350AFEC
12	Cable Protectors	保护套	CN-P350AFECP
13	Ball Joint	球头	CN-P350AFEBJ
14	Rear Handle	后把壳	CN-FERH
15	OTC Rear Box But	OTC后锁母	CN-OTCRB
16	OTC Central Adaptor Block	OTC后主体	CN-OTCCAB
17	Red Steel Liner 1.0-1.2mm 3m	OTC送丝管	CN-OTC350
18	OTC Nut	OTC螺母	CN-OTCNUT
19	Euro Rear Box Nut	欧式后锁母	CN-EURORB
20	Euro Central Adaptor Block	欧式后主体	CN-501.0003
21	Red Steel Liner 1.0-1.2mm 3m	欧式送丝管	CN-124.0026
22	Euro Nut	欧式螺母	CN-ENUT
23	Central Adaplor Block	日式后主体	CN-PCAB
24	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
25	Control Wire Plug	控制线插头	CN-PCLP
26	Red Steel Liner 1.0-1.2mm 3m	送丝管	CN-TDT90016

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN P500A (Fume Extraction MIG Welding Torch)

Rating: 500A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2mm~1.6mm






No.	Description		Order
	CN-P500A-FE 3m Welding Torch		CN-P500AFE3M
	CN-P500A-FE 4m Welding Torch		CN-P500AFE4M
	CN-P500A-FE 5m Welding Torch		CN-P500AFE5M
1	Swan Neck	弯管	CN-P500AFESN
2	Contact Tip Holder	导电嘴座	CN-P500AFECTH
3	Insulator	绝缘座	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm O.D.8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D.8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.0mm O.D.8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D.8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D.8mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.9mm O.D.9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D.9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D.9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D.9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.9mm	导电嘴	CN-TET91605-9
5	Gas Diffuser Ceramic	分流器	CN-TGR00902
6	Nozzle ø19*84mm	喷嘴	CN-TGN00014
	Nozzle ø20*84mm	喷嘴	CN-TGN00056
7	Smoking Shield	吸烟罩	CN-P500AFESS
8	Cable Support	电缆支撑体	CN-P500AFECS
9	Front Handle	前把壳	CN-P500AFEFH
10	Switch	开关芯	CN-P500AFES
11	Corrugated Pipe	波纹管	CN-P500AFEC
12	Cable Protectors	保护套	CN-P500AFECP
13	Ball Joint	球头	CN-P350AFEBJ
14	Rear Handle	后把壳	CN-FERH
15	OTC Rear Box But	OTC后锁母	CN-OTCRB
16	OTC Central Adaptor Block	OTC后主体	CN-OTCCAB
17	Black Steel Liner 1.2-1.6mm 3m	OTC送丝管	CN-OTC500
18	OTC Nut	OTC螺母	CN-OTCNUT
19	Euro Rear Box Nut	欧式后锁母	CN-EURORB
20	Euro Central Adaptor Block	欧式后主体	CN-501.0003
21	Red Steel Liner 1.0-1.2mm 3m	欧式送丝管	CN-124.0026
22	Euro Nut	欧式螺母	CN-ENUT
23	Central Adaplor Block	日式后主体	CN-PCAB
24	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
25	Control Wire Plug	控制线插头	CN-PCLP
26	Red Steel Liner 1.0-1.2mm 3m	送丝管	CN-TDT90016

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN 36KD (Fume Extraction MIG Welding Torch)

Rating: 350A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm






No.	Description		Order
	CN-36KD-FE 3m Welding Torch		CN-36KDFE3M
	CN-36KD-FE 4m Welding Torch		CN-36KDFE4M
	CN-36KD-FE 5m Welding Torch		CN-36KDFE5M
1	Swan Neck	弯管	CN-36KDFESN
2	Gas Diffuser DC	绝缘座	CN-014.0261
3	Contact Tip Holder M8*28	导电嘴座	CN-142.0005
	Contact Tip Holder M8*32	导电嘴座	CN-142.0011
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0045
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-141.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-145.0033
5	Nozzle Conical ø16*84	锥形喷嘴	CN-145.0078
6	Smoking Shield	吸烟罩	CN-36KDFESS
7	Cable Support	电缆支撑体	CN-36KDFECS
8	Front Handle	前把壳	CN-36KDFEFH
9	Switch	开关芯	CN-36KDFES
10	Corrugated Pipe	波纹管	CN-36KDFEC
11	Cable Protectors	保护套	CN-36KDFECP
12	Ball Joint	球头	CN-36KDFEBJ
13	Rear Handle	后把壳	CN-FERH
14	OTC Rear Box But	OTC后锁母	CN-OTCRB
15	OTC Central Adaptor Block	OTC后主体	CN-OTCCAB
16	Yellow Steel Liner 1.2-1.6mm 3m	OTC送丝管	CN-OTC36KD
17	OTC Nut	OTC螺母	CN-OTCNUT
18	Euro Rear Box Nut	欧式后锁母	CN-EURORB
19	Euro Central Adaptor Block	欧式后主体	CN-501.0003
20	Yellow Steel Liner 1.2-1.6mm 3m	欧式送丝管	CN-124.0041
21	Euro Nut	欧式螺母	CN-ENUT
22	Central Adaplor Block	日式后主体	CN-PCAB
23	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
24	Control Wire Plug	控制线插头	CN-PCLP
25	Yellow Steel Liner 1.2-1.6mm 3m	送丝管	CN-HKR36KD

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN 501D (Fume Extraction MIG Welding Torch)

Rating: 500A CO_2
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0~1.6mm






No.	Description		Order
	CN-501D-FE 3m Welding Torch		CN-501DFE3M
	CN-501D-FE 4m Welding Torch		CN-501DFE4M
	CN-501D-FE 5m Welding Torch		CN-501DFE5M
1	Swan Neck	弯管	CN-501DFESN
2	Contact Tip Holder M8*25	导电嘴座	CN-142.0022
3	Gas Diffusor,DMC	分流器	CN-030.0145
	Gas Diffusor,Ceramic	陶瓷分流器	CN-030.0190
4	Contact Tip M8 E-Cu 0.8mm	导电嘴	CN-140.0114
	Contact Tip M8 E-Cu 1.0mm	导电嘴	CN-140.0313
	Contact Tip M8 E-Cu 1.2mm	导电嘴	CN-140.0442
	Contact Tip M8 E-Cu 1.6mm	导电嘴	CN-140.0587
	Contact Tip M8 CuCrZr 0.8mm	导电嘴	CN-140.0117
	Contact Tip M8 CuCrZr 1.0mm	导电嘴	CN-140.0316
	Contact Tip M8 CuCrZr 1.2mm	导电嘴	CN-140.0445
	Contact Tip M8 CuCrZr 1.6mm	导电嘴	CN-140.0590
	Contact Tip M8 E-Cu 0.8 for alu wire	导电嘴	CN-141.0003
	Contact Tip M8 E-Cu 1.0 for alu wire	导电嘴	CN-141.0008
	Contact Tip M8 E-Cu 1.2 for alu wire	导电嘴	CN-141.0015
	Contact Tip M8 E-Cu 1.6 for alu wire	导电嘴	CN-141.0022
5	Conical Nozzle ø16.0	柱形喷嘴	CN-145.0085
6	Smoking Shield	吸烟罩	CN-501DFESS
7	Cable Support	电缆支撑体	CN-501DFECS
8	Front Handle	前把壳	CN-501DFEFH
9	Switch	开关芯	CN-501DFES
10	Corrugated Pipe	波纹管	CN-501DFEC
11	Cable Protectors	保护套	CN-501DFECP
12	Ball Joint	球头	CN-501DFEBJ
13	Rear Handle	后把壳	CN-FERH
14	Euro Rear Box Nut	欧式后锁母	CN-EURORB
15	Wire Feed Protective	送丝保护套	CN-WFP
16	Euro Central Adaptor Block	欧式后主体	CN-501D.0003
17	Euro Nut	欧式螺母	CN-501.0082
18	Hose Clamp ø8.0mm	喉箍	CN-501.0015
19	Air Pipe	气管	CN-501DAP
20	Quick Couplings	快速接头	CN-501DAPQC
21	Fastener Cap Red	红色胶套	CN-501DFCR
22	Fastener Cap Blue	蓝色胶套	CN-501DFCB
23	Euro Liner 6.3/2.8-5.0m,1.6-2.0	欧式送丝管	CN124.0068
24	Water Pipe	水管	CN-501DWP

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN P350A (Fume Extraction MIG Welding Torch)

Rating: 350A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm




No.	Description		Order
	CN-P350A-FE 3m Welding Torch		CN-P350AFE3M
	CN-P350A-FE 4m Welding Torch		CN-P350AFE4M
	CN-P350A-FE 5m Welding Torch		CN-P350AFE5M
1	Swan Neck	弯管	CN-P350AFESN
2	Contact Tip Holder	导电嘴座	CN-P350AFECTH
3	Insulator	绝缘座	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm 0.D8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D8mm	导电嘴	CN-TET90905-8
	Contact Tip E-CU M6*45*1.0mm O.D8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D8mm	导电嘴	CN-TET91405-8
	Contact Tip E-CU M6*45*1.6mm O.D8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.8mm O.D9mm	导电嘴	CN-TET90805-9
	Contact Tip E-CU M6*45*0.9mm O.D9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D9mm	导电嘴	CN-TET91605-9
5	Gas Diffuser Ceramic	分流器	CN-TGR01001
6	Nozzle Cylindrical φ15*73mm	柱形喷嘴	CN-TGN00043
7	Smoking Shield	吸烟罩	CN-P350AFESS
8	Cable Support	电缆支撑体	CN-P350AFECS
9	Front Handle	前把壳	CN-P350AFEFH
10	Switch	开关芯	CN-P350AFES
11	Corrugated Pipe	波纹管	CN-P350AFEC
12	Cable Protectors	保护套	CN-P350AFECP
13	Ball Joint	球头	CN-P350AFEBJ
14	Rear Handle	后把壳	CN-FERH
15	OTC Rear Box But	OTC后锁母	CN-OTCRB
16	OTC Central Adaptor Block	OTC后主体	CN-OTCCAB
17	Red Steel Liner 1.0-1.2mm 3m	OTC送丝管	CN-OTC350
18	OTC Nut	OTC螺母	CN-OTCNUT
19	Euro Rear Box Nut	欧式后锁母	CN-EURORB

20	Euro Central Adaptor Block	欧式后主体	CN-501.0003
21	Red Steel Liner 1.0-1.2mm 3m	欧式送丝管	CN-124.0026
22	Euro Nut	欧式螺母	CN-ENUT
23	Central Adaplor Block	日式后主体	CN-PCAB
24	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
25	Control Wire Plug	控制线插头	CN-PCLP
26	Red Steel Liner 1.0-1.2mm 3m	送丝管	CN-TDT90016

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN P500A (Fume Extraction MIG Welding Torch)

Rating: 500A CO_2
300A Mixed Gases
Duty Cycle: 60%
Wire Size: 1.2mm~1.6mm




No.	Description		Order
	CN-P500A-FE 3m Welding Torch		CN-P500AFE3M
	CN-P500A-FE 4m Welding Torch		CN-P500AFE4M
	CN-P500A-FE 5m Welding Torch		CN-P500AFE5M
1	Swan Neck	弯管	CN-P500AFESN
2	Contact Tip Holder	导电嘴座	CN-P500AFECTH
3	Insulator	绝缘座	CN-TFZ35101
4	Contact Tip E-CU M6*45*0.8mm O.D.8mm	导电嘴	CN-TET90805-8
	Contact Tip E-CU M6*45*0.9mm O.D.8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.0mm O.D.8mm	导电嘴	CN-TET91005-8
	Contact Tip E-CU M6*45*1.2mm O.D.8mm	导电嘴	CN-TET91205-8
	Contact Tip E-CU M6*45*1.4mm O.D.8mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.8mm	导电嘴	CN-TET91605-9
	Contact Tip E-CU M6*45*0.9mm O.D.9mm	导电嘴	CN-TET90905-9
	Contact Tip E-CU M6*45*1.0mm O.D.9mm	导电嘴	CN-TET91005-9
	Contact Tip E-CU M6*45*1.2mm O.D.9mm	导电嘴	CN-TET91205-9
	Contact Tip E-CU M6*45*1.4mm O.D.9mm	导电嘴	CN-TET91405-9
	Contact Tip E-CU M6*45*1.6mm O.D.9mm	导电嘴	CN-TET91605-9
5	Gas Diffuser Ceramic	分流器	CN-TGR00902
6	Nozzle ø19*84mm	喷嘴	CN-TGN00014
	Nozzle ø20*84mm	喷嘴	CN-TGN00056
7	Smoking Shield	吸烟罩	CN-P500AFESS
8	Cable Support	电缆支撑体	CN-P500AFECS
9	Front Handle	前把壳	CN-P500AFEFH
10	Switch	开关芯	CN-P500AFES
11	Corrugated Pipe	波纹管	CN-P500AFEC
12	Cable Protectors	保护套	CN-P500AFECP
13	Ball Joint	球头	CN-P350AFEBJ
14	Rear Handle	后把壳	CN-FERH
15	OTC Rear Box But	OTC后锁母	CN-OTCRB
16	OTC Central Adaptor Block	OTC后主体	CN-OTCCAB
17	Black Steel Liner 1.2-1.6mm 3m	OTC送丝管	CN-OTC500
18	OTC Nut	OTC螺母	CN-OTCNUT
19	Euro Rear Box Nut	欧式后锁母	CN-EURORB

20	Euro Central Adaptor Block	欧式后主体	CN-501.0003
21	Red Steel Liner 1.0-1.2mm 3m	欧式送丝管	CN-124.0026
22	Euro Nut	欧式螺母	CN-ENUT
23	Central Adaplor Block	日式后主体	CN-PCAB
24	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
25	Control Wire Plug	控制线插头	CN-PCLP
26	Red Steel Liner 1.0-1.2mm 3m	送丝管	CN-TDT90016

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

CN 36KD (Fume Extraction Lightweight Version MIG Welding Torch)

Rating: 350A CO_2
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9~1.2mm



No.	Description		Order
	CN-36KD-FE 3m Welding Torch		CN-36KDFE3M
	CN-36KD-FE 4m Welding Torch		CN-36KDFE4M
	CN-36KD-FE 5m Welding Torch		CN-36KDFE5M
1	Swan Neck	弯管	CN-36KDFESN
2	Gas Diffuser DC	绝缘座	CN-014.0261
3	Contact Tip Holder M8*28	导电嘴座	CN-142.0005
	Contact Tip Holder M8*32	导电嘴座	CN-142.0011
4	Contact Tip E-CU M8*30*0.8mm	导电嘴	CN-140.0114
	Contact Tip E-CU M8*30*1.0mm	导电嘴	CN-140.0313
	Contact Tip E-CU M8*30*1.2mm	导电嘴	CN-140.0442
	Contact Tip E-CU M8*30*1.4mm	导电嘴	CN-140.0533
	Contact Tip E-CU M8*30*1.6mm	导电嘴	CN-140.0587
	Contact Tip E-CU M8*30*2.0mm	导电嘴	CN-140.0653
	Contact Tip E-CU M8*30*2.4mm	导电嘴	CN-140.0677
	Contact Tip CuCrZr M8*30*0.8mm	导电嘴	CN-140.0117
	Contact Tip CuCrZr M8*30*1.0mm	导电嘴	CN-140.0316
	Contact Tip CuCrZr M8*30*1.2mm	导电嘴	CN-140.0045
	Contact Tip CuCrZr M8*30*1.4mm	导电嘴	CN-140.0536
	Contact Tip CuCrZr M8*30*1.6mm	导电嘴	CN-140.0590
	Contact Tip CuCrZr M8*30*2.0mm	导电嘴	CN-140.0656
	Contact Tip CuCrZr M8*30*2.4mm	导电嘴	CN-141.0679
	Contact Tip E-CU Aluminum M8*30*0.8mm	导电嘴	CN-141.0003
	Contact Tip E-CU Aluminum M8*30*1.0mm	导电嘴	CN-141.0008
	Contact Tip E-CU Aluminum M8*30*1.2mm	导电嘴	CN-141.0015
	Contact Tip E-CU Aluminum M8*30*1.4mm	导电嘴	CN-141.0055
	Contact Tip E-CU Aluminum M8*30*1.6mm	导电嘴	CN-141.0022
	Contact Tip E-CU Aluminum M8*30*2.0mm	导电嘴	CN-145.0033
5	Nozzle Conical ø16*84	锥形喷嘴	CN-145.0078
6	Smoking Shield	吸烟罩	CN-36KDFESS
7	Cable Support	电缆支撑体	CN-36KDFECS
8	Front Handle	前把壳	CN-36KDFEFH
9	Switch	开关芯	CN-36KDFES
10	Corrugated Pipe	波纹管	CN-36KDFEC

11	Cable Protectors	保护套	CN-36KDFECP
12	Ball Joint	球头	CN-36KDFEBJ
13	Rear Handle	后把壳	CN-FERH
14	OTC Rear Box But	OTC后锁母	CN-OTCRB
15	OTC Central Adaptor Block	OTC后主体	CN-OTCCAB
16	Yellow Steel Liner 1.2-1.6mm 3m	OTC送丝管	CN-OTC36KD
17	OTC Nut	OTC螺母	CN-OTCNUT
18	Euro Rear Box Nut	欧式后锁母	CN-EURORB
19	Euro Central Adaptor Block	欧式后主体	CN-501.0003
20	Yellow Steel Liner 1.2-1.6mm 3m	欧式送丝管	CN-124.0041
21	Euro Nut	欧式螺母	CN-ENUT
22	Central Adaplor Block	日式后主体	CN-PCAB
23	Gas Tube Wih Nut 9/16-18	螺母气管	CN-PGAS
24	Control Wire Plug	控制线插头	CN-PCLP
25	Yellow Steel Liner 1.2-1.6mm 3m	送丝管	CN-HKR36KD

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

Torch Handle
把壳

Description	型号/Modle	Sketch
CN09-1 欧式枪壳(一体) MIG handle	主体黑胶红 Black Plastic / Red Rubber	
CN10-1欧式枪壳 MIG handle	主体黑胶红 Black Plastic / Red Rubber	
CNAT-1前手柄 MIG handle	主体黑胶红 Black Plastic / Red Rubber	
CN01-5 MIG handle	环保焊枪前枪壳 Red plastic / Black Rubber	
CN06-1 MIG handle	特威克枪壳 Black	
CN06-2 MIG handle	特威克枪壳 Black	

Description	型号/Modle	Sketch
CN03-1 松下枪壳 MIG handle	红圈 主体黑包红 Black Plastic / Red Rubber	
CN07-2 EVO枪壳 MIG handle	主体黑包胶红 Black Plastic / Red Rubber	
CN03-2 松下枪壳 MIG handle	主体红色 Red Plastic	
CN03-3 松下枪壳 MIG handle	主体红色 Red Plastic	
CN02-1 欧式枪壳 MIG handle	红圈 主体黑胶红 Black Plastic / Red Rubber	




Support customization of the shell.
You can freely choose the color.
支持定制把壳，您可自行搭配颜色。

CN Liner


送丝管



Description	编号/No.	specification
CNOTC Liner	CNOTC200	4.0/1.6-3.0m,蓝色,0.8-1.0
CNOTC Liner	CNOTC200	4.0/1.6-4.0m,蓝色,0.8-1.0
CNOTC Liner	CNOTC200	4.0/1.6-5.0m,蓝色,0.8-1.0
CNOTC Liner	CNOTC350	4.0/2.0-3.0m,红色,1.0-1.2
CNOTC Liner	CNOTC350	4.0/2.0-4.0m,红色,1.0-1.2
CNOTC Liner	CNOTC350	4.0/2.0-5.0m,红色,1.0-1.2
CNOTC Liner	CNOTC500	4.0/2.2-3.0m,黑色,1.4-1.6
CNOTC Liner	CNOTC500	4.0/2.2-4.0m,黑色,1.4-1.6
CNOTC Liner	CNOTC500	4.0/2.2-5.0m,黑色,1.4-1.6



Description	编号/No.	specification
CNHKR180 Liner	CNHKR180	4.0/1.6-3.0m,蓝色,0.8-1.0
CNHKR180 Liner	CNHKR180	4.0/1.6-4.0m,蓝色,0.8-1.0
CNHKR180 Liner	CNHKR180	4.0/1.6-5.0m,蓝色,0.8-1.0
CNHKR350 Liner	CNHKR350	4.0/2.0-3.0m,红色,1.0-1.2
CNHKR350 Liner	CNHKR350	4.0/2.0-4.0m,红色,1.0-1.2
CNHKR350 Liner	CNHKR350	4.0/2.0-5.0m,红色,1.0-1.2
CNHKR500 Liner	CNHKR500	4.0/2.2-3.0m,黑色,1.4-1.6
CNHKR500 Liner	CNHKR500	4.0/2.2-4.0m,黑色,1.4-1.6
CNHKR500 Liner	CNHKR500	4.0/2.2-5.0m,黑色,1.4-1.6



Description	编号/No.	specification
CNEuro Liner	CN124.0011	4.0/1.6-3.0m,蓝色,0.6-0.8
CNEuro Liner	CN124.0012	4.0/1.6-4.0m,蓝色,0.6-0.8
CNEuro Liner	CN124.0015	4.0/1.6-5.0m,蓝色,0.6-0.8
CNEuro Liner	CN124.0026	4.0/2.0-3.0m,红色,0.9-1.2
CNEuro Liner	CN124.0031	4.0/2.0-4.0m,红色,0.9-1.2
CNEuro Liner	CN124.0035	4.0/2.0-5.0m,红色,0.9-1.2
CNEuro Liner	CN124.0041	4.5/2.5-3.0m,黄色,1.4-1.6
CNEuro Liner	CN124.0042	4.5/2.5-4.0m,黄色,1.4-1.6
CNEuro Liner	CN124.0044	4.5/2.5-5.0m,黄色,1.4-1.6

CN Liner

送丝管



Description	编号/No.	specification
CNEuro Liner	CN124.0066	6.3/2.8-3.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0067	6.3/2.8-4.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0068	6.3/2.8-5.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0079	7.0/3.5-3.0m,无皮,2.4
CNEuro Liner	CN124.0080	7.0/3.5-4.0m,无皮,2.4
CNEuro Liner	CN124.0082	7.0/3.5-5.0m,无皮,2.4
CNEuro Liner	CN124.0083	7.0/4.5-3.0m,无皮,2.8-3.2
CNEuro Liner	CN124.0084	7.0/4.5-4.0m,无皮,2.8-3.2
CNEuro Liner	CN124.0086	7.0/4.5-5.0m,无皮,2.8-3.2




Description	编号/No.	specification
CNTWC Liner	CN42-3035-15	4.0/1.6-4.5m,黑色,0.8-1.2
CNTWC Liner	CN42-4045-15	4.0/2.0-4.5m,黑色,1.0-1.2
CNTWC Liner	CN42-4045-25	4.0/2.0-7.5m,黑色,1.0-1.2
CNTWC Liner	CN44-3545-15	4.8/1.9-4.5m,黑色.0.9-1.2
CNTWC Liner	CN44-3545-25	4.8/1.9-7.5m,黑色,0.9-1.2
CNTWC Liner	CN44-116-15	4.8/2.2-4.5m,黑色,1.4-1.6
CNTWC Liner	CN44-116-25	4.8/2.2-7.5m,黑色,1.4-1.6
CNTWC Liner	CN44-564-15	4.8/2.6-4.5m,黑色,2.0
CNTWC Liner	CN44-564-25	4.8/2.6-7.5m,黑色,2.0
CNTWC Liner	CN45H-3545-15	4.8/2.1-4.5m,黑色,0.9-1.2
CNTWC Liner	CN45H-3545-25	4.8/2.1-7.5m,黑色,0.9-1.2
CNTWC Liner	CN45H-116-15	4.8/2.2-4.5m,黑色,1.4-1.6
CNTWC Liner	CN45H-116-25	4.8/2.2-7.5m,黑色,1.4-1.6
CNTWC Liner	CN45H-564-15	4.8/2.6-4.5m,黑色,2.0
CNTWC Liner	CN45H-564-25	4.8/2.6-7.5m,黑色,2.0
CNTWC Liner	CN45H-332-15	6.8/3.2-4.5m,黑色,2.4
CNTWC Liner	CN45H-332-25	6.8/3.2-7.5m,黑色,2.4



Description	编号/No.	specification
CNESAB Liner	HR0366549883B	4.0/1.6-4.5m,蓝色,0.6-0.8
CNESAB Liner	HR0366549885B	4.0/1.6-4.5m,蓝色,0.9-1.0
CNESAB Liner	HR0366549887B	4.4/2.0-4.5m,红色,1.2
CNESAB Liner	HR0366549891B	4.6/2.2-4.5m,黑色,1.6
CNESAB Liner	HR0366549883	4.0/1.6-4.5m,蓝色.0.6-0.8
CNESAB Liner	HR0366549885	4.0/1.6-4.5m,蓝色.0.9-1.0
CNESAB Liner	HR0366549887	4.4/2.0-4.5m,红色,1.2
CNESAB Liner	HR0366549891	4.6/2.2-4.5m,黑色,1.6

CN Liner

送丝管



Description	编号/No.	specification
CNEuro Liner	CN124.0066	6.3/2.8-3.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0067	6.3/2.8-4.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0068	6.3/2.8-5.0m,无皮,1.6-2.0
CNEuro Liner	CN124.0079	7.0/3.5-3.0m,无皮,2.4
CNEuro Liner	CN124.0080	7.0/3.5-4.0m,无皮,2.4
CNEuro Liner	CN124.0082	7.0/3.5-5.0m,无皮,2.4
CNEuro Liner	CN124.0083	7.0/4.5-3.0m,无皮,2.8-3.2
CNEuro Liner	CN124.0084	7.0/4.5-4.0m,无皮,2.8-3.2
CNEuro Liner	CN124.0086	7.0/4.5-5.0m,无皮,2.8-3.2



Description	编号/No.	specification
CNTWC Liner	CN42-3035-15	4.0/1.6-4.5m,黑色,0.8-1.2
CNTWC Liner	CN42-4045-15	4.0/2.0-4.5m,黑色,1.0-1.2
CNTWC Liner	CN42-4045-25	4.0/2.0-7.5m,黑色,1.0-1.2
CNTWC Liner	CN44-3545-15	4.8/1.9-4.5m,黑色.0.9-1.2
CNTWC Liner	CN44-3545-25	4.8/1.9-7.5m,黑色,0.9-1.2
CNTWC Liner	CN44-116-15	4.8/2.2-4.5m,黑色,1.4-1.6
CNTWC Liner	CN44-116-25	4.8/2.2-7.5m,黑色,1.4-1.6
CNTWC Liner	CN44-564-15	4.8/2.6-4.5m,黑色,2.0
CNTWC Liner	CN44-564-25	4.8/2.6-7.5m,黑色,2.0
CNTWC Liner	CN45H-3545-15	4.8/2.1-4.5m,黑色,0.9-1.2
CNTWC Liner	CN45H-3545-25	4.8/2.1-7.5m,黑色,0.9-1.2
CNTWC Liner	CN45H-116-15	4.8/2.2-4.5m,黑色,1.4-1.6
CNTWC Liner	CN45H-116-25	4.8/2.2-7.5m,黑色,1.4-1.6
CNTWC Liner	CN45H-564-15	4.8/2.6-4.5m,黑色,2.0
CNTWC Liner	CN45H-564-25	4.8/2.6-7.5m,黑色,2.0
CNTWC Liner	CN45H-332-15	6.8/3.2-4.5m,黑色,2.4
CNTWC Liner	CN45H-332-25	6.8/3.2-7.5m,黑色,2.4



Description	编号/No.	specification
CNESAB Liner	HR0366549883B	4.0/1.6-4.5m,蓝色,0.6-0.8
CNESAB Liner	HR0366549885B	4.0/1.6-4.5m,蓝色,0.9-1.0
CNESAB Liner	HR0366549887B	4.4/2.0-4.5m,红色,1.2
CNESAB Liner	HR0366549891B	4.6/2.2-4.5m,黑色,1.6
CNESAB Liner	HR0366549883	4.0/1.6-4.5m,蓝色.0.6-0.8
CNESAB Liner	HR0366549885	4.0/1.6-4.5m,蓝色.0.9-1.0
CNESAB Liner	HR0366549887	4.4/2.0-4.5m,红色,1.2
CNESAB Liner	HR0366549891	4.6/2.2-4.5m,黑色,1.6

Central Adaptor

中央适配器

Order	Description
CN-501.0169	Euro Central Adaptor(Gas Radial)



Order	Description
CN-501.0168HL	Euro Central Adaptor(Hexagonal Long)



Order	Description
CN-501.0168H	Euro Central Adaptor(Hexagonal)



Order	Description
CN-501.0168M	Euro Central Adaptor(Mini)



Order	Description
CN-501.0168	Euro Central Adaptor(Standard)



Order	Description
CN-501.0168L	Euro Central Adaptor(Long)



Order	Description
CN-501.0168K	Euro Central Adaptor(Kemppi)



Order	Description
CN-501.0168N	Euro Central Adaptor(New)




Order	Description
CN-501.0168E	Euro Central Adaptor(ESAB)



Order	Description
CN-TWCA	Tweco Central Adaptor



Order	Description
CN-MLCA	Miller Central Adaptor



Order	Description
CN-129.0313	Capillary Tube For 1.6mm (Length=200mm)
CN-129.0357	Capillary Tube For 1.6mm (Length=300mm)
CN-129.0361	Capillary Tube For 1.6mm (Length=500mm)

