

CNAWELD

ADDRESS: Room 28A, Liandong U Valley, No. 158, Jinchuang Road, Yaoguan
Town, Changzhou Economic Development Zone, Jiangsu, China
Post code: 213100
TEL: 86-0519-89691819
URL: <https://www.cnaweld.com>
E-MAIL: Official@cnaweld.com

» PROFESSIONAL/COLLABORATIVE/INNOVATIVE/DILIGENCE

CNAWELD

CNA WELD

PLASMA



CHANGZHOU CHINA WELDING EQUIPMENT CO., LTD.

COMPANY PROFILE

CHANGZHOU CHINA WELDING EQUIPMENT CO., LTD.WAS ESTABLISHED IN 2011,LOCATED IN WUJIN DISTRICT, CHANGZHOU CITY,COVERINA AN AREA OF 8,000 SQUARE METERS, THE BUSINESS SCOPE INCLUDES ARC CUTTING, WELDING EQUIPMENT TOOLS AND OTHER SELF-OPERATED AND AGENT IMPORT AND EXPORT BUSINESS OF VARIOUSCOMMODITIES AND TECHNOLOGIES.

COMPLETE CATEGORIES, LARGE RESERVES, FAST DELIVERY, TO UNDERTAKE A VARIETY OF WELDING AND CUTTING PRODUCTS MANUFACTURING, INDEPENDENT PRODUCTION LINES,STRONG SUPPLY CAPACITY TO SERVE DOMESTIC AND FORELAN NEEDS.



TABLE OF CONTENTS

PLASMA TORCHES

CN P80	01-02	CN A101	15-16
CN PT31	03-04	CN A141	17-18
CN AG60	05-06	CN PT25	19-20
CN CB50	07-08	CN PT40	21-22
CN CB70	09-10	CN PT60	23-24
CN CB100	11-12	CN PT80	25-26
CN CB150	13-14	CN PT100.....	27-28

CN P80




Technical	Data 技术参数
Current 额定电流	100Amp
Duty Cycle 占载率	60%
Gas 气体	AIR 空气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	220LPM
Ignition 引弧方式	HF高频
Post Flow 气体延时	80sec.recommended 推荐80秒
Slandard Lengih 标准长度	5M

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

No.	Description	Order
	Plasma cutting torch P80/10mm²/5m center adaptor;等离子切割枪/P80/10mm²/5m中央插头	CN-PA0192
	Plasma cutting torch P80/10mm²/5m 3/8G;等离子切割枪/P80/10mm²/5m 3/8G	CN-PA0191
	Plasma cutting torch P80/10mm²/5m M16x1.5;等离子切割枪/P80/10mm²/5m M16x1.5	CN-PA0435
	Plasma cutting torch P80/10mm²/5m 1/4G;等离子切割枪/P80/10mm²/5m 1/4G	CN-PA0436
	Plasma cutting torch P80/10mm²/5m M14x1.5;等离子切割枪/P80/10mm²/5m M14x1.5	CN-PA0437
	Plasma cutting torch P80/16mm²/5m M16x1.5;等离子切割枪/P80/16mm²/5m M16x1.5	
	Plasma cutting torch P80/16mm²/5m M14x1.5;等离子切割枪/P80/16mm²/5m M14x1.5	
	Plasma cutting torch P80/14mm²/5m M16x1.5;等离子切割枪/P80/14mm²/5m M16x1.5	
	Plasma cutting torch P80/12mm²/5m M16x1.5;等离子切割枪/P80/12mm²/5m M16x1.5	
1	Isolated Wheel/P80;隔离环滚轮 Isolated Wheel/P80	CN-PC0065
2	Cerminc Outside Nozzie/P80;陶瓷外喷嘴/P80	CN-PC0065
3	Tip;喷嘴	
	Tip ø1.0mm P80;电极喷嘴 ø10mm/P80	CN-PD0084-10
	Tip ø1.3mm P80;电极喷嘴 ø1.3mm/P80	CN-PD0084-13
	Tip ø1.5mm P80;电极喷嘴 ø1.5mm/P80	CN-PD0026-15
4	Electorde/P80;电极/P80	CN-PR0070
5	Plasma torch head P80/light;等离子枪头/P80/轻型	CN-PF0048
6	Gasket;垫圈	CN-0112
7	Switch/Plasma;开关按键/等离子用	CN-0124
8	Handle;手柄	CN-0120
9	Screw;螺丝	
10	Cable assembly;电缆组	
	Cable assembly/P80/10mm²/5m center adaptor;电缆组/P80/10mm²/5m 中央插头	CN-PH0915
	Cable assembly/P80/10mm²/5m M16x1.5;电缆组/P8010mm²/5m M16x1.5	CN-PH0916
	Cable assembly/P80/10mm²/5m M14x1.5;电缆组/P80/10mm²/5m M14x1.5	CN-PH0917
	Cable assembly/P80/10mm²/5m 1/4G;电缆组/P80/10mm²/5m 1/4G	CN-PH0918
	Cable assembly/P80/10mm²/5m 3/8G;电缆组/P80/10mm²/5m 3/8G	CN-PH0919
	Cable assembly/P80/16mm²/5m M16x1.5;电缆组/P80/16mm²/5m M16x1.5	
	Cable assembly/P80/16mm²/5m M14x1.5;电缆组/P80/16mm²/5m M14x1.5	
	Cable assembly/P80/14mm²/5m M16x1.5;电缆组/P80/14mm²/5m M16x1.5	
	Cable assembly/P80/12mm²/5m M14x1.5;电缆组/P80/12mm²/5m M14x1.5	
11	Connecting adaptor;转换接头	
	Connecting adaptor 1/8G-1/4G;转换接头1/8G-1/4G	CN-FA5132
	Connecting adaptor 1/8G-3/8G;转换接头1/8G-3/8G	CN-FA5131
	Connecting adaptor 1/8G-M14x1;转换接头1/8G-M14x1	CN-FA5133
	Connecting adaptor 1/8G-M16x1.5;转换接头1/8G-M16x1.5	CN-FA5134
12	Machine Torch;自动枪	
13	Spanner for P80;扳手 P80	CN-MT1004
14	Spring;弹簧	
15	Central adaptor torch side Plasma5 pins;等离子中央插头/5针	CN-FY0023

CN PT31




Technical	Data 技术参数
Current 额定电流	30Amp
Duty Cycle 占载率	60%
Gas 气体	AIR 空气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	150LPM
Ignition 引弧方式	HF高频
Post Flow 气体延时	40sec.recommended 推荐40秒
Slandard Lengih 标准长度	5M

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



No.	Description	Order
	Plasma cutting torch /PT31/5m/M16x1.5;等离子切割枪/PT31/5米/M16x1.5	CN-44P3105101
	Plasma cutting torch /PT31/5m/9/16;等离子切割枪/PT31/5米/9/16	CN-44P3105102
	Plasma cutting torch /PT31/5m/5/8-18;等离子切割枪/PT31/5米/5/8-18	CN-44P3105103
	Plasma cutting torch /PT31/5m/M14x1.5;等离子切割枪/PT31/5米/M14x1.5	CN-44P3105104
1	Shield Cup PT-31;外喷嘴/PT-31	CN-18204
2	Tip PT-31;电极喷嘴/PT-31	CN-18866
	Long Tip PT-31;长电极喷嘴/PT-31	
3	Difusser PT-31;分流器/PT-31	CN-18785
4	Electorde PT-31;电极/PT-31	CN-18205
	Long Electorde PT-31;长电极/PT-31	
5	Plasma torch head PT-31;等离子枪头/PT-31	CN-20072
6	O-Ring;O型圈	
7	Switch/Plasma;开关按键/等离子用	CN-0020
8	Handle;手柄	CN-PT0075
9	Screw;螺丝	
10	Cable assembly;电缆组	CN-PH0168
	Cable assembly/PT31/4m;电缆组/PT31/4米	
11	Connector 2 Hoes;两芯航插	CN-BX0252
12	Spring;弹簧	

CN AG60




Technical	Data 技术参数
Current 额定电流	60Amp
Duty Cycle 占载率	60%
Gas 气体	AIR 空气
Gas Pressure 气压	3.5-4.0 Bar
Gas Flow 气流量	163LPM
Ignition 引弧方式	HF高频
Post Flow 气体延时	40sec.recommended 推荐40秒
Slandard Lengih 标准长度	5M

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



No.	Description	Order
	Plasma cutting torch/AG-60/5m/M16x1.5/INNO;等离子切割枪/AG-60/5米/M16x1.5	CN-44S5504101
	Plasma cutting torch /AG-60/5m/9/16;等离子切割枪/AG-60/5米/9/16	CN-44S5504102
	Plasma cutting torch /AG-60/5m/5/8-18;等离子切割枪/AG-60/5米/5/8-18	CN-44S5504103
	Plasma cutting torch /AG-60/5m/M14x1.5;等离子切割枪/AG-60/5米/M14x1.5	CN-44S5504104
1	Spacer Spring;隔离环	CN-CV0010
2	Outside Nozzie C;外喷嘴 AG-60 带槽	CN-AG60F
3	Extend Tip AG-60;电极喷 AG-60	CN-PC0021-1
4	Electorde AG-60;电极 AG-60	CN-PR0031
5	Plasma torch head AG-60;等离子枪头 AG-60	CN-PF0086
6	Trigger;开关	CN-002C
7	Handle;手柄	CN-TP0075
8	Screw;螺丝	
9	Cable assembly;电缆组	CN-PH0167
	IVN Cable assembly/5m;电缆组/5米	
10	Connector 2 Holes;两芯航插;电缆组件	CN-BX0257
11	Cable assembly 3/8G;转换接头1/8G-3/8G	
	Cable assembly M14x1.5;转换接头1/8G-M14x1.5	

CN CB50



HAND TORCH


No.	Description	Order
	Plasma cutting torch CB50/6m 1/8G;等离子切割枪/CB50/6m 1/8G	CN-PA1300
	Plasma cutting torch CB50/6m1/4G;等离子切割枪/CB50/6m 1/4G	CN-PA1305
	Plasma cutting torch CB50/6m M14x1;等离子切割枪/CB50/6m M14x1	CN-PA1301
	Plasma cutting torch CB50/6m M16x1.5;等离子切割枪/CB50/6m M16x1.5	CN-PA1304
	Plasma cutting torch CB50/6m central adaptor;等离子切割枪/CB50/6m/中央插头	CN-PA1302

MACHINE TORCH

	Plasma cutting auto torch CB50/6m 1/8G;等离子自动切割枪/CB50/6m 1/8G	CN-PA1280
	Plasma cutting auto torch CB50/6m 1/4G;等离子自动切割枪/CB50/6m 1/4G	CN-PA1282
	Plasma cutting auto torch CB50/6m M14x1;等离子自动切割枪/CB50/6m M14x1	CN-PA1278
	Plasma cutting auto torch CB50/6m M16x1.5;等离子自动切割枪/CB50/6m M16x1.5	CN-PA1279
	Plasma cutting auto torch CB50/6m central adaptor;等离子自动切割枪/CB50/6m/中央插头	CN-PA1281

1	Plasma stand off guide 24.3mm-31mm;喷嘴支架	CN-PCO065
2	Outside nozzle;外喷嘴	CN-PCO003
3	Conical tip $\varnothing$ 1.0mm/CB50-70;锥形喷嘴 $\varnothing$ 1.0mm/CB50-70	CN-PD0019-10
4	Tip;喷嘴	CN-PD0015-10
5	Diffuser CB50-70;分流器CB50-70	CN-PE0007
6	Extended HF Plasma CB50;等离子电极/HF/CB50	CN-PR0017
7	Plasma torch head CB50;等离子枪头CB50	CN-PF0050
8	"O"ring $\varnothing$ 12.42x1.78mm in siicon red;O型圈 $\varnothing$ 12.42x1.78mm/硅胶/红色	CN-EA0202
9	Plasma handle manual/CB50-70/Red;等离子手工手柄/CB50-70/红色	CN-TP0403
10	Protection part/Plasma/Yellow Trigger;开关保护档片/等离子/黄色	CN-TP0400
11	Cable assembly;电缆组	
12	Spanner for Plasma;等离子枪扳手	CN-MT1001
13	Plasma torch head CB50;等离子枪头CB50	CN-PF0035
14	Fiber glass position tube/CBM;自动枪手柄CBM	CN-TP0061
15	Cable assembly CBM;电缆组CBM	
	Cable assembly CBM50-70 6m 1/8G;电缆组/CBM50-70/6m 1/8G	CN-PH0126
	Connecting adaptor 1/8G-M14x1;转换接头1/8G-M14x1	CN-FA5132
	Connecting adaptor 1/8G-M16x1.5;转换接头1/8G-M16x1.5	CN-FA5133
	Connecting adaptor 1/8G-M16x1.5;转换接头1/8G-M16x1.5	CN-FA5134
16	Central adaptor torch side Plasma 5 pins;等离子中央插头/5针	CN-FY0016
17	Circle cutting attachment ;CB50圆周切割附件CB50	CN-CV0036

CN CB70



HAND TORCH


No.	Description	Order
	Plasma cutting torch CB70/6m 1/8G;等离子切割枪/CB70/6m 1/8G	CN-PA1320
	Plasma cutting torch CB70/6m 1/4G;等离子切割枪/CB70/6m 1/4G	CN-PA1321
	Plasma cutting torch CB70/6m M14x1;等离子切割枪/CB70/6m M14x1	CN-PA1324
	Plasma cutting torch CB70/6m M16x15;等离子切割枪/CB70/6m M16x1.5	CN-PA1325
	Plasma cutting torch CB70/6m central adaptor;等离子切割枪/CB70/6m/中央插头	CN-PA1322

MACHINE TORCH

Plasma cutting auto torch CB70/6m 1/8G;等离子自动切割枪/CB70/6m 1/8G	CN-PA1290
Plasma cutting auto torch CB70/6m 1/4G;等离子自动切割枪/CB70/6m 1/4G	CN-PA1297
Plasma cutting auto torch CB70/6m M14x1;等离子自动切割枪/CB70/6m M14x1	CN-PA1298
Plasma cutting auto torch CB70/6m M16x1.5;等离子自动切割枪/CB70/6m M16x1.5	CN- PA1299
Plasma cutting auto torch CB70/6m central adaptor;等离子自动切割枪/CB70/6m/中央插头	CN-PA1291

1	Double pointed spacer/CB70;两点支架CB70	CN-CV0010
1-1	Double pointed spacer/CB70;两点支架CB70	CN-CV0073
2	Outside nozzle CB70;外喷嘴CB70	CN-PC0032
3	Tip $\varnothing 0.9\text{mm}$ /CB50-70;喷嘴 $\varnothing 0.9\text{mm}$ /CB50-70	CN-PD0015-09
	Tip $\varnothing 1.0\text{mm}$ /CB50-70;喷嘴 $\varnothing 1.0\text{mm}$ /CB50-70	CN-PD0088-10
	Tip $\varnothing 1.1\text{mm}$ /CB50-70;喷嘴 $\varnothing 1.1\text{mm}$ /CB50-70	CN-PD0088-11
	Tip $\varnothing 1.2\text{mm}$ /CB50-70;喷嘴 $\varnothing 1.2\text{mm}$ /CB50-70	CN-PD0088-12
4	Flat tip $\varnothing 1.0\text{mm}$;扁平喷嘴 $\varnothing 1.0\text{mm}$ /CB50-70	CN-PD0015-12
5	Conical tip x1.0mm/ $\varnothing 1.2\text{mm}$ /CB50-70;锥形喷嘴 $\varnothing 1.0\text{mm}$ /CB50-70/ $\varnothing 1.2\text{mm}$ /CB50-70	CN-PD0019-10
6	Extended tip $\varnothing 0.98\text{mm}$ / $\varnothing 1.0\text{mm}$ /CB50-70;加长喷嘴 $\varnothing 0.98\text{mm}$ / $\varnothing 1.0\text{mm}$ /CB50-70	CN-PD0085-98
	Extended tip $\varnothing 1.1\text{mm}$ / $\varnothing 1.2\text{mm}$ /CB50-70;加长喷嘴 $\varnothing 1.1\text{mm}$ / $\varnothing 1.2\text{mm}$ /CB50-70	CN-PD0063-11
7	Diffuser CB50-70;分流器CB50-70	CN-PE0007
8	Extended HF Plasma CB50;等离子电极CB50	CN-PRO063
9	Extended electrode HF Plasma CB70;加长等离子电极CB70	CN-PR0064
10	Air tube/CB70;导流管CB70	CN-FH0211
11	Plasma torch head CB70;等离子枪头CB70	CN-PF0065
12	"O"ring $\varnothing 12.42 \times 1.78\text{mm}$ in silicon red;O型圈 $\varnothing 12.42 \times 1.78\text{mm}$ /硅胶/红色	CN-EA0202
13	Plasma handle manual CB50-70/Red;等离子手工手柄/CB50-70/红色	CN-TP0084
14	Protection part Plasma/Yellow;开关保护档片/等离子/黄色	CN- BW0277
15	Plasma joint small /new Type;Plasma用球节套件/小/新式	CN- BW0348
16	Cable assembly;电缆组	
17	Fiber glass position tube/CBM;自动枪手柄CBM	CN-TP0061
18	Plasma torch head CB70;等离子枪头CB70	CN-PF0028
19	Spanner for Plasma;等离子枪扳	CN-MT1000
20	Cable assembly CBM50-70 6m 1/8G;CBM50-70电缆组; 1/8G-1/4G/M14x1/M16x1.5转换接头	CN-PH0126/FA513
21	Central adaptor torch side Plasma 5 pins;等离子中央插头/5针	CN-FY0023
22	Circle cutting attachment/CB70;圆周切割附件CB70	CN-CV0074

CN CB100



Technical	Data 技术参数
Current 额定电流	100Amp
Duty Cycle 占载率	60%
Gas 气体	AIR 空气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	180LPM
Ignition 引弧方式	HF高频
Post Flow 气体延时	100sec.recommended 推荐100秒
Slandard Lengih 标准长度	6M

HAND TORCH


No.	Description	Order
	Plasma cutting torch CB100/6m1/8G;等离子切割枪/CB100/6m 1/8G	CN-PA1300
	Plasma cutting torch CB100/6m 1/4G;等离子切割枪/CB100/6m 1/4G	CN-PA1301
	Plasma cutting torch CB100/6m M14x1;等离子切割枪/CB100/6m M14x1	CN-PA1304
	Plasma cutting torch CB100/6m M16x15;等离子切割枪/CB100/6m M16x1.5	CN-PA1302
	Plasma cutting torch CB100/6m central adaptor;等离子切割枪/CB100/6m/中央插头	CN-PA1302

MACHINE TORCH

	Plasma cutting auto torch CB100/6m1/8G;等离子自动切割枪/CB100/6m 1/8G	CN-PA1280
	Plasma cutting auto torch CB100/6m 1/4G;等离子自动切割枪/CB100/6m 1/4G	CN-PA1282
	Plasma cutting auto torch CB100/6m M14x1;等离子自动切割枪/CB100/6m M14x1	CN-PA1278
	Plasma cutting auto torch CB100/6m M16x1.5;等离子自动切割枪/CB100/6m M16x1.5	CN-PA1279
	Plasma cutting auto torch CB100/6m central adaptor;等离子自动切割枪/CB100/6m/中央插头	CN-PA1281

1	Four pointed spacer/CB100-150;四点支架CB100-150	CN-CV0201
2	Double pointed spacer/CB100-150;两点支架CB100-150	CN-CV0012
3	Spacer spring CB100-150;隔离环CB100-150	CN-PC0011
4	Tip/CB50-70;喷嘴/CB100-150	CN-PCO037
5	Tip ø1.0mm/ø1.1mm/ø1.2mm CB100-150;喷嘴 ø1.0mm/ø1.1mm/ø1.2mm CB100-150	CN-PD0015-10/CNPD0105-11/CN-PD0105-12
6	Locking nut;锁紧螺母	CN-CV0044
7	Spacer for contact cutting/CB100-150;隔离支架/接触切割CB100-150	CN-PE0107
8	Contact nozzle retaining cap/CB100;接触式外喷嘴CB100	
9	Flat tip ø1.3mm/ø1.6mm/CB100-150;扁平喷嘴ø1.3mm/ø1.6mm/CB100-150	
10	Diffuser CB100-150;分流器CB100-150	CN-PR0109
11	Extended HF CB100-150;等离子电极HF/CB100-150	CN-PR0115
12	Air tube/CB100;导流管CB100	CN-FH0560
13	Shield cap hand tip(Max 50A)/CB100-150;切割保护帽(最大50A)/CB100-150	CN-FH0561
14	Shield cap hand tip(Max 50A)/CB100-150;切割保护帽(最大50A)/CB100-150	
15	Extended tip ø1.3mm/ø1.6mm/ø1.8mm/CB100-150;加长喷嘴	CN-EA0125
16	Extended electrode HF Plasma CB100-150;加长等离子电极HF/CB100-150	
17	Extended air tube/CB100;加长电极CB100	
18	Front insulator/CB100;枪颈前端绝缘圈CB100	
19	Plasma torch head CB100;等离子枪头CB100	
19a	"O"ring CB100;O型圈CB100	
20	Plasma handle manual/A Series/Red;等离子手工手柄/A系列/红色	CN-PT0303
21	Protection part/Plasma/Yellow;开关保护档片/等离子用/黄色	
22	Plasma jointbig/new type;等离子用球节套件/大/新式	CN-WO300144
23	Fiber glass position tube/CBM;自动枪手柄CBM	
24	Plasma torch head CB100;等离子枪头CB100	CN-CV0052
25	Cable assembly CBM100/6m 1/8G;电缆组/CBM100/6m 1/8G;	
26	Spanner for Plasma;等离子枪扳手	CN-CV0052
27	Central adaptor torch side Plasma 5 pins;等离子中央插头/5针	
28	Circle cutting attachment/CB100-150;圆周切割附件CB100-150	CN-CV0022

CN CB150



Technical	Data 技术参数
Current 额定电流	150Amp
Duty Cycle 占载率	60%
Gas 气体	AIR 空气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	220LPM
Ignition 引弧方式	HF高频
Post Flow 气体延时	150sec.recommended 推荐150秒
Slandard Lengih 标准长度	6M

HAND TORCH


No.	Description	Order(6m)	Order(12m)
	Plasma cutting torch CB1501/8G;等离子切割枪/CB1501/8G	CN-PA137	CN-PA1380
	Plasma cutting torch CB1501/4G;等离子切割枪/CB1501/4G	CN-PA137	CN-PA1381
	Plasma cutting torch CB150 central adaptor;等离子切割枪/CB150/中央插头	CN-PA137	CN-PA1382
	Plasma cutting torch CB150 M16x1.5;等离子切割枪/CB150 M16x1.5	CN-PA137	CN-PA1383
	Plasma cutting torch CB150 M14x1;等离子切割枪/CB150 M14x1	CN-PA137	CN-PA1384

MACHINE TORCH

Plasma cutting auto torch CB150 M16x1.5;等离子自动切割枪/CB150 M16x1.5	CN-PA128	CN-PA1336
Plasma cutting auto torch CB150 central adaptor;等离子自动切割枪/CB150/中央插头	CN-PA128	CN-PA1335
Plasma cutting auto torch CB150/4G;等离子自动切割枪/CB150/4G	CN-PA128	CN-PA1332
Plasma cutting auto torch CB150 M14x1;等离子自动切割枪/CB150 M14x1	CN-PA128	CN-PA1333
Plasma cutting auto torch CB1501/8G;等离子自动切割枪/CB1501/8G	CN-PA128	CN-PA1334

1	Gouging spacer/CB100-150;弧口凿支架CB100-150	CN-CV0013
2	Four pointed spacer/CB100-150;四点支架CB100-150	CN-CV0014
3	Double pointed spacer/CB100-150;两点支架CB100-150	CN-CV0012
4	Spacer spring/A100-150;隔离环CB100-150	CN-PC0011
5	Outside nozzle CB150;外喷嘴CB150	CN-PCO002
6	Tip ø 1.1mm/ø 1.3mm/ø 1.6mm/ø 1.8mm/CB100-150;喷嘴ø 1.1mm/ø 1.3mm/ø 1.6mm/ø 1.8mm/CB100-150	CN-PD0026-11/13/16/18
7	Locking nut;锁紧螺母	CN-CV0044
8	Spacer for contact cutting/CB100-150;隔离支架/接触切割CB100-150	CN-CV0038
9	Contanct cutting nozzie CB150;接触式外喷嘴CB150	CN-PCO034
7	Locking nut;锁紧螺母	CN-CV0044
8	Spacer for contact cutting/CB100-150;隔离支架/接触切割CB100-150	CN-CV0038
9	Contanct cutting nozzie CB150;接触式外喷嘴CB150	CN-PCO034
10	Tipø1.3mm/ø1.6mm/ø1.8mm/CB100-150; 喷嘴ø1.3mm/ø1.6mm/ø1.8mm/CB100-150	CN-PD0028-14/16/18
11	Diffuser CB100-150;分流器CB100-150	CN-PE0009
12	Extended HF Plasma CB100-150;等离子电极/HF/CB100-150	CN-PR0034
13	Air tube CB150;导流管CB150	CN-FH0213
14	Contanct cutting attachment/CB100-150;接触切割保护帽CB100-150	CN-CV0008
15	Long contact cutting attachment/CB100-150;长接触切割保护帽CB100-150	CN-CVO009
16	Extended tip ø1.4mm/ø1.6mm/ø1.8mm/CB100-150;加长喷嘴ø1.4mm/ø1.6mm/ø1.8mm/CB100-150	CN-PD0025-14/16/18
	Contact Extended tip 50A/CB100-150;接触加长喷嘴50A/CB100-150	CN-PD0030-11
17	Extended electrode HF Plasma CB100-150;加长等离子电极HF/CB100-150	CN-PR0045
18	Extended air tube/CB150;加长导流管CB150	
19	Front insulator/CB150;枪颈前端绝缘圈CB150	CN-PE4002
20	"O"ring CB150;O型圈CB150	CN-ECB0134
21	Plasma handle manual/A Series/Red;等离子手工手柄/A系列/红色	CN-TP0085
22	Protection part/Plasma/Yellow;开关保护档片/等离子用/黄色	CN-BW0277
23	Trigger;开关	CN-BX0020
24	Plasmajoint/big/new type;等离子用球节套件/大/新式	CN-BW0349
25	Fiber glass position tube/CBM;自动枪手柄CBM	CN-TP0061
26	Plasma torch head CB150;等离子枪头CB150	CN-PF0034
27	Cable assembly CBM100-150/6m 1/8G;电缆组/CBM100-150/6m 1/8G	CN-PH0122
28/29	Spanner for Plasma;等离子枪扳手Central adaptor torch side Plasma 5 pins;等离子中央插头/5针	CN-MT1001/CN-FY0233
30	Cable assembly CB100-150/6m 1/8G;电缆组/CB100-150/6m 1/8G	CN-CV0022

CN A101



Technical	Data 技术参数
Current 额定电流	100Amp
Duty Cycle 占载率	60%
Gas 气体	AIR 空气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	180LPM
Ignition 引弧方式	HF高频
Post Flow 气体延时	100sec.recommended 推荐100秒
Standard Length 标准长度	6M

HAND TORCH


No.	Description	Order
	Plasma cutting torch A101/6m M14x1; 等离子切割枪/A101/6m M14x1	CN-PA1450
	Plasma cutting torch A101/6m 3/8G; 等离子切割枪/A101/6m 3/8G	CN-PA1451
	Plasma cutting torch A101/6m centra adaptor;等离子切割枪/A101/6m/中央插头	CN-PA1452
	Plasma cutting torch A101/6m M16x1.5;等离子切割枪/A101/6m M16x1.5	CN-PA1453
	Plasma cutting torch A101/6m 1/4G;等离子切割枪/A101/6m 1/4G	CN-PA1454

MACHINE TORCH

	Plasma cutting auto torch A101/6m M14x1;等离子自动切割枪/A101/6m M14x1	CN-PA0110
	Plasma cutting auto torch A101/6m central adaptor;等离子自动切割枪/A101/6m/中央插头	CN-PA0111
	Plasma cutting auto torch A101/6m 1/4G;等离子自动切割枪/A101/6m 1/4G	CN-PA0136
	Plasma cutting auto torch A101/6m 3/8G;等离子自动切割枪/A101/6m 3/8G	CN-PA0137
	Plasma cutting auto torch A101/6m M16x1.5;等离子自动切割枪/A101/6m M16x1.5	CN-PA0138

1	Four pointed spacer/ A101-150;四点支架 A101-150	CN-CV0014
2	Double pointed spacer/A101-150;两点支架 A101-150	CN-CV0012
3	Spacer spring/A101-150;隔离环 A101-150	CN-CV0011
4	Outsid nozzle A101;外喷嘴 A101	CN-PC0111
5	Four point crown shield with insulator/A101-141;四点支架/带绝缘环 A101-141	CN-CV0039
6	Spacer for contact cutting/A101-141;隔离支架/接触切割A101-141	CN-CV0023
7	Contact nozzle retaining cap/A101;接触式外喷嘴 A101	CN-PC0130
8	Tipø1.1mm/ø1.4mm/ø1.7mmA101-141;喷嘴ø1.1mm/ø1.4mm/ø1.7mm/A101-141	CN-PD0101-11/CN-PD0101-14/CN-PD0101-17
9	Diffuser A101-141;分流器 A101-141	CN-PE0101
10	Extended Plasma A101-141;等离子电极 A101-141	CN-PR0101
11	Air tube/A100-101;导流管 A100-101	CN-FH0562
12	Locking nut;锁紧螺母	CN-CV0044
13	Shield cap attachment A101-151;接触切割保护帽A101-151	CN-CV0008
14	Long contact cutting attachmentA101-151;长接触切割保护帽A101-151	CN-CV0009
15	Extended tip ø1.4mm/ø1.7mm/50A/A101-151;加长喷嘴ø1.4mm/ø1.7mm/50A/A101-151	CN-PD0117-14/CN-PD0117-17/CN-PD0111
16	Extended tip ø1.4mm/ø1.7mm/50A/A101-151;加长喷嘴ø1.4mm/ø1.7mm/50A/A101-151	CN-PE0103
17	Extended electrode Plasma A101;加长等离子电极 A101	CN-PR0116
18	Extended air tube/A100/A101;加长导流管 A100/A101	
19	Plasma torch head A101;等离子枪头 A101	CN-PF0145
19a	'O' ring ø18.77x1.78mm in silicon ;O型圈 ø18.77x1.78mm/硅胶	CN-EA0125
19b	Front insulator/CB101;枪颈前端绝缘圈 CB101	CN-PE4001
20	Plasma handle manual/A Series/Red;等离子手工手柄/A系列/红色	CN-TP0085
21	Protection part/Plasma/Yellow;开关保护档片/等离子用/黄色	CN-BW0277
22	Plasmajoint/big/new type;等离子用球节套件/大/新式	CN-BW0349
23	Fiber glass position tube/A101-M;自动枪手柄 A101-M	CN-TPO061
24	Cable assembly A100-101/6m 1/8G;电缆组/A100-101/6m 1/8G;	CN-PH0124
	Connecting adaptor1/8G-1/4G/3/8G/M14x1;/转换接头1/8G-1/4G/3/8G/M14x1	CN-FA5132/CN-FA5131/CN-FA5133
25	Connecting adaptor1/8G-M16x1.5;转换接头1/8G-M16x1.5	CN-FA5134
26	Spanner for Plasma;等离子枪扳手	CN-MT1001
27	Central adaptor torch side Plasma 5 pins;等离子中央插头/5针	CN-FY0023
28	Circle cutting attachmentA101-151;圆周切割附件 A101-151	CN-CV0022

CN A141



HAND TORCH


No.	Description	Order(6m)	Order(12m)
	Plasma cutting torch A141 1/4G;等离子切割枪/A141 1/4G	CN-PA1502	CN-PA1503
	Plasma cutting torch A141 3/8G;等离子切割枪/A141 3/8G	CN-PA1506	CN-PA1507
	Plasma cutting torch A141 M14x1;等离子切割枪/A141 M14x1	CN-PA1500	CN-PA1501
	Plasma cutting torch A141 M16x1.5;等离子切割枪/A141 M16x1.5	CN-PA1509	CN-PA1510
	Plasma cutting torch A141 central adaptor;等离子切割枪/A141/中央插头	CN-PA1504	CN-PA1505

MACHINE TORCH

	Plasma cutting auto torch A141 3/8G;等离子自动切割枪/A141 3/8G	CN-PA0105	CN-PA0109
	Plasma cutting auto torch A141 1/4G;等离子自动切割枪/A141 1/4G	CN-PA0108	CN-PA0106
	Plasma cutting auto torch A141 M14x1;等离子自动切割枪/A141 M14x1	CN-PA0103	CN-PA0104
	Plasma cutting auto torch A141 central adaptor;等离子自动切割枪/A141/中央插头	CN-PA0142	CN-PA0143
	Plasma cutting auto torch A141 M16x1.5;等离子自动切割枪/A141 M16x1.5	CN-PA0145	CN-PA0146


1	Gouging spacer/A141-150;弧口凿支架 A141-150	CN-CV0013
2	Four pointed spacer/ A100-150;四点支架 A100-150	CN-CV0014
3	Double pointed spacer/A100-150;两点支架 A100-150	CN-CV0012
4	Spacer spring/A100-150;隔离环CB100-150	CN-PC0111
5	Outsid nozzle A141;外喷嘴 A141	CN-PC0102
6	Four point crown shield with insulator /A101-141;四点支架/带绝缘环 A101-141	CN-CV0039
7	Spacer for contact cutting/A101-141;隔离支架/接触切割 A101-141	CN-CV0023
8	Outsid nozzle A141-151;外喷嘴 A141-151	CN-PC0131
9	Tipø1.1mm/ ø1.4mm/ø1.7mmA101-141;喷嘴 ø1.1mm// ø1.4mm/ø1.7mm/A101-141	
	CN-PD0101-11/CN-PD0101-14/CN-PD0101-17	
	Tip ø1.9mm A101-141;喷嘴 ø1.9mm/A101-141	CN-PD0101-19
10	Diffuser A101-141;分流器 A101-141	CN-PE0101
11	Extended Plasma A101-141;等离子电极 A101-141	CN-PR0101
12	Air tube/A141-151;导流管 A141-151	CN-PH0563
13	Locking nut;锁紧螺母	CN-CV0044
14	Shield cap attachment/A100-151;接触切割保护帽 A100-151	CN-CV0008
15	Long contact cutting attachmentA100-151;长接触切割保护帽A100-151	CN-CV0009
16	Extended tip ø1.4mm/ø1.7mm/ø1.9mm/A101-151;加长喷嘴 ø1.4mm/ø1.7mm/ø1.9mm/A101-151	CN-PD0117-14/17/19
	Extended tip 50A/A101-151;加长喷嘴 50A/A101-151	CN-PD0111
17	Diffuser A151;分流器 A151	CN-PE0103
18	Extended electrode Plasma A101;加长等离子电极 A101	CN-PRO116
19	Extended air tube/A150;加长导流管 A150	
20	Plasma torch head A141;等离子枪头 A141	CN-PF0155
20a/20b	*O"ring ø18.77x1.78mm in silicon;O型圈 ø18.77x1.78mm/硅胶/ Front insulator/A141-151;绝缘圈 A141-151	CN-EA0131/CN-PE4002
21	Plasma handle manual/A Series/Red;等离子手工手柄/A系列/红色	CN-TP0085
22	Protection part/Plasma/Yellow;开关保护档片/等离子用/黄色	CN-BW0277
23	Plasmajoint/big/new type;等离子用球节套件/大/新式	CN-BW0349
24/25	Fiber glass position tube/A141-M;自动枪手柄 A141-M/Cable assembly A141-M;电缆组 A141-M	CN-TP0061
26	Cable assembly A141-151/6m 1/8G;电缆组/A141-151/6m 1/8G;	CN-PH0122
	Connecting adaptor1/8G-1/4G/-3/8G/M14x1/M16x1.5;转换接头 1/8G-1/4G/-3/8G/M14x1/M16x1.5	CN-FA5132/5131/5133/5134
27	Spannerfor Plasma;等离子枪扳手	CN-MT1001
28/29	Central adaptor torch side Plasma5 pins;等离子中央插头/5针/ Circle cutting attachment/A101-151;圆周切割附件	CN-FY0022

CN PT25



Technical	Data 技术参数
Current 额定电流	80Amp
Duty Cycle 占载率	60%
Gas 气体	AIR/N2 空气/氮气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	110LPM
Ignition 引弧方式	Without HF高频
Post Flow 气体延时	50sec.recommended 推荐50秒
Slandard Lengih 标准长度	6M


We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



HAND TORCH

No.	Description	Order
	HAND TORCH	
	Plasma torch PT25C/4m 2wires;等离子切割枪/PT25C/4m/2芯控制线	CN-09625CX A
	Plasma torch PT25C/4m 2wires back striking;等离子切割枪/PT25C/4m/2芯控制线/后引弧	A
	Plasma torch PT25C/4m 4wires;等离子切割枪/PT25C/4m/4芯控制线	CN-09627CX B
	Plasma torch PT25C/4m 4wires back striking;等离子切割枪/PT25C/4m/4芯控制线/后引弧	B
	Plasma torch PT25/4m 2wires ;等离子切割枪/PT25/4m/2芯控制线	A
	Plasma torch PT25/4m 2wires back striking;等离子切割枪/PT25/4m/2芯控制线/后引弧	A
	Plasma torch PT25/4m 4wires;等离子切割枪/PT25/4m/4芯控制线	B
	Plasma torch PT25/4m 4wires back striking;等离子切割枪/PT25/4m/4芯控制线/后引弧	B
	Plasma torch PT25/4m 1/4G;等离子切割枪/PT25/4m 1/4G	C
	Plasma torch PT25/4m 1/4G back striking;等离子切割枪/PT25/4m 1/4G/后引弧	C
	Plasma torch PT25/4m 1/4G seperated;等离子切割枪/PT25/4m 1/4G/气电分离	D
	Plasma torch PT25/4m 1/4G seperated back striking;等离子切割枪/PT25/4m 1/4G/气电分离/后引弧	D
1	Outsid nozzle;外喷嘴 Outside nozzle 1 hole;外喷嘴/1孔 Outside nozzle 1hole/maxmum life;外喷嘴/1孔/长寿命 Outsido nozzlo 2 holes;外喷嘴/2孔 Qutside nozzle 2 holes/maximum life;外喷嘴/2孔/长寿命	CN-60389D CN-60389K4 CN-60389 CN-60389K CN-60389K2
2	Tip ø0.6mm/10-20A/back striking;喷嘴 ø0.6mm/10-20A/后引弧 Tip ø0.8mm/10-30A/back striking;喷嘴 ø0.8mm/10-30A/后引弧	CN-51316.06 CN-51316.08
3	Tip ø0.6mm/10-20A PT25-40;电极喷嘴 ø0.6mm/10-20A Tip ø0.8mm/10-30A PT25-40;电极喷嘴 ø0.8mm/10-30A Tip ø0.9mm/10-40A PT25-40;电极喷嘴 ø0.9mm/10-40A	CN-51318.06 CN-51318.08 CN-51318.09
4	Extended tipø0.6mm10-20A/back striking;加长电极喷嘴 ø0.6mm/10-20A后引弧 Extended tipø0.8mm20-30A/back striking;加长电极喷嘴 ø0.8mm/20-30A后引弧	CN-51318L06 CN-51318L08
5	Diffuser/PT25-60;分流器PT25-60	CN-60028
6	Electrode/back striking/PT25-60 back striking;等离子电极/PT25-60/后引弧	CN-52582
7	Electrode/PT25-60;等离子电极 PT25-60	CN-52531
8	Extended electrode/PT25-60/back striking;加长等离子电极/PT25-60/后引弧	CN-52583
9	Plasma torch head PT25C;等离子枪头 PT25C "O"ring ø15x18mm;O型圈 ø10x18mm	CN-09601 CN-51620.60
10	Plasma handle manual/PT20-60/Red;等离子手工手柄/PT20-60/红色	CN-09605
11	Protection part/Plasma/Yellow;开关保护档片/等离子用/黄色	
12	Trigger;开关	
13	Plasmajoints small/new type;等离子用球节套件/小/新式	
14	Cable assembly;电缆组	
15	cable assembly/PT20C-25/4m/2/4m/4 wires/direct;电缆组/PT20C-25/4m/2/4m/4/两芯控制线/直接连接 Cable assembly/PT25/4m 1/4G;电缆组/PT25/4m 1/4G Cable assembly/PT25/4m 1/4G seperated;电缆组/PT25/4m 1/4G/气电分离	
16	Circle cutting attachment;圆周切割附件	CN-CV0025
17	Spanner for Plasma;等离子枪扳手	

CN PT40




Technical	Data 技术参数
Current 额定电流	80Amp
Duty Cycle 占载率	60%
Gas 气体	AIR/N2 空气/氮气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	110LPM
Ignition 引弧方式	Without HF高频
Post Flow 气体延时	50sec.recommended 推荐50秒
Slandard Lengih 标准长度	6M

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口

HAND TORCH

No.	Description	Order
HAND TORCH		
	Plasma torch PT40/4m direct;等离子切割枪/PT40/4m/直接连接	35040041001 A
	Plasma torch PT40/4m direct back striking;等离子切割枪/direct/4m/直接连接/后引弧	A
	Plasma torch PT40/4m 1/4G;等离子切割枪/PT40/4m 1/4G	CN 09627CX B
	Plasma torch PT40/4m 1/4G back striking;等离子切割枪/PT40/4m 1/4G/后引弧	B
	Plasma torch PT40/6m 1/4G等离子切割枪/PT40/6m 1/4G	B
	Plasma torch PT40/6m 1/4G back striking;等离子切割枪/PT40/6m 1/4G/后引弧	B
	Plasma torch PT40/4m 1/4G seperated;等离子切割枪/PT40/4m 1/4G/气电分离	C
	Plasma torch PT40/4m 1/4G seperated back striking;等离子切割枪/PT40/4m 1/4G/气电分离/后引弧	C
	Plasma torch PT40/6m central adaptor;等离子切割枪/PT40/6m/中央插头	35040041003 D
	Plasma torch PT40/6m central adaptor back striking;等离子切割枪/PT40/6m/中央插头/后引弧	D
1	Double pointed spacer/PT40/PT60;两点支架 PT40/PT60	CN-60432
2	Outsid nozzie 6 holes;外喷嘴/6孔	CN-60389
	Outsid nozzie 6 holes/maximum life;外喷嘴/6孔/长寿命	CN-60389K4
3	Tip ø0.6/ø0.8/ø0.9mm/10-20A PT25-40;电极喷嘴ø0.6/ø0.8/ø0.9mm/PT25-40/10-20A	CN-51318
4	Tip ø0.6/ø0.8/ø0.9/ø1.0mm/10-20A/back striking;电极喷嘴 ø0.6/ø0.8/ø0.9/ø1.0mm/10-20A/后引弧	CN-51318L
5	Tip;喷嘴	
6	Flat tip ø0.9mm/ø1.0mm/30-40A/back striking;扁平电极喷嘴ø0.9mm/ø1.0mm30-40A后引弧	CN-51312.09
7	Extended tipø0.6mm/10-20A/back striking;加长电极喷嘴 ø0.6mm/10-20后引弧	CN-51312.06
8	Extended tip ø0,8mm/20-30Aback striking;加长电极喷嘴 ø0.8mm/20-30A后引弧	CN-51318L.08
9	Diffuser PT25-40;分流器 PT25-40	CN-60028
10	Extended PlasmaPT25-60;等离子电极 PT25-60	CN-52582
11	Extended Plasma PT25-60 back striking;等离子电极 PT25-60/后引弧	CN-52583
12	Extended electrode Plasma PT25-60 back striking;加长等离子电极 PT25-60/后引弧	CN-52582L
13	Plasma torch head PT40;等离子枪头 PT40	CN-09602
	"O"ring ø15x18mm;O型圈中 15x18mm	
14	Plasma handle manual/PT20-60/Red;等离子手工手柄/PT20-60/红色	CN-09605
15	Protection parVPlasma/Yellow;开关保护档片/等离子用/黄色	
16	Trigger;开关	CN-07301.2
17	PlasmajoinVsmall/new type;等离子用球节套件/小/新式	
18	Cable assembly;电缆组	
19	Cable assembly PT40/4m 1/4G;电缆组PT4014m 1/4G	35040041001
	Cable assembly PT40/6m 1/4G;电缆组PT40/6m 1/4G	35040041002
	Cable assembly PT40/4m seperated;电缆组PT40/4m/气电分离	35040061002
	Cable assembly PT40/6m central adaptor;电缆组PT40/6m/中央插头	35040061003
20	Central adaptor torch side Plasma5 pins;等离子中央插头/5针	
21	Circle cutting attachment;圆周切割附件	CN-CV0025
22	Spanner for Plasma;等离子枪扳手	

CN PT60




HAND TORCH

No.	Description	Order
	Plasma torch PT60/6m 1/4G;等离子切割枪/PT60/6m 1/4G	CN 09631
	Plasma torch PT60/6m 1/4G back striking;等离子切割枪/PT60/6m 1/4G/后引弧	A
	Plasma torch PT60/6m 1/4G seperated;等离子切割枪/PT60/6m 1/4G/气电分离	B
	Plasma torch PT60/6m 1/4G back striking;等离子切割枪/PT60/6m 1/4G/后引弧	B

No.	Description	Order
	Plasma torch PT60/6m central adaptor;等离子切割枪/PT60/6m/中央插头	CN 09636
	Plasma torch PT40/4m 1/4G seperated;等离子切割枪/PT40/4m 1/4G/气电分离	C

No.	Description	Order
1	Double pointed spacer/PT60;两点支架 PT60	CN 60432
2	Outsid nozzle 4 holes;外喷嘴/4孔	CN 60389K4
	Outsid nozzle 6 holes/maximum life;外喷嘴/6孔/长寿命	CN 60389K6
3	Tip ø0.6/ø0.8/ø0.9mm/10-20A PT25-40;电极喷嘴 ø0.6/ø0.8/ø0.9mm/PT25-40/10-20A	CN 51318.06/CN 51318.08/CN 51318.09
4	Tip ø0.6/ø0.8/ø0.9/ø1.0mm/10-20A/back striking;电极喷嘴 ø0.6/ø0.8/ø0.9/ø1.0mm/10-20A/后	CN51318L.06/CN51318L.08/CN51314.09
5	Tip;喷嘴	
6	Flat tip 中0.9mm/30-40A/back striking;扁平电极喷嘴中1.0mm/30-40AV后引弧	CN 51312.09
7	Extended tip ø0.6mm/10-20A/back striking;加长喷嘴 ø0.6mm/10-20后引弧	CN 51318L.06
8	Extended tip ø0,8mm/20-30Aback striking;加长喷嘴 ø0.8mm/20-30A后引弧	CN 51318L.08
9	Diffuser PT25-40;分流器 PT25-40	CN 60028
10	Extended PlasmaPT25-60;等离子电极 PT25-6	CN 52582
11	Extended Plasma PT25-60 back striking;等离子电极 PT25-60/后引弧	CN 52583
12	Extended electrode Plasma PT25-60 back striking;加长等离子电极 PT25-60/后引弧	CN 52582L
13	Plasma torch head PT60;等离子枪头 PT60	CN 09602
	"O"ring ø10x1.9mm;O型圈中 10x1.9mm	
14	Plasma handle manual/PT20-60/Red;等离子手工手柄/PT20-60/红色	CN 09605
15	Protection parVPlasma/Yellow;开关保护档片/等离子用/黄色	
16	Trigger;开关	CN 07301.2
17	PlasmajoinVsmall/new type;等离子用球节套件/小/新式	
18	Cable assembly;电缆组	
19	Cable assembly;电缆组	
	Cable assembly PT60/6m 1/4G seperated;电缆组PT60/6m 1/4G/气电分离	
	Cable assembly PT60/6m central adaptor;电缆组PT60/6m/中央插头	
	Cable assembly PT60/6m 1/4G;电缆组PT60/6m 1/4G	
20	Central adaptor torch side Plasma5 pins;等离子中央插头/5针	
21	Circle cutting attachment;圆周切割附件	CN CV0025
22	Spanner for Plasma;等离子枪扳手	
23	Plasma machine torch head IPTM60-T/IPXM62-T;等离子自动枪头 IPTM60-T/IPXM62-T	CN IVZ0720
24	Fiberglass position tube/PTM TORCH;自动枪手柄	CN IGV0706

CN PT80




MACHINE TORCH 自动枪



22

Technical	Data 技术参数
Current 额定电流	80Amp
Duty Cycle 占载率	60%
Gas 气体	AIR/N2 空气/氮气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	110LPM
Ignition 引弧方式	Without HF高频
Post Flow 气体延时	50sec.recommended 推荐50秒
Slandard Lengih 标准长度	6M

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口




21

HAND TORCH

No.	Description	Order
	Plasma torch PT80/12m 1/4G/back striking;等离子切割枪/PT80/12m 1/4G/后引弧	
	Plasma torch PT80/6m 1/4G/back striking;等离子切割枪/PT80/6m 1/4G/后引弧	
	Plasma torch PT80/12m central adaptor/back striking;等离子切割枪/PT80/12m 中央插头/后引弧	
	Plasma torch PT80/6m central adaptor/back striking;等离子切割枪/PT80/6m 中央插头/后引弧	
No.	Description	Order
	Plasma torch PTM80/12m 1/4G/back striking;等离子切割枪/PTM80/12m 1/4G/后引弧	
	Plasma torch PTM80/6m 1/4G/back striking;等离子切割枪/PTM80/6m 1/4G/后引弧	
	Plasma torch PTM80/12m central adaptor/back striking;等离子切割枪/PTM80/12m 中央插头/后引弧	
	Plasma torch PTM80/6m central adaptor/back striking;等离子切割枪/PTM80/6m 中央插头/后引弧	
No.	Description	Order
1	Double pointed spacer/PT80;两点支架 PT80	CN 60434
2	Outsid nozzie PT80;外喷嘴 PT80	CN 60510
	Outsid nozzie/maximum life PT80;外喷嘴/长寿命 PT80	CN 60510L
3	Tip ø0.9mm/30-40A back striking;喷嘴 ø0.9mm/30-40A/后引弧	CN 51310.09
4	Tip ø1.0mm/40-50A back striking;喷嘴 ø1.0mm/40-50A/后引弧	CN 51311.10
	Tip ø1.1mm/50-60A back striking;喷嘴 ø1.1mm/50-60A/后引弧	CN 51311.11
	Tip ø1.2mm/60-70A back striking;喷嘴 ø1.2mm/60-70A/后引弧	CN 51311.12
	Tip ø1.3mm/70-80A/back striking;喷嘴 ø1.3mm/70-80A/后引弧	CN 51311.13
5	Shield cap hand 40-70A;隔离保护帽手工/40-70A	CN 60504
6	Outsid nozzie PT80/Contact cut;外喷嘴/PT80/接触切割	CN 60511
7	Tip ø1.0mm/40-50Aback striking;喷嘴 ø1.0mm/40-50A/后引弧	CN 51311S.10
	Tip ø1.1mm/50-60A/back striking;喷嘴 ø1.1mm/50-60A/后引弧	CN 51311S.11
	Tip ø1.2mm/60-70A/back striking;喷嘴 ø1.2mm/60-70A/后引弧	CN 51311S.12
	Tip ø1.3mm/70-80A/back striking;喷嘴 ø1.3mm/70-80A/后引弧	CN 51311S.13
8	Shield cap,gouging;气刨隔离保护帽	CN 60508
9	Tip gouging/80Aback striking;气刨喷嘴 80N后引弧	CN 51311G.16
10	Diffuser PT80;分流器 PT80	CN 60028
11	Extended PlasmaPT80/back striking;等离子电极 PT80/后引弧	CN 52558
12	Plasma torch head PT80;等离子枪头 PT80/" O" ring 中 10x1.9mm;O型圈中 10x1.9mm	CN 09800/CN 51620.60
	Air tube/PT80;导流管 PT80	CN 09800.42
13	Plasma handle manual/PT80/Red;等离子手工手柄/PT80/红色	CN 09705
14	Protection par/Plasma/Yellow;开关保护档片/等离子用/黄	
15	PlasmajoinUsmallnewtype;等离子用球节套件/小/新式	
16	Cable assembly;电缆组	
17	Spanner for Plasma;等离子枪扳手	CN 60368
18	Fiberglass position tube/PTM80-120;自动枪手柄 PTM80-120	
19	Piasma toch atuo head PTM80;等离子自动枪头 PTM80	
20	Cable assembly PT80-100/6m 1/4G;电缆组/PT80/6m 1/4G	
	Cable assembly PT80-100112m 1/4G;电缆组/PT80/12m 1/4G	
	Cable assembly PT80-100/6m central adaptor;电缆组/PT80/6m/中央插头	
	Cable assembly PT80-100/12m central adaptor;电缆组/PT80/12m/中央插头	
21	Central adaptor torch side Plasma 5 pins;等离子中央插头/5针	
22	Circle cutting attachment PT80;圆周切割附件 PT80	CN CV0025

CN PT100



MACHINE TORCH 自动枪



Technical	Data 技术参数
Current 额定电流	100Amp
Duty Cycle 占载率	60%
Gas 气体	Air/N2空气/ 氮气
Gas Pressure 气压	4.5-5.0 Bar
Gas Flow 气流量	200LPM
Ignition 引弧方式	Without HF高频
Post Flow 气体延时	80sec.recommended 推荐80秒
Slandard Lengih 标准长度	6M

We can supply any cable connector according to customer request
我们可以根据客户需要制作任何形式的接口



HAND TORCH

No.	Description	Order
	Plasma torch PT100/6m 1/4G/back striking;等离子切割枪/PT100/6m 1/4G/后引弧	CN 09721
	Plasma torch PT100/12m 1/4G/back striking;等离子切割枪/PT100/12m 1/4G/后引弧	CN 09726
	Plasma torch PT100/6m central adaptor/back striking;等离子切割枪/PT100/6m 中央插头/后引弧	CN 09731
	Plasma torch PT100/12m central adaptor/back striking;等离子切割枪/PT100/12m 中央插头/后引弧	CN 09736

No.	Description	Order
	Plasma auto torch PTM100/6m 1/4G/back striking;等离子自动切割枪/PTM100/6m 1/4G/后引弧	
	Plasma auto torch PTM100/12m 1/4G/back striking;等离子自动切割枪/PTM100/12m 1/4G/后引弧	
	Plasma auto torch PTM100/6m central adaptor/back string;等离子自动切割枪/PTM100/6m 中央插头/后引弧	
	Plasma auto torch PTM100/12m central adaptor/back striking;等离子自动切割枪/PTM100/12m 中央插头/后引弧	

1	Double pointed spacer/PT100;两点支架 PT100	CN 60444
2	Outsid PT100/30-70A;外喷嘴/PT100/30-70A	CN 60500
3	Outsid nozzle PT100/80-120A;外喷嘴/PT100/80-120A	CN 60501
4	Tip ø0.9mm/cotact cutting/30-70Aback striking;电极喷嘴 ø0.9mm/30-70A/后引弧	CN 51245.09
5	Tip ø1.0mm/40-50A/back striking;电极喷嘴 ø1.0mm/40-50A/后引弧	CN 51246.10
	Tip ø1.1mm/50-60A/back striking;电极喷嘴 ø1.1mm/50-60A/后引弧	CN 51246.11
	Tip ø1.2mm/60-70A back striking;喷嘴 ø1.2mm/60-70A/后引弧	CN 51246.12
6	Tip ø1.4mm/80-90A/back striking;电极喷嘴 ø1.4mm/80-90A/后引弧	CN 51246.14
	Tip ø1.5mm/100-110A/back striking;电极喷嘴 ø1.5mm/100-110A/后引弧	CN 51246.15
	Tip ø1.6mm/110-120A/back striking;电极喷嘴 ø1.6mm/110-120A/后引弧	CN 51246.16
7	Diffuser PT100/30-70A;分流器PT100/30-70A	CN 60025
8	Diffuser PT100/80-120A;分流器PT100/80-120A	CN 60026
9	Extended Plasma PT100;等离子电极 PT100	CN 52556
10	Shield cap 40-70A;隔离保护帽/40-70A	CN 60504
11	Shield cap 80-120A;隔离保护帽/80-120A	CN 60505
12	Shield cap gouging/120A;气刨隔离保护帽/12	CN 60506
13	Qutsid nozzle PT1000/Contact cut;外喷嘴/PT100/接触切割	CN 60502
14	Tip;喷嘴	CN 51276.10
15	Tip ø1.0mm/40-50A/back striking;电极喷嘴 ø1.0mm/40-50A/后引弧	CN 51246.10
	Tip ø1.1mm/50-60A/back striking;电极喷嘴 ø1.1mm/50-60A/后引弧	CN 51276.11
	Tip ø1.2mm/60-70A/back striking;电极喷嘴 ø1.2mm/60-70A/后引弧	CN 51276.12
16	Tip ø1.4mm/80-90A/back striking;电极喷嘴 ø1.4mm/80-90A/后引弧	CN 51248.14
	Tip ø1.5mm/100-110A/back striking;电极喷嘴 ø1.5mm/100-110A/后引弧	CN 51248.15
	Tip ø1.6mm/110-120A/back striking;电极喷嘴 ø1.6mm/110-120A/后引弧	CN 51248.16
17	Plasma torch head PT100;等离子枪头 PT100	CN 09700
18	Air tube/PT100;导流管 PT100/ "O"ring 中 18x21mm;O型圈中 18x21mm	CN 52556
19-20	Plasma handle manual/PT80-100/Red;等离子手工手柄/PT80-100/红色	CN 09705
21	Cable assembly;电缆组	
22	Spanner for Plasma;等离子枪扳手/ Circle cutting attachment PT100;圆周切割附件 PT100	
23	Fiberglass position tube/PTM80-120;自动枪手柄 PTM80-120	
24	Plasma toch atuo head PTM100;等离子自动枪头 PTM100	
25	Cable assembly PT100/6m/12m/6m central/12m central/1/4G;电缆组	